09/180,132

```
=> d his

     (FILE 'HOME' ENTERED AT 11:38:49 ON 02 NOV 2001)

     FILE 'REGISTRY' ENTERED AT 11:39:29 ON 02 NOV 2001
L1              STRUCTURE UPLOADED
L2           23 S L1
L3              STRUCTURE UPLOADED
L4            9 S L3
L5          164 S L3 FULL
L6              STRUCTURE UPLOADED
L7          106 S L6 FULL SUB=L5
L8              STRUCTURE UPLOADED
L9           70 S L8 FULL SUB=L7

     FILE 'USPATFULL' ENTERED AT 11:48:27 ON 02 NOV 2001
L10           2 S L9

     FILE 'CAOLD' ENTERED AT 11:49:25 ON 02 NOV 2001
L11           0 S L9

     FILE 'CAPLUS' ENTERED AT 11:49:44 ON 02 NOV 2001
L12           5 S L9

     FILE 'MARPAT' ENTERED AT 11:53:24 ON 02 NOV 2001
L13           0 S L9
L14          15 S L9 FULL
L15          12 S L14 NOT L12
```

L3 ANSWER 6 OF 8 CAPLUS COPYRIGHT 2000 ACS (Continued)
(Biological study); PROC (Process); USES (Uses)
(abortifacient effects of antiprogestins in early pregnancy in long-tailed macaque in relation to dose and administration route)
RN 126784-99-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L3 ANSWER 7 OF 8 CAPLUS COPYRIGHT 2000 ACS (Continued)
RN 126784-99-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L3 ANSWER 7 OF 8 CAPLUS COPYRIGHT 2000 ACS
ACCESSION NUMBER: 1995:985962 CAPLUS
DOCUMENT NUMBER: 124:22540
TITLE: Pharmaceutical compositions of antiglucocorticoid compounds for treating or preventing symptoms of spontaneous or narcotic-induced withdrawal.
INVENTOR(S): Petit, Francis; Philibert, Daniel; Ulmann, Andre
PATENT ASSIGNEE(S): Roussel-UCLAF, Fr.
SOURCE: Eur. Pat. Appl., 30 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: French
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 676203	A1	19951011	EP 1995-400764	19950406
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, NL, PT, SE				
FR 2718354	A1	19951013	FR 1994-4156	19940408
FR 2718354	B1	19960503		
ZA 9502058	A	19960313	ZA 1995-2058	19950313
CA 2146600	AA	19951009	CA 1995-2146600	19950407
FI 9501683	A	19951009	FI 1995-1683	19950407
AU 9516326	A1	19951019	AU 1995-16326	19950407
JP 07278017	A2	19951024	JP 1995-107071	19950407
HU 71468	A2	19951128	HU 1995-1019	19950407
CN 1116929	A	19960221	CN 1995-104015	19950407
PRIORITY APPLN. INFO.:			FR 1994-4156	19940408

OTHER SOURCE(S): MARPAT 124:22540
AB Antiglucocorticoid steroids such as mifepristone, onapristone, lilopristone and related steroids are proposed for the prevention or treatment of withdrawal syndromes, either spontaneous or pptd. by narcotics or mixts. of narcotics. These antiglucocorticoids would be useful in the withdrawal from morphinomimetics such as heroin, morphine or methadone as well as cocaine. Pharmacol. activity was demonstrated by the effect of the antiglucocorticoids on the stereotypic behavior of mice in response to narcotics. Spontaneous withdrawal syndrome was induced by administration of the opioid antagonist, naloxone. An antiprogesterone activity of the steroids in their action mechanism was eliminated. Results confirmed the involvement of endogenous glucocorticoids in morphine withdrawal since this is inhibited by antiglucocorticoids or adrenalectomy.
IT **126784-99-4**
RL: **THU (Therapeutic use)**; BIOL (Biological study); USES (Uses)
(RU 486 related; antiglucocorticoid steroids for treatment or prevention of spontaneous opioid or narcotic-induced drug withdrawal syndrome.)

L3 ANSWER 8 OF 8 CAPLUS COPYRIGHT 2000 ACS
ACCESSION NUMBER: 1988:529463 CAPLUS
DOCUMENT NUMBER: 109:129463
TITLE: New 11-(alkynylphenyl)-substituted 19-nor and 19-nor-D-homo steroids, their formation and pharmacological activity, and processes for their preparation
INVENTOR(S): Teutsch, Jean Georges; Klich, Michel; Philibert, Daniel
PATENT ASSIGNEE(S): Roussel-UCLAF, Fr.
SOURCE: Eur. Pat. Appl., 88 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: French
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 245170	A1	19871111	EP 1987-401018	19870504
EP 245170	B1	19891129		
R: CH, DE, GB, IT, LI, NL, SE				
FR 2598421	A1	19871113	FR 1986-6517	19860506
FR 2598421	B1	19880819		
US 4912097	A	19900327	US 1987-44958	19870430
HU 44793	A2	19880428	HU 1987-2007	19870505
HU-196224	B	19881028		
JP 62294694	A2	19871222	JP 1987-109059	19870506
PRIORITY APPLN. INFO.:			FR 1986-6517	19860506

AB Title steroids I [R1 = C2-8 alkynyl (un)substituted by OH, halo, trialkylsilyl, alkoxy, alkylthio, dialkylamino, or oxo; R2 = C1-3 alkyl; A/B-rings = Q1-Q5; D-ring = Q6, Q7; R3, R4 = H, C1-4 alkyl; R5 = H, OH, acycloxy, (un)substituted C1-6 alkoxy; R6 = H, C1-8 alkyl, C7-15 aralkyl; R7, R8 = H, OH, etc.; R7R8 = lactones and related groups; YZ = CH2CH2, CH:CH, 1,2-cyclopropanediyl, CHR9CH2, CH2CHR10; R9, R10 = C1-4 alkyl] are prepd. for use as progestogens, antiprogestogens, and/or antiglucocorticoids. 3,3-Ethylenedioxy-5,10-epoxy-estr-9(11)-en-17-one was treated with 4-(Me3SiC:C)C6H4MgBr and CuCl in THF, and the product treated with CH2:CHCH2MgBr and deprotected and dehydrated (NH4OH in aq. MeOH, then aq. HCl) to give (ethylnylphenyl)allylhydroxyestradienone II. At 10-6M in vitro, II gave 99% reversal of the dexamethasone-induced redn. of uridine uptake by rat thymocytes (5 .times. 10-8M dexamethasone). Tablets were prepd. from 50 mg of the 17.alpha.-(chloroethynyl) analog of II, and 120 mg of a mixt. of talc, starch, and Mg stearate.
IT **116421-73-9P 116421-74-0P**
RL: SPN (Synthetic preparation); **THU (Therapeutic use)**; BIOL (Biological study); PREP (Preparation); USES (Uses)
(prepn. of, as drug)

L4 ANSWER 1 OF 1 CAPLUS COPYRIGHT 1999 ACS
ACCESSION NUMBER: 1997:740250 CAPLUS
DOCUMENT NUMBER: 127:358992
TITLE: Preparation of 21-substituted progesterone derivatives as new antiprogestational agents
INVENTOR(S): Kim, Hyun K.; Blye, Richard P.; Rao, Pemmaraju N.; Cessac, James W.; Acosta, Carmie K.
PATENT ASSIGNEE(S): United States Dept. of Health and Human Services, USA; Kim, Hyun K.; Blye, Richard P.; Rao, Pemmaraju N.; Cessac, James W.; Acosta, Carmie K.
SOURCE: PCT Int. Appl., 65 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9741145	A1	19971106	WO 97-US7373	19970430
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, KE, LS, MW, SD, SZ, UG, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
AU 9729304	A1	19971119	AU 97-29304	19970430
EP 900234	A1	19990310	EP 97-923523	19970430
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
PRIORITY APPLN. INFO.:			US 96-16628	19960501
			WO 97-US7373	19970430

OTHER SOURCE(S): MARPAT 127:358992
AB Progesterone derivs. of formula I [R1 = OMe, SMe, NMe2, NHMe, CHO, Ac, CH=CH2; R2 = halo, alkyl, acyl, OH, alkoxy, etc.; R3 = OH, alkyl, alkoxy, acyloxy; R4 = H, alkyl; X = O, (substituted) NOH] are prepd. as antiprogestational agents. The present invention provides methods wherein

L4 ANSWER 1 OF 1 CAPLUS COPYRIGHT 1999 ACS (Continued)
the compds. of formula I are advantageously used, inter alia, to antagonize endogenous progesterone; to induce menses; to treat endometriosis; to treat dysmenorrhea; to treat endocrine hormone-dependent tumors; to treat uterine fibroids; to inhibit uterine endometrial proliferation; to induce labor; and for contraception. Thus, II was prepd. from 3,3-ethylenedioxy-17.beta.-cyano-17.alpha.-hydroxyestra-5(10),9(11)-diene and 4-bromo-N,N-dimethylaniline in 9 steps. II showed 2.79 times the antiprogestational potency in the anti-Clauberg test compared to CDB-2914.
IT **198414-07-2P 198414-09-4P 198414-31-2P**
RL: BAC (Biological activity or effector, except adverse); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(prepn. of progesterone derivs. as antiprogestational agents)
RN 198414-07-2 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17,21-bis(acetyloxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-09-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetylthio)-11-[4-(dimethylamino)phenyl]-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 1 OF 1 CAPLUS COPYRIGHT 1999 ACS (Continued)



RN 198414-31-2 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-methoxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



IT **198414-03-8P 198414-05-0P 198414-11-8P**
198414-22-1P 198414-32-3P 198414-33-4P
198414-34-5P 198414-39-0P 198414-43-6P
RL: BAC (Biological activity or effector, except adverse); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(prepn. of progesterone derivs. as antiprogestational agents)
RN 198414-03-8 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-fluoro-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 1 OF 1 CAPLUS COPYRIGHT 1999 ACS (Continued)



RN 198414-05-0 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-21-chloro-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-11-8 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetylthio)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-22-1 CAPLUS
CN Estra-4,9-dien-3-one, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-17-(1-

L4 ANSWER 1 OF 1 CAPLUS COPYRIGHT 1999 ACS (Continued)
oxopropyl)-, (11.beta.,17.alpha.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).



RN 198414-32-3 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione,
21-(3-cyclopentyl-1-oxopropoxy)-11-[4-
(dimethylamino)phenyl]-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-33-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione,
17-(acetyloxy)-21-(3-cyclopentyl-1-
oxopropoxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX
NAME)

Absolute stereochemistry.

L4 ANSWER 1 OF 1 CAPLUS COPYRIGHT 1999 ACS (Continued)



RN 198414-43-6 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-21-bromo-11-[4-
(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



IT **198413-96-6P 198413-97-7P 198413-98-8P**
198413-99-9P 198414-00-5P 198414-21-0P
198414-30-1P 198414-38-9P 198414-42-5P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation)
(prepn. of progesterone derivs. as antiprogestational agents)
RN 198413-96-6 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione,
21-chloro-11-[4-(dimethylamino)phenyl]-
17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 1 OF 1 CAPLUS COPYRIGHT 1999 ACS (Continued)



RN 198414-34-5 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-
(dimethylamino)phenyl]-21-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-39-0 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-
(dimethylamino)phenyl]-21-ethoxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 1 OF 1 CAPLUS COPYRIGHT 1999 ACS (Continued)



RN 198413-97-7 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-
(dimethylamino)phenyl]-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198413-98-8 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-17,21-
dihydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198413-99-9 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione,
11-[4-(dimethylamino)phenyl]-17-hydroxy-
21-[(methylsulfonyl)oxy]-, (11.beta.)- (9CI) (CA INDEX NAME)

L4 ANSWER 1 OF 1 CAPLUS COPYRIGHT 1999 ACS (Continued)

Absolute stereochemistry.



RN 198414-00-5 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-21-fluoro-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-21-0 CAPLUS
CN Estra-4,9-dien-3-one, 11-[4-(dimethylamino)phenyl]-17-hydroxy-17-(1-oxopropyl)-, (11.beta.,17.alpha.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 1 OF 1 CAPLUS COPYRIGHT 1999 ACS (Continued)



RN 198414-42-5 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-bromo-11-[4-(dimethylamino)phenyl]-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



IT **198414-40-3P 198414-41-4P**
RL: SPN (Synthetic preparation); PREP (Preparation)
(prepn. of progesterone derivs. as antiprogestational agents)
RN 198414-40-3 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17,21-bis(acetyloxy)-11-[4-(dimethylamino)phenyl]-, 3-oxime, (3E,11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry as shown.

L4 ANSWER 1 OF 1 CAPLUS COPYRIGHT 1999 ACS (Continued)



RN 198414-30-1 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-17-hydroxy-21-methoxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-38-9 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-21-ethoxy-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 1 OF 1 CAPLUS COPYRIGHT 1999 ACS (Continued)



RN 198414-41-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-methoxy-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



=> d ibib ab fqhit 1-13

L7 ANSWER 1 OF 13 MARPAT COPYRIGHT 1999 ACS

ACCESSION NUMBER: 129:50105 MARPAT
TITLE: Uses of anti-glucocorticoid compounds for the treatment of psychoses or addictive behaviors
INVENTOR(S): Oberlander, Claude; Piazza, Pier Vincenzo
PATENT ASSIGNEE(S): Hoechst Marion Roussel, Fr.; Oberlander, Claude; Piazza, Pier Vincenzo
SOURCE: PCT Int. Appl., 41 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: French
FAMILY ACC. NUM. COUNT: 2
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9826783	A1	19980625	WO 97-FR2320	19971217
W: AL, AU, BA, BB, BG, BR, CA, CN, CU, CZ, EE, GE, GW, HU, ID, IL, IS, JP, KP, KR, LC, LK, LR, LT, LV, MG, MK, MN, MX, NO, NZ, PL, RO, SG, SI, SK, SL, TR, TT, UA, US, UZ, VN, YU, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
FR 2757400	A1	19980626	FR 96-15649	19961219
AU 9855632	A1	19980715	AU 98-55632	19971217
EP 892641	A1	19990127	EP 97-952078	19971217
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				

PRIORITY APPLN. INFO.: FR 96-15649 19961219
WO 97-FR2320 19971217

AB Glucocorticoid antagonists, except mifepristone, are used as dopamine type II receptor antagonists to treat psychotic or addictive behavior. Thus, 17.beta.-hydroxy-10.beta.-[(4-methylphenyl)methyl]-17.alpha.-(1-propynyl)estra-4,9(11)-dien-3-one considerably reduced the response to morphine in vivo.

MSTR 1

L7 ANSWER 1 OF 13 MARPAT COPYRIGHT 1999 ACS (Continued)



G1 = Ph (SO (1-) G11)
G3 = 35-13 37-14



G4 = C(O)
G11 = alkenyloxy<(2-6)>
G12 = 41

41 C(O)·CH2—OH

G16 = alkyl<(1-12)> (SO G17)
DER: and pharmaceutically acceptable acid addition salts
MPL: claim 4
NTE: substitution is restricted

L7 ANSWER 2 OF 13 MARPAT COPYRIGHT 1999 ACS

ACCESSION NUMBER: 128:188869 MARPAT
TITLE: Mixed agonists of the progesterone receptor and assays for them
INVENTOR(S): McDonnell, Donald P.; Wagner, Brandee L.
PATENT ASSIGNEE(S): Duke University, USA
SOURCE: PCT Int. Appl., 62 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9805679	A2	19980212	WO 97-US13754	19970805
W: CA				
RW: AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				

PRIORITY APPLN. INFO.: US 96-23206 19960805

AB A third class of PR-ligand (i.e. mixed agonist) is identified which induces a progesterone receptor conformation distinct from that induced by a PR agonist or antagonist; the agonists are estra-4,9-dien-3-one derivs. PR mixed agonists exhibit partial agonist activity which is influenced by cell context. These compds. provide useful pharmacol. profiles for treating progesterone related diseases and/or conditions, such as uterine proliferation from estrogen administration, endometriosis, breast cancer, fibroids, endometrial cancer, and brain meningiomas. The agonists can also be used as contraceptives. Assays are provided to screen for PR mixed agonists. Mol. designs are provided to convert a PR antagonist to a PR mixed agonist.

MSTR 1



G2 = 30

L7 ANSWER 2 OF 13 MARPAT COPYRIGHT 1999 ACS (Continued)

30 C(O)·G3

G3 = alkyl<(1-6)> (SO)
G6 = alkyl<(1-6)> (SO)
G9 = 52



G10 = OMe
MPL: claim 4

L7 ANSWER 3 OF 13 MARPAT COPYRIGHT 1999 ACS
ACCESSION NUMBER: 124:22540 MARPAT
TITLE: Pharmaceutical compositions of antiglucocorticoid compounds for treating or preventing symptoms of spontaneous or narcotic-induced withdrawal.
INVENTOR(S): Petit, Francis; Philibert, Daniel; Ulmann, Andre
PATENT ASSIGNEE(S): Roussel-UCLAF, Fr.
SOURCE: Eur. Pat. Appl., 30 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: French
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 676203	A1	19951011	EP 95-400764	19950406
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, NL, PT, SE				
FR 2718354	A1	19951013	FR 94-4156	19940408
FR 2718354	B1	19960503		
ZA 9502058	A	19960313	ZA 95-2058	19950313
CA 2146600	AA	19951009	CA 95-2146600	19950407
FI 9501683	A	19951009	FI 95-1683	19950407
AU 9516326	A1	19951019	AU 95-16326	19950407
JP 07278017	A2	19951024	JP 95-107071	19950407
HU 71468	A2	19951128	HU 95-1019	19950407
CN 1116929	A	19960221	CN 95-104015	19950407

PRIORITY APPLN. INFO.: FR 94-4156 19940408

AB Antiglucocorticoid steroids such as mifepristone, onapristone, lilopristone and related steroids are proposed for the prevention or treatment of withdrawal syndromes, either spontaneous or pptd. by narcotics or mixts. of narcotics. These antiglucocorticoids would be useful in the withdrawal from morphinomimetics such as heroin, morphine or methadone as well as cocaine. Pharmacol. activity was demonstrated by the effect of the antiglucocorticoids on the stereotypic behavior of mice in response to narcotics. Spontaneous withdrawal syndrome was induced by administration of the opioid antagonist, naloxone. An antiprogesterone activity of the steroids in their action mechanism was eliminated. Results confirmed the involvement of endogenous glucocorticoids in morphine withdrawal since this is inhibited by antiglucocorticoids or adrenalectomy.

MSTR 2

L7 ANSWER 3 OF 13 MARPAT COPYRIGHT 1999 ACS (Continued)



G1 = Ph (SO (1-) G2)
G2 = alkoxy<(6-)>
G4 = 21

G5 = alkyl (SR G13)
G6 = alkyl<(1-12)> (SO (1-) G7)
G9 = O
DER: and pharmaceutically acceptable addition salts
DER: and pharmaceutically acceptable addition salts
MPL: claim 7

L7 ANSWER 4 OF 13 MARPAT COPYRIGHT 1999 ACS
ACCESSION NUMBER: 123:218391 MARPAT
TITLE: Steroids for reducing multidrug resistance to cancer chemotherapeutic agents
INVENTOR(S): Cohn, Suzanne Bourgeois; Gruol, Donald J.
PATENT ASSIGNEE(S): Salk Institute for Biological Studies, USA
SOURCE: PCT Int. Appl., 54 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9517192	A1	19950629	WO 94-US14624	19941219
W: AM, AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, JP, KE, KG, KP, KR, KZ, LK, LR, LT, LU, LV, MD, MG, MN, MW, NL, NO, NZ, PL, PT, RO, RU, SD, SE, SI, SK, TJ, TT, UA, US, UZ				
RW: KE, MW, SD, SZ, AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
AU 9514395	A1	19950710	AU 95-14395	19941219

PRIORITY APPLN. INFO.: US 93-173243 19931222
WO 94-US14624 19941219

AB Certain steroid-like compds. [I; R1 = H; R2 = OR; or R1R2 = :O; R = H, lower alkyl, Me3Si; R3 = H, Me, or absent if double bond or epoxide bridge joins C9 and C10; R4 = OR', C4-18 cyclic org. group contg. O, N, P, or Si; R' = lower alkyl, Me3Si; R5 = H, OR; or R5C16C17 form a 3-, 5-, 6-, or 7-membered ring; R6 = C(O)CH3, CH(OH)CH3, C(O)CH2OH, (substituted) hydrocarbyl; R9 = H, halo, or absent if double bond or epoxide bridge joins C9 and C10] are capable of inhibiting the P-glycoprotein-assocd. efflux pump which is considered responsible for multidrug resistance. Chemotherapy can be enhanced by facilitating the accumulation of drug at the target site, with reduced or eliminated competition by the drug efflux system. Thus RU 38486, an antiprogestin, at 5 .mu.M facilitated killing of multidrug-resistant S7CD-5 murine thymoma cells by 20 .mu.M puromycin.

MSTR 18

L7 ANSWER 4 OF 13 MARPAT COPYRIGHT 1999 ACS (Continued)



G1 = C(O)
G3 = loweralkyl
G10 = Ph (SO (1-2) G16)
G11 = OH
G13 = 36



G16 = 41

MPL: claim 1

L7 ANSWER 5 OF 13 MARPAT COPYRIGHT 1999 ACS
ACCESSION NUMBER: 122:256423 MARPAT
TITLE: Antiglucocorticoid steroids for the treatment of anxiety disorders
INVENTOR(S): Peeters, Bernardus Wynand Machijs Maria
PATENT ASSIGNEE(S): Akzo Nobel N.V., Neth.
SOURCE: PCT Int. Appl., 25 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9504536	A1	19950216	WO 94-EP2513	19940728
W: AM, AU, BB, BG, BR, BY, CA, CN, CZ, FI, GE, HU, JP, KG, KP, KR, KZ, LK, LT, LV, MD, MG, MN, NO, NZ, PL, RO, RU, SI, SK, TJ, TT, UA, US, UZ, VN				
RW: KE, MW, SD, AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
AU 9474968	A1	19950228	AU 94-74968	19940728
AU 687088	B2	19980219		
EP 712311	A1	19960522	EP 94-924819	19940728
EP 712311	B1	19981007		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, MC, NL, PT, SE				
JP 09501172	T2	19970204	JP 94-506200	19940728
AT 171873	E	19981015	AT 94-924819	19940728
ES 2124905	T3	19990216	ES 94-924819	19940728
US 5741787	A	19980421	US 96-581631	19960118

PRIORITY APPLN. INFO.: EP 93-202304 19930804
EP 94-924819 19940728
WO 94-EP2513 19940728

AB Antiglucocorticoid steroids are used for the manuf. of a pharmaceutical compn. for the treatment of anxiety disorders. The anxiolytic effect of 11.beta.-(4-dimethylaminophenyl)-17.beta.-hydroxy-17.alpha.-(prop-1-ynyl)-estra-4,9-dien-3-one (RU38486) was demonstrated in animal testing (antagonism of fear-potentiated startle). Prepn. and activity (antagonism of stress-induced hyperthermia) of selected steroids of the invention is also described.

MSTR 1

L7 ANSWER 5 OF 13 MARPAT COPYRIGHT 1999 ACS (Continued)



G7 = 44



G11 = alkyl<(1-6)> (SO (1-) G12)
G16 = alkylcarbonyl<(1-5)> (SO (1-) G17)
G18 = 39

MPL: claim 2

L7 ANSWER 6 OF 13 MARPAT COPYRIGHT 1999 ACS
ACCESSION NUMBER: 116:35156 MARPAT
TITLE: Preparation and use of antiprogestomimetics for synchronization of parturition in livestock
INVENTOR(S): Grandadam, Jean Andre
PATENT ASSIGNEE(S): Roussel-UCLAF, Fr.
SOURCE: Eur. Pat. Appl., 13 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: French
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 446124	A2	19910911	EP 91-400594	19910305
EP 446124	A3	19920527		
R: AT, BE, CH, DE, DK, FR, GB, GR, IT, LI, LU, NL, SE				
FR 2659233	A1	19910913	FR 90-2783	19900306
FR 2659233	B1	19940121		
CA 2037549	AA	19910907	CA 91-2037549	19910305
AU 9172608	A1	19910912	AU 91-72608	19910305
AU 642975	B2	19931104		
ZA 9101603	A	19920527	ZA 91-1603	19910305
JP 04211610	A2	19920803	JP 91-62496	19910305
RU 2037295	C1	19950619	RU 91-4895041	19910305
CN 1055665	A	19911030	CN 91-102108	19910306
HU 59006	A2	19920428	HU 91-729	19910306

PRIORITY APPLN. INFO.: FR 90-2783 19900306

AB The title antiprogestomimetics are I (R1 = C1-18 hydrocarbyl optionally substituted with .gtoreq.1 heteroatoms and bonded to the steroid by a C; R2 = C1-8 hydrocarbyl; X = remainder of 5- and 6-membered ring optionally substituted and optionally unsatd.; C = A = CNOH, oxo (free or blocked as ketal), etc.; B and C together form a double bond or epoxide bridge) and acid addn. salts thereof. Prepn. of 2 I are described. 17.beta.-Hydroxy-11.beta.-(4-dimethylaminophenyl)-17.alpha.-(prop-1-ynyl)estra-4,9-dien-3-one (II) was more effective at synchronizing parturition than cloprostenol when tested in sows. Injectable pharmaceuticals contg. II are disclosed.

MSTR 1C



L7 ANSWER 6 OF 13 MARPAT COPYRIGHT 1999 ACS (Continued)
G1 = 30



G3 = 55-13 57-14



G9 = alkenyl<(2-8)>
G15 = 61

G4 +G17= O
DER: and protected derivatives
DER: and acid addition salts
MPL: claim 1

L7 ANSWER 7 OF 13 MARPAT COPYRIGHT 1999 ACS
ACCESSION NUMBER: 115:214857 MARPAT
TITLE: Injectable microspheres containing antiestrogenic and
antiprogestomimetic steroids
INVENTOR(S): Cohen, Gerard; Dubois, Jean Luc
PATENT ASSIGNEE(S): Roussel-UCLAF, Fr.
SOURCE: Ger. Offen., 15 pp.
CODEN: GWXXBX
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 4036425	A1	19910516	DE 90-4036425	19901115
FR 2654337	A1	19910517	FR 89-14976	19891115
FR 2654337	B1	19940805		
SE 9003570	A	19910516	SE 90-3570	19901109
BE 1005511	A4	19930831	BE 90-1062	19901109
DK 9002709	A	19910516	DK 90-2709	19901113
CA 2029940	AA	19910516	CA 90-2029940	19901114
JP 03294229	A2	19911225	JP 90-306374	19901114
CH 681691	A	19930514	CH 90-3611	19901114
NL 9002492	A	19910603	NL 90-2492	19901115
GB 2239798	A1	19910717	GB 90-24862	19901115
GB 2239798	B2	19931027		
AT 9002313	A	19950415	AT 90-2313	19901115
AT 400298	B	19951127		

PRIORITY APPLN. INFO.: FR 89-14976 19891115
AB Biodegradable microspheres comprise the title steroids (Markush given) and
copolymers of lactic acid with glycolic acid. A mixt. of 250 mL aq. 0.3%
hydrolyzed PVA soln., 1 g poly(DL-lactic acid-glycolic acid), 17 g CH2Cl2,
and 0.5 g 17.beta.-hydroxy-11.beta.-[4-(dimethylamino)phenyl]-17.alpha.-(1-propynyl)estra-4,9-dien-3-one was emulsified, followed by stirring at 22.degree. and decreasing pressure (.gtoreq.400 mm Hg) to give microspheres, which were used for the prepn. of injections.

MSTR 1A

G1—G3

G1 = 3

L7 ANSWER 7 OF 13 MARPAT COPYRIGHT 1999 ACS (Continued)



G2 = Me
G3 = 24



G5 = 68-26 70-27



G9 = 74



G10 = OH
G13 = alkenyl<(2-8)>
MPL: claim 6

L7 ANSWER 8 OF 13 MARPAT COPYRIGHT 1999 ACS
ACCESSION NUMBER: 115:151901 MARPAT
TITLE: Use of antiprogestomimetics for stimulating ovulation,
and new preparation for use in pharmaceutical compositions
INVENTOR(S): Grandadam, Jean Andre
PATENT ASSIGNEE(S): Roussel-UCLAF, Fr.
SOURCE: Eur. Pat. Appl., 24 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: French
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 417003	A2	19910313	EP 90-402449	19900906
EP 417003	A3	19911204		
EP 417003	B1	19940629		
R: AT, BE, CH, DE, DK, FR, GB, IT, LI, LU, NL, SE				
FR 2651435	A1	19910308	FR 89-11699	19890907
FR 2651435	B1	19940422		
US 5173483	A	19921222	US 90-578894	19900905
CA 2024728	AA	19910308	CA 90-2024728	19900906
AU 9062259	A1	19910314	AU 90-62259	19900907
AU 623805	B2	19920521		
JP 03099015	A2	19910424	JP 90-236004	19900907

PRIORITY APPLN. INFO.: FR 89-11699 19890907
AB Anti-progestomimetic compds., e.g. I [R1 = C1-18 hydrocarbyl with optionally .gtoreq.1 heteroatoms, bonded to the steroid by a C; R2 = C1-8
hydrocarbyl; X = rest of 5- or 6-membered (substituted) (unsatd.) ring;
A:C = oxo (free or in ketal), CH(OH), CH(OR3), CH(O2CR3), etc.; R3 = C1-8
alkyl, C7-15 aralkyl; B and C together form a double bond or epoxide bridge] and their acid and base addn. salts, are used for making pharmaceuticals for stimulating ovulation, e.g. in cows. The compds. of
the invention are preferably used following treatment with progesterone or
a progestomimemetic, e.g. 3-oxo-17.alpha.-allyl-17.beta.-hydroxyestra-4,9,11-triene (II). Thus, heifer cows were 1st administered II for 17
days; on the day following the last administration, the animals were injected with 17.beta.-hydroxy-11.beta.-(4-dimethylaminophenyl)-17.alpha.-(prop-1-ynyl)estra-4,9-dien-3-one. All of the heifers came to heat after
a very short delay period, and LH levels rose very rapidly. Prepn. of 12
anti-progestomimetics is presented.

MSTR 1E

L7 ANSWER 8 OF 13 MARPAT COPYRIGHT 1999 ACS (Continued)



G1 = 85



G10 = SMe
G12 = alkenyl<(2-8)> (SO (1-) X) / 96



G14 = 98



G15 = OH
G5 +G6 = O
DER: or acid or base addition salts
MPL: claim 2
NTE: oxo formed by G5 and G6 may be protected as a ketal

L7 ANSWER 9 OF 13 MARPAT COPYRIGHT 1999 ACS
ACCESSION NUMBER: 115:9125 MARPAT
TITLE: Preparation of .omega.-[(3-oxoestra-4,9-dien-11.beta.-yl)phenylamino]alkanoates as antiglucocorticoids
INVENTOR(S): Moguilewsky, Martine; Nedelec, Lucien; Nique, Francois; Philibert, Daniel
PATENT ASSIGNEE(S): Roussel-UCLAF, Fr.
SOURCE: Eur. Pat. Appl., 33 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: French
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 414606	A2	19910227	EP 90-402328	19900822
EP 414606	A3	19910724		
EP 414606	B1	19941102		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE				
FR 2651233	A1	19910301	FR 89-11173	19890823
FR 2651233	B1	19911213		
CA 2022648	AA	19910224	CA 90-2022648	19900803
ZA 9006341	A	19911030	ZA 90-6341	19900810
US 5166146	A	19921124	US 90-568597	19900816
JP 03090097	A2	19910416	JP 90-217281	19900820
IL 95451	A1	19950731	IL 90-95451	19900821
AU 9061189	A1	19910228	AU 90-61189	19900822
AU 634569	B2	19930225		
HU 54706	A2	19910328	HU 90-5275	19900822
HU 208154	B	19930830		
ES 2063313	T3	19950101	ES 90-402328	19900822
CN 1051362	A	19910515	CN 90-107161	19900823
CN 1033808	B	19970115		
RU 2041236	C1	19950809	RU 92-5011511	19920518
PRIORITY APPLN. INFO.:			FR 89-11173	19890823

AB The title compds. [I; R1 = aliph. hydrocarbyl; R2 = H, (un)substituted alkyl; R5, R6 = H, alkyl; X = atoms to complete an (un)substituted 5- or 6- membered ring; Z = (un)salified CO2H; n = 1-6] were prepd. Thus, aminophenylestradienone II (R = R5 = R6 = H) was condensed with BrCH2CO2Me to give, after sapon., II (R = CH2CO2Na, R5 = R6 = H) which at 10-6M in vitro gave 82% inhibition of uridine incorporation into rat thymocytes.

MSTR 2A

L7 ANSWER 9 OF 13 MARPAT COPYRIGHT 1999 ACS (Continued)



G3 = phenylene
G4 = alkylamino<(1-12)>
G9 = 39-18 37-17



G10 = (1-2) 45



G13 = alkyl<(2-8)> (SO) / 53



G16 = 68



DER: and protected derivatives
MPL: claim 7

L7 ANSWER 10 OF 13 MARPAT COPYRIGHT 1999 ACS
ACCESSION NUMBER: 114:229227 MARPAT
TITLE: Preparation of 19-nor 3-oxo steroids with an amine substituted 17-chain as antioxidants and antinflammatories: their use as medicines and pharmaceutical composition containing them
INVENTOR(S): Claussner, Andre; Leclaire, Jacques; Nedelec, Lucien; Philibert, Daniel
PATENT ASSIGNEE(S): Roussel-UCLAF, Fr.
SOURCE: Eur. Pat. Appl., 29 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: French
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 389370	A1	19900926	EP 90-400784	19900322
EP 389370	B1	19940427		
R: CH, DE, FR, GB, IT, LI, NL				
FR 2644789	A1	19900928	FR 89-3742	19890322
FR 2644789	B1	19950203		
JP 02273693	A2	19901108	JP 90-68508	19900320
JP 2848907	B2	19990120		
US 5108996	A	19920428	US 90-497562	19900321
PRIORITY APPLN. INFO.:			FR 89-3742	19890322

AB The title compds. [I; R1, R2 = H, Me; R11 = (poly)(hetera)hydrocarbyl; one of R17 and R18 is OH or acyloxy and the other is Q; Z = alkylene, alkenylene, alkynylene; P = (substituted) pyrimidinyl, pyridyl] were prepd. via reacting the halo derivs. II or III (X = halo) with the appropriate pyrimidinyl or pyridine deriv. IV. Reaction of estradienone V [R3 = 3-bromo-1-propynyl, R4 = OH] (prepn. given) was reacted with 2,4-bis(1-pyrrolidinyl)-6-(1-piperazinyl)pyrimidine (prepn. given) in acetone contg. K2CO3 at ambient temp. for 2 h to give V [R3 = 3-[4-[2,6-bis(1-pyrrolidinyl)-4-pyrimidinyl]-1-piperazinyl]-1-propynyl; R4 = OH]. At 5 .times. 10-4 M this inhibited in vitro the formation of malonyldialdehyde, a measure of lipid peroxidn., in rat brain homogeneate by .apprx.47.5%.

MSTR 3



L7 ANSWER 10 OF 13 MARPAT COPYRIGHT 1999 ACS (Continued)

G2 = 107



G4 = OH
G14 = NMe2
MPL: claim 13
NTE: the alkylamino and dialkylamino groups in G11 may be interrupted by oxygen, sulfur, or nitrogen

L7 ANSWER 11 OF 13 MARPAT COPYRIGHT 1999 ACS
ACCESSION NUMBER: 111:233356 MARPAT
TITLE: New 11-aryl steroids useful as antiprogestins, their
preparation, and pharmaceuticals containing them
INVENTOR(S): De Jongh, Hendrik Paul; Van Vliet, Nicolaas Pieter
PATENT ASSIGNEE(S): AKZO N. V., Neth.
SOURCE: Eur. Pat. Appl., 10 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 321010	A1	19890621	EP 88-202678	19881125
EP 321010	B1	19930203		
R: AT, BE, CH, DE, ES, FR, GB, GR, IT, LI, NL, SE				
AT 85342	E	19930215	AT 88-202678	19881125
ES 2053714	T3	19940801	ES 88-202678	19881125
ZA 8808996	A	19890830	ZA 88-8996	19881130
AU 8826469	A1	19890615	AU 88-26469	19881201
AU 613433	B2	19910801		
US 4921845	A	19900501	US 88-281582	19881208
CA 1301162	A1	19920519	CA 88-585297	19881208
DK 8806880	A	19890613	DK 88-6880	19881209
DK 168444	B1	19940328		
FI 8805717	A	19890613	FI 88-5717	19881209
FI 89056	B	19930430		
FI 89056	C	19930810		
CN 1034731	A	19890816	CN 88-108484	19881212
CN 1019807	B	19921230		
JP 01211597	A2	19890824	JP 88-313643	19881212
PRIORITY APPLN. INFO.:			NL 87-3008	19871212
			EP 88-202678	19881125

AB Aryl steroids I [R1 = aryl substituted by -NXY; X, Y = H, C1-4 hydrocarbyl; or XY = C2-6 hydrocarbyl forming 3- to 7-membered ring; R2 = H, OH, acyloxy, alkoxy, (un)satd. C1-8 hydrocarbyl with .gtoreq.1 OH, oxo, N3, cyano, and/or halo group; R3 = OH, acyloxy, alkoxy, or acyl optionally substituted by OH, alkoxy, acyloxy, or halo; or R2R3 forms ring; R2 .noteq. H or OH when R3 = OH; R4 = Me, Et], which are strong antiprogestins with little or no antiglucocorticoid activity (no data), are prepd. Thus, 7.beta.-methylestr-5-(10)-ene-3,17-dione 3,3-di-Me acetal underwent NaBH4 redn., deketalization, bromination/dehydrobromination, reketalization, and epoxidn., to give 5.alpha., 10.alpha.-epoxy-17.beta.-hydroxy-7.beta.-methylester-9(11)-en-3-one 3,3-ethylene acetal. This underwent CuCl-catalyzed coupling with p-(Me2N)C6H4MgBr, Oppenauer oxidn. of 17-OH, alkynylation with THP-OCH2C.tplbond.CMgBr (THP = tetrahydropyranyl), and deprotection, to give (dimethylaminophenyl)hydroxy(hydroxypropynyl)methylestradienone II.

L7 ANSWER 11 OF 13 MARPAT COPYRIGHT 1999 ACS (Continued)

MSTR 1



G1 = phenylene
G3 = 24

G4 = Ak<(1-4)>
G5 = Ak<(1-8)> (SR (1-) G7)
G6 = 35

G12 = Ak (SO (1-) G10)
G14 = 42

MPL: claim 1

L7 ANSWER 12 OF 13 MARPAT COPYRIGHT 1999 ACS
ACCESSION NUMBER: 110:213172 MARPAT
TITLE: 13(Alpha)-alkylgonanes, their production, and pharmaceutical preparations containing same
INVENTOR(S): Neef, Guenter; Wiechert, Rudolf; Beier, Sybille; Elger, Walter; Henderson, David
PATENT ASSIGNEE(S): Schering A.-G., Fed. Rep. Ger.
SOURCE: U.S., 5 pp. Cont. of U.S. Ser. No. 621,308.
CODEN: USXXAM
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 4
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 4780461	A	19881025	US 85-810148	19851218
DE 3321826	A1	19841220	DE 83-3321826	19830615
DE 3413036	A1	19851017	DE 84-3413036	19840404
DE 3446661	A1	19860619	DE 84-3446661	19841218
PRIORITY APPLN. INFO.:			DE 83-3321826	19830615
			DE 84-3413036	19840404
			US 84-621308	19840615
			DE 84-3446661	19841218

AB 13.alpha.-Alkylgonanes [I; R = C1-4 acyl; X = O, NOH; II; R1 = amino; R2 = H, Me, Et; R3 = (substituted) alkyl; R4 = OH, alkoxy, alkanoyloxy; or R3R4 = O; R5 = H, alkyl; III; Z = CH2CH2, CH2CMe2CH2], having antigestagenic activity and useful as postcoital contraceptives, or for triggering abortion and menstruation (no data), are prepd. via photochem. epimerization of the 13.beta.-gonanes IV. 11.beta.-(4-Dimethylaminomethyl)-17.alpha.-hydroxy-13.alpha.-methyl-17.beta.-(3-hydroxypropyl)-4,9-gonadien-3-one (V) was acetylated with Ac2O in pyridine to give 11.beta.-(4-dimethylaminomethyl)-17.alpha.-hydroxy-13.alpha.-methyl-17.beta.-(3-acetoxypropyl)-4,9-gonadien-3-one. A tablet was formulated contg. V 10.0, lactose 140.0, corn starch 69.5, polyvinylpyrrolidone 25 2.5, Aerosil 2.0, and Mg stearate 0.5 mg.

L7 ANSWER 12 OF 13 MARPAT COPYRIGHT 1999 ACS (Continued)

MSTR 2



G1 = OMe
G4 = 59

G8 = OH
G11 = OH
G12 = 66

GGA = 33 <RC (1), RS (1) M5 (1) X6, EC (0-) O (1-) N (0-) S (0) OTHERQ, AN (1) N, BD (ALL) SE>
DER: and acid addition salts
MPL: claim 18

L7 ANSWER 13 OF 13 MARPAT COPYRIGHT 1999 ACS
ACCESSION NUMBER: 110:95624 MARPAT
TITLE: Preparation of novel 11-arylestrane and 11-arylpregnane derivatives as antiprogestins with low or no antiglucocorticoid activity
INVENTOR(S): Groen, Marinus Bernard; De Jongh, Hendrik Paul
PATENT ASSIGNEE(S): AKZO N. V., Neth.
SOURCE: Eur. Pat. Appl., 11 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 289073	A1	19881102	EP 88-200689	19880412
EP 289073	B1	19911127		
R: AT, BE, CH, DE, ES, FR, GB, GR, IT, LI, NL, SE				
AT 69820	E	19911215	AT 88-200689	19880412
ES 2045082	T3	19940116	ES 88-200689	19880412
ZA 8802643	A	19881130	ZA 88-2643	19880414
FI 8801826	A	19881025	FI 88-1826	19880419
FI 88396	B	19930129		
FI 88396	C	19930510		
US 4871724	A	19891003	US 88-183851	19880420
CA 1297472	A1	19920317	CA 88-564606	19880420
DK 8802218	A	19881025	DK 88-2218	19880422
DK 168294	B1	19940307		
AU 8815072	A1	19881027	AU 88-15072	19880422
AU 608831	B2	19910418		
JP 63280097	A2	19881117	JP 88-100010	19880422
CN 88102416	A	19881214	CN 88-102416	19880423
CN 1019978	B	19930303		
PRIORITY APPLN. INFO.:			NL 87-970	19870424
			EP 88-200689	19880412

AB The title compds. [I; R1 = aminoaryl; R2 = C1-4 alkyl; R3 = H, OH, substituted (unsatd.) C1-8 hydrocarbyl; R4 = OH, acyloxy, substituted acyl; R3R4 = atoms to complete a ring; R5 = C1-4 hydrocarbyl] useful as antiprogestins (no data) were prepd. 5.alpha.,6.alpha.-Epoxy-11.beta.-hydroxyestrane-3,17-dione-3,17-diethylene acetal (prepn. given) was treated with MeMgCl in PhMe/THF and the product was dehydrated with POCl3/pyridine to give 6-.beta.-methylestra-5(10),9(11)-diene-3,17-dione-3,17-diethylene acetal. The latter was converted in several steps to 11.beta.-[4-(dimethylamino)phenyl]-17.beta.-hydroxy-17.alpha.-(3-hydroxy-1-propynyl)-6.beta.-methylestra-4,9-diene-3-one.

L7 ANSWER 13 OF 13 MARPAT COPYRIGHT 1999 ACS (Continued)
MSTR 1



G1 = 63 / 64 / 65

G3 = 22

G5 = 25

G6 = Ak<(1-8)> (SR (1-) G9)
G7 = alkylcarbonyl (SO (1-) G10)
G20 = Ak<(1-4)>
GGA = 69 <(1-7)>
MPL: claim 1

```
=> d his

     (FILE 'HOME' ENTERED AT 11:01:52 ON 16 JUL 1999)

     FILE 'REGISTRY' ENTERED AT 11:02:25 ON 16 JUL 1999
L1              STRUCTURE UPLOADED
L2            0 S L1
L3           23 S L1 FULL

     FILE 'CAPLUS' ENTERED AT 11:03:21 ON 16 JUL 1999
L4            1 S L3

     FILE 'MARPAT' ENTERED AT 11:04:13 ON 16 JUL 1999
L5            0 S L3
L6           14 S L3 FULL
L7           13 S L6 NOT L4

=> d his

     (FILE 'HOME' ENTERED AT 11:01:52 ON 16 JUL 1999)

     FILE 'REGISTRY' ENTERED AT 11:02:25 ON 16 JUL 1999
L1              STRUCTURE UPLOADED
L2            0 S L1
L3           23 S L1 FULL

     FILE 'CAPLUS' ENTERED AT 11:03:21 ON 16 JUL 1999
L4            1 S L3

     FILE 'MARPAT' ENTERED AT 11:04:13 ON 16 JUL 1999
L5            0 S L3
L6           14 S L3 FULL
L7           13 S L6 NOT L4

     FILE 'REGISTRY' ENTERED AT 11:14:18 ON 16 JUL 1999
               SAVE L3 K132/A

     FILE 'USPATFULL' ENTERED AT 11:14:41 ON 16 JUL 1999
L8            0 S L3

     FILE 'BEILSTEIN' ENTERED AT 11:14:58 ON 16 JUL 1999
L9            0 S L3
```

=> d 1-50

L2 ANSWER 1 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **198414-43-6** REGISTRY
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-21-bromo-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C30 H36 Br N O4
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 2 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **198414-42-5** REGISTRY
CN 19-Norpregna-4,9-diene-3,20-dione, 21-bromo-11-[4-(dimethylamino)phenyl]-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C28 H34 Br N O3
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 3 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **198414-41-4** REGISTRY
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-methoxy-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C31 H40 N2 O5
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry.
Double bond geometry unknown.



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 4 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **198414-40-3** REGISTRY
CN 19-Norpregna-4,9-diene-3,20-dione, 17,21-bis(acetyloxy)-11-[4-(dimethylamino)phenyl]-, 3-oxime, (3E,11.beta.)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C32 H40 N2 O6
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry.
Double bond geometry as shown.



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 5 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **198414-39-0** REGISTRY
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-ethoxy-, (11.beta.)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C32 H41 N O5
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 6 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **198414-38-9** REGISTRY
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-21-ethoxy-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C30 H39 N O4
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 7 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **198414-37-8** REGISTRY
CN 19-Norpregn-9-ene-3,20-dione, 11-[4-(dimethylamino)phenyl]-21-ethoxy-5,17-dihydroxy-, cyclic bis(1,2-ethanediyl acetal), (5.alpha.,11.beta.)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C34 H49 N O7
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 8 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **198414-36-7** REGISTRY
CN 19-Norpregn-9(11)-ene-3,20-dione, 5,10-epoxy-21-ethoxy-17-hydroxy-, cyclic bis(1,2-ethanediyl acetal), (5.alpha.,10.alpha.)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C26 H38 O7
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 9 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **198414-35-6** REGISTRY
CN 19-Norpregna-5(10),9(11)-diene-3,20-dione, 21-ethoxy-17-hydroxy-, cyclic
bis(1,2-ethanediyl acetal) (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C26 H38 O6
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 10 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **198414-34-5** REGISTRY
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C30 H37 N O5
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 11 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **198414-33-4** REGISTRY
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-21-(3-cyclopentyl-1-oxopropoxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C38 H49 N O6
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 12 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **198414-32-3** REGISTRY
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(3-cyclopentyl-1-oxopropoxy)-11-[4-(dimethylamino)phenyl]-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C36 H47 N O5
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 13 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **198414-31-2** REGISTRY
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-methoxy-, (11.beta.)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C31 H39 N O5
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 14 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **198414-30-1** REGISTRY
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-17-hydroxy-21-methoxy-, (11.beta.)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C29 H37 N O4
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 15 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **198414-29-8** REGISTRY
CN 19-Norpregn-9-ene-3,20-dione, 11-[4-(dimethylamino)phenyl]-5,17-dihydroxy-21-methoxy-, cyclic bis(1,2-ethanediyl acetal), (5.alpha.,11.beta.)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C33 H47 N O7
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 16 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **198414-28-7** REGISTRY
CN 19-Norpregn-9(11)-ene-3,20-dione, 5,10-epoxy-17-hydroxy-21-methoxy-, cyclic bis(1,2-ethanediyl acetal), (5.alpha.,10.alpha.)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C25 H36 O7
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 17 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN 198414-27-6 REGISTRY
CN 19-Norpregna-5(10),9(11)-diene-3,20-dione, 17-hydroxy-21-methoxy-, cyclic
bis(1,2-ethanediyl acetal) (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C25 H36 O6
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 18 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN 198414-26-5 REGISTRY
CN 19-Norpregna-5(10),9(11)-diene-3,20-dione, 17,21-dihydroxy-, cyclic bis(1,2-ethanediyl acetal) (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C24 H34 O6
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 19 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN 198414-25-4 REGISTRY
CN 19-Norpregna-4,9-diene-3,20-dione, 17,21-dihydroxy- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C20 H26 O4
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 20 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN 198414-24-3 REGISTRY
CN 19-Norpregna-4,9-diene-3,20-dione, 21-bromo-17-hydroxy- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C20 H25 Br O3
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 21 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **198414-23-2** REGISTRY
CN Estra-5(10),9(11)-diene-17-carbonitrile, 17-[[(bromomethyl)dimethylsilyl]oxy]-3,3-[1,2-ethanediylbis(oxy)]-, (17.alpha.)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C24 H34 Br N O3 Si
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 22 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **198414-22-1** REGISTRY
CN Estra-4,9-dien-3-one, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-17-(1-oxopropyl)-, (11.beta.,17.alpha.)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C31 H39 N O4
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry. Rotation (+).



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 23 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **198414-21-0** REGISTRY
CN Estra-4,9-dien-3-one, 11-[4-(dimethylamino)phenyl]-17-hydroxy-17-(1-oxopropyl)-, (11.beta.,17.alpha.)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C29 H37 N O3
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 24 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **198414-20-9** REGISTRY
CN Estr-9-en-3-one, 11-[4-(dimethylamino)phenyl]-5,17-dihydroxy-17-(1-oxopropyl)-, cyclic 3-(1,2-ethanediyl acetal), (5.alpha.,11.beta.,17.alpha.)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C31 H43 N O5
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 25 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **198414-19-6** REGISTRY
CN Estr-9-en-3-one,
11-[4-(dimethylamino)phenyl]-5-hydroxy-17-(1-oxopropyl)-
17-[(trimethylsilyl)oxy]-, cyclic 3-(1,2-ethanediyl acetal),
(5.alpha.,11.beta.,17.alpha.)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C34 H51 N O5 Si
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 26 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **198414-18-5** REGISTRY
CN Estr-9(11)-en-3-one,
5,10-epoxy-17-(1-oxopropyl)-17-[(trimethylsilyl)oxy]-
, cyclic 3-(1,2-ethanediyl acetal), (5.alpha.,10.alpha.,17.alpha.)-
(9CI)
(CA INDEX NAME)
FS STEREOSEARCH
MF C26 H40 O5 Si
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 27 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **198414-17-4** REGISTRY
CN Estra-5(10),9(11)-dien-3-one,
17-(1-oxopropyl)-17-[(trimethylsilyl)oxy]-,
cyclic 3-(1,2-ethanediyl acetal), (17.alpha.)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C26 H40 O4 Si
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 28 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **198414-16-3** REGISTRY
CN Estra-5(10),9(11)-dien-3-one, 17-(1-hydroxypropyl)-17-
[(trimethylsilyl)oxy]-, cyclic 1,2-ethanediyl acetal, (17.alpha.)-
(9CI)
(CA INDEX NAME)
FS STEREOSEARCH
MF C26 H42 O4 Si
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 29 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **198414-15-2** REGISTRY
CN Estra-5(10),9(11)-diene-17-carboxaldehyde, 3,3-[1,2-ethanediylbis(oxy)]-17-[(trimethylsilyl)oxy]-, (17.alpha.)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C24 H36 O4 Si
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 30 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **198414-13-0** REGISTRY
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-17,21-[(1-ethoxyethylidene)bis(oxy)]-, (11.beta.)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C32 H41 N O5
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 31 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **198414-11-8** REGISTRY
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-21-(acetylthio)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C32 H39 N O5 S
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 32 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **198414-09-4** REGISTRY
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetylthio)-11-[4-(dimethylamino)phenyl]-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C30 H37 N O4 S
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 33 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **198414-07-2** REGISTRY
CN 19-Norpregna-4,9-diene-3,20-dione, 17,21-bis(acetyloxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C32 H39 N O6
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 34 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **198414-05-0** REGISTRY
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-21-chloro-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C30 H36 Cl N O4
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 35 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **198414-03-8** REGISTRY
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-fluoro-, (11.beta.)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C30 H36 F N O4
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 36 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **198414-01-6** REGISTRY
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-17,21-epoxy-, (11.beta.)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C28 H33 N O3
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 37 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **198414-00-5** REGISTRY
CN 19-Norpregna-4,9-diene-3,20-dione,
11-[4-(dimethylamino)phenyl]-21-fluoro-
17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C28 H34 F N O3
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 38 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **198413-99-9** REGISTRY
CN 19-Norpregna-4,9-diene-3,20-dione,
11-[4-(dimethylamino)phenyl]-17-hydroxy-
21-[(methylsulfonyl)oxy]-, (11.beta.)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C29 H37 N O6 S
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 39 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **198413-98-8** REGISTRY
CN 19-Norpregna-4,9-diene-3,20-dione,
11-[4-(dimethylamino)phenyl]-17,21-
dihydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C28 H35 N O4
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 40 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **198413-97-7** REGISTRY
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-
(dimethylamino)phenyl]-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C30 H37 N O5
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 41 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **198413-96-6** REGISTRY
CN 19-Norpregna-4,9-diene-3,20-dione,
21-chloro-11-[4-(dimethylamino)phenyl]-
17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C28 H34 Cl N O3
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 42 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **198413-95-5** REGISTRY
CN Estra-4,9-diene-17-carbonitrile,
17-[[(bromomethyl)dimethylsilyl]oxy]-11-
[4-(dimethylamino)phenyl]-3-oxo-, (11.beta.,17.alpha.)- (9CI) (CA
INDEX
NAME)
FS STEREOSEARCH
MF C30 H39 Br N2 O2 Si
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 43 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **198413-94-4** REGISTRY
CN Estra-4,9-diene-17-carbonitrile,
11-[4-(dimethylamino)phenyl]-17-hydroxy-3-
oxo-, (11.beta.,17.alpha.)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C27 H32 N2 O2
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry.



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 44 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **91934-94-0** REGISTRY
CN Estr-9-ene-17-carbonitrile, 11-[4-(dimethylamino)phenyl]-3,3-[1,2-
ethanediylbis(oxy)]-5-hydroxy-17-[(trimethylsilyl)oxy]-,
(5.alpha.,11.beta.,17.alpha.)- (9CI) (CA INDEX NAME)
OTHER CA INDEX NAMES:
CN Spiro[3H-cyclopenta[a]phenanthrene-3,2'-[1,3]dioxolane],
estr-9-ene-17-carbonitrile deriv.
FS STEREOSEARCH
MF C32 H46 N2 O4 Si
LC STN Files: CA, CAPLUS, USPATFULL

Absolute stereochemistry.



3 REFERENCES IN FILE CA (1967 TO DATE)
3 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 45 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **80097-85-4** REGISTRY
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-17-hydroxy- (9CI) (CA
INDEX NAME)
FS STEREOSEARCH
MF C22 H28 O5
LC STN Files: CA, CAPLUS, USPATFULL

Absolute stereochemistry.



2 REFERENCES IN FILE CA (1967 TO DATE)
2 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 46 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **54690-63-0** REGISTRY
CN Estra-5(10),9(11)-diene-17-carbonitrile,
3,3-[1,2-ethanediylbis(oxy)]-17-
[(trimethylsilyl)oxy]-, (17.alpha.)- (9CI) (CA INDEX NAME)
OTHER CA INDEX NAMES:
CN Spiro[3H-cyclopenta[a]phenanthrene-3,2'-[1,3]dioxolane],
estra-5(10),9(11)-diene-17-carbonitrile deriv.
FS STEREOSEARCH
MF C24 H35 N O3 Si
LC STN Files: BEILSTEIN*, CA, CAPLUS, USPATFULL
(*File contains numerically searchable property data)

Absolute stereochemistry.



5 REFERENCES IN FILE CA (1967 TO DATE)
5 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 47 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **33403-21-3** REGISTRY
CN Estr-9(11)-ene-17-carbonitrile,
5,10-epoxy-3,3-[1,2-ethanediylbis(oxy)]-17-
[(trimethylsilyl)oxy]-, (5.alpha.,10.alpha.,17.alpha.)- (9CI) (CA
INDEX
NAME)
OTHER CA INDEX NAMES:
CN 5.alpha.,10.alpha.-Estr-9(11)-ene-17.beta.-carbonitrile,
5,10-epoxy-3-oxo-17-(trimethylsiloxy)-, cyclic ethylene acetal (8CI)
CN
Spiro[1,3-dioxolane-2,3'(4'H)-[5,10]epoxy[6H]cyclopenta[a]phenanthrene],
estr-9(11)-ene-17-carbonitrile deriv.
FS STEREOSEARCH
MF C24 H35 N O4 Si
LC STN Files: BEILSTEIN*, CA, CAPLUS, IFICDB, IFIPAT, IFIUDB,
USPATFULL
(*File contains numerically searchable property data)

Absolute stereochemistry.



19 REFERENCES IN FILE CA (1967 TO DATE)
19 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 48 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **33300-19-5** REGISTRY
CN Estra-5(10),9(11)-diene-17-carbonitrile,
3,3-[1,2-ethanediylbis(oxy)]-17-
hydroxy-, (17.alpha.)- (9CI) (CA INDEX NAME)
OTHER CA INDEX NAMES:
CN Estra-5(10),9(11)-diene-17.beta.-carbonitrile, 17-hydroxy-3-oxo-,
cyclic
ethylene acetal (8CI)
CN Spiro[3H-cyclopenta[a]phenanthrene-3,2'-[1,3]dioxolane],
estra-5(10),9(11)-diene-17-carbonitrile deriv.
FS STEREOSEARCH
MF C21 H27 N O3
LC STN Files: CA, CAPLUS, IFICDB, IFIPAT, IFIUDB

Absolute stereochemistry.



6 REFERENCES IN FILE CA (1967 TO DATE)
6 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L2 ANSWER 49 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **586-77-6** REGISTRY
CN Benzenamine, 4-bromo-N,N-dimethyl- (9CI) (CA INDEX NAME)
OTHER CA INDEX NAMES:
CN Aniline, p-bromo-N,N-dimethyl- (6CI, 8CI)
OTHER NAMES:
CN 1-Bromo-4-(dimethylamino)benzene
CN 4-(Dimethylamino)phenyl bromide
CN 4-Bromo-N,N-dimethylaniline
CN 4-Bromo-N,N-dimethylbenzenamine
CN 4-Dimethylamino-1-bromobenzene
CN 4-Dimethylaminobromobenzene
CN N,N-Dimethyl-4-bromoaniline
CN N,N-Dimethyl-p-bromoaniline
CN p-(Dimethylamino)phenyl bromide
CN p-Bromo(dimethylamino)benzene
CN p-Bromo-N,N-dimethylaniline
CN p-Dimethylaminobromobenzene
CN p-N,N-Dimethylaminobromobenzene
FS 3D CONCORD
MF C8 H10 Br N
CI COM
LC STN Files: BEILSTEIN*, CA, CAOLD, CAPLUS, CASREACT, CHEMCATS, CHEMINFORMRX, CHEMLIST, CSCHEM, DETHERM*, GMELIN*, HODOC*, IFICDB, IFIPAT, IFIUDB, MSDS-OHS, RTECS*, SPECINFO, TOXLIT, USPATFULL
(*File contains numerically searchable property data)
Other Sources: EINECS**, NDSL**, TSCA**
(**Enter CHEMLIST File for up-to-date regulatory information)



517 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
518 REFERENCES IN FILE CAPLUS (1967 TO DATE)
35 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

L2 ANSWER 50 OF 50 REGISTRY COPYRIGHT 1999 ACS
RN **104-97-2** REGISTRY
CN Cyclopentanepropanoyl chloride (9CI) (CA INDEX NAME)
OTHER CA INDEX NAMES:
CN Cyclopentanepropionyl chloride (8CI)
OTHER NAMES:
CN 3-Cyclopentanepropionyl chloride
CN 3-Cyclopentylpropanoyl chloride
CN 3-Cyclopentylpropionyl chloride
FS 3D CONCORD
MF C8 H13 Cl O
LC STN Files: BEILSTEIN*, CA, CAPLUS, CASREACT, CHEMCATS, CHEMINFORMRX, CHEMLIST, CSCHEM, HODOC*, IFICDB, IFIPAT, IFIUDB, TOXLIT, USPATFULL
(*File contains numerically searchable property data)
Other Sources: EINECS**
(**Enter CHEMLIST File for up-to-date regulatory information)



64 REFERENCES IN FILE CA (1967 TO DATE)
64 REFERENCES IN FILE CAPLUS (1967 TO DATE)

```
=>  d his

     (FILE 'HOME' ENTERED AT 10:32:36 ON 29 JUL 1999)

     FILE 'CAPLUS' ENTERED AT 10:32:42 ON 29 JUL 1999
                E WO9741145/PN
L1            1 S E3
                SEL RN

     FILE 'REGISTRY' ENTERED AT 10:33:08 ON 29 JUL 1999
L2           50 S E1-E50
```

L5 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2000 ACS
ACCESSION NUMBER: 1999:576939 CAPLUS
DOCUMENT NUMBER: 131:199885
TITLE: Preparation of 20-keto-11.beta.-arylsteroids and their
derivatives having agonist or antagonist hormonal properties
INVENTOR(S): Cook, C. Edgar; Kepler, John A.; Zhang, Ping-sheng;
Lee, Yue-wei; Tallent, C. Ray
PATENT ASSIGNEE(S): Research Triangle Institute, USA
SOURCE: PCT Int. Appl., 95 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9945022	A1	19990910	WO 1999-US3732	19990305

W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
RW: GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG

PRIORITY APPLN. INFO.: US 1998-35949 19980306
OTHER SOURCE(S): MARPAT 131:199885
AB 20-Keto-11.beta.-arylsteroids of formula I [X = O, (substituted) NOH, H2, OH, etc.; R1 = dialkylamino, imidazolyl, pyrrolyl, piperidino, etc.; R2 = H, halo; R3 = H, Me, halo; R4 = H, acyloxy, (substituted) OH, alkyl, etc.; R5 = H, alkyl, halo, acyloxy, etc.] are prepd. which exhibit potent antiprogestational activity. Thus, II was prepd. from 17.alpha.-hydroxymethyl-3-methoxy-19-norpregna-1,3,5(10)-trien-20-one and 4-bromo-N,N-dimethylaniline in several steps. The affinity of II for the progesterone hormone receptor was IC50 of 0.7 nM.
IT **240806-28-4P**
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation)

L5 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2000 ACS (Continued)
(prepn. of 20-keto-11.beta.-arylsteroids with antiprogestational activity)
RN 240806-28-4 CAPLUS
CN 19,21-Dinorchola-4,9-dien-24-oic acid, 11-[4-(dimethylamino)phenyl]-17-hydroxy-3,20-dioxo-, ethyl ester, (11.beta.)-, trifluoroacetate (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 240806-27-3
CMF C32 H41 N O5

Absolute stereochemistry.



CM 2

CRN 76-05-1
CMF C2 H F3 O2

L5 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2000 ACS
ACCESSION NUMBER: 1997:740250 CAPLUS
DOCUMENT NUMBER: 127:358992
TITLE: Preparation of 21-substituted progesterone derivatives
as new antiprogestational agents
INVENTOR(S): Kim, Hyun K.; Blye, Richard P.; Rao, Pemmaraju N.; Cessac, James W.; Acosta, Carmie K.
PATENT ASSIGNEE(S): United States Dept. of Health and Human Services, USA;
Kim, Hyun K.; Blye, Richard P.; Rao, Pemmaraju N.; Cessac, James W.; Acosta, Carmie K.
SOURCE: PCT Int. Appl., 65 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9741145	A1	19971106	WO 1997-US7373	19970430

W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
RW: GH, KE, LS, MW, SD, SZ, UG, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG

CA 2253673	AA	19971106	CA 1997-2253673	19970430
AU 9729304	A1	19971119	AU 1997-29304	19970430
EP 900234	A1	19990310	EP 1997-923523	19970430

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI

PRIORITY APPLN. INFO.: US 1996-16628 19960501
WO 1997-US7373 19970430
OTHER SOURCE(S): MARPAT 127:358992
AB Progesterone derivs. of formula I [R1 = OMe, SMe, NMe2, NHMe, CHO, Ac, CHOHCH3; R2 = halo, alkyl, acyl, OH, alkoxy, etc.; R3 = OH, alkyl, alkoxy, acyloxy; R4 = H, alkyl; X = O, (substituted) NOH] are prepd. as antiprogestational agents. The present invention provides methods wherein the compds. of formula I are advantageously used, inter alia, to antagonize endogenous progesterone; to induce menses; to treat endometriosis; to treat dysmenorrhea; to treat endocrine hormone-dependent tumors; to treat uterine fibroids; to inhibit uterine endometrial proliferation; to induce labor; and for contraception. Thus, II was prepd. from 3,3-ethylenedioxy-17.beta.-cyano-17.alpha.-hydroxyestra-5(10),9(11)-diene and 4-bromo-N,N-dimethylaniline in 9 steps. II showed 2.79 times the antiprogestational potency in the antiClauberg test compared to CDB-2914.
IT **198414-07-2P 198414-09-4P 198414-31-2P**
RL: BAC (Biological activity or effector, except adverse); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(prepn. of progesterone derivs. as antiprogestational agents)
RN 198414-07-2 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17,21-bis(acetyloxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-09-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetylthio)-11-[4-(dimethylamino)phenyl]-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-31-2 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-methoxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L5 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2000 ACS (Continued)



IT **198414-03-8P 198414-05-0P 198414-11-8P**
198414-22-1P 198414-32-3P 198414-33-4P
198414-34-5P 198414-39-0P 198414-43-6P
RL: BAC (Biological activity or effector, except adverse); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(prepn. of progesterone derivs. as antiprogestational agents)

RN 198414-03-8 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-fluoro-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-05-0 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-21-chloro-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L5 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2000 ACS (Continued)



RN 198414-32-3 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(3-cyclopentyl-1-oxopropoxy)-11-[4-(dimethylamino)phenyl]-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-33-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-21-(3-cyclopentyl-1-oxopropoxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L5 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2000 ACS (Continued)



RN 198414-11-8 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-21-(acetylthio)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-22-1 CAPLUS
CN Estra-4,9-dien-3-one, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-17-(1-oxopropyl)-, (11.beta.,17.alpha.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).

L5 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2000 ACS (Continued)



RN 198414-34-5 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-39-0 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-ethoxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-43-6 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-21-bromo-11-[4-

L5 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2000 ACS (Continued)
(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



IT **198413-96-6P 198413-97-7P 198413-98-8P**
198413-99-9P 198414-00-5P 198414-21-0P
198414-30-1P 198414-38-9P 198414-42-5P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation)
(prepn. of progesterone derivs. as antiprogestational agents)
RN 198413-96-6 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione,
21-chloro-11-[4-(dimethylamino)phenyl]-
17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198413-97-7 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-
(dimethylamino)phenyl]-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L5 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2000 ACS (Continued)



RN 198414-00-5 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione,
11-[4-(dimethylamino)phenyl]-21-fluoro-
17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-21-0 CAPLUS
CN Estra-4,9-dien-3-one, 11-[4-(dimethylamino)phenyl]-17-hydroxy-17-(1-
oxopropyl)-, (11.beta.,17.alpha.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-30-1 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione,
11-[4-(dimethylamino)phenyl]-17-hydroxy-

L5 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2000 ACS (Continued)



RN 198413-98-8 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-17,21-
dihydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198413-99-9 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione,
11-[4-(dimethylamino)phenyl]-17-hydroxy-
21-[(methylsulfonyl)oxy]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L5 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2000 ACS (Continued)
21-methoxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-38-9 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione,
11-[4-(dimethylamino)phenyl]-21-ethoxy-
17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-42-5 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione,
21-bromo-11-[4-(dimethylamino)phenyl]-
17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L5 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2000 ACS (Continued)

IT **198414-40-3P 198414-41-4P**
RL: SPN (Synthetic preparation); PREP (Preparation)
(prepn. of progesterone derivs. as antiprogestational agents)
RN 198414-40-3 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17,21-bis(acetyloxy)-11-[4-(dimethylamino)phenyl]-, 3-oxime, (3E,11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry as shown.



RN 198414-41-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-methoxy-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



=> log h

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	8.55	136.55

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	-1.11	-1.11

SESSION WILL BE HELD FOR 60 MINUTES
STN INTERNATIONAL SESSION SUSPENDED AT 12:20:00 ON 07 JAN 2000

L9 ANSWER 1 OF 23 CAPLUS COPYRIGHT 2000 ACS
ACCESSION NUMBER: 1999:576939 CAPLUS
DOCUMENT NUMBER: 131:199885
TITLE: Preparation of 20-keto-11.beta.-arylsteroids and their derivatives having agonist or antagonist hormonal properties
INVENTOR(S): Cook, C. Edgar; Kepler, John A.; Zhang, Ping-sheng; Lee, Yue-wei; Tallent, C. Ray
PATENT ASSIGNEE(S): Research Triangle Institute, USA
SOURCE: PCT Int. Appl., 95 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9945022	A1	19990910	WO 1999-US3732	19990305

W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
RW: GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG

PRIORITY APPLN. INFO.: US 1998-35949 19980306
OTHER SOURCE(S): MARPAT 131:199885
AB 20-Keto-11.beta.-arylsteroids of formula I [X = O, (substituted) NOH, H2, OH, etc.; R1 = dialkylamino, imidazolyl, pyrrolyl, piperidino, etc.; R2 = H, halo; R3 = H, Me, halo; R4 = H, acyloxy, (substituted) OH, alkyl, etc.; R5 = H, alkyl, halo, acyloxy, etc.] are prepd. which exhibit potent antiprogestational activity. Thus, II was prepd. from 17.alpha.-hydroxymethyl-3-methoxy-19-norpregna-1,3,5(10)-trien-20-one and 4-bromo-N,N-dimethylaniline in several steps. The affinity of II for the progesterone hormone receptor was IC50 of 0.7 nM.
IT **240805-96-3P 240805-97-4P 240805-98-5P 240805-99-6P 240806-00-2P 240806-01-3P**

L9 ANSWER 1 OF 23 CAPLUS COPYRIGHT 2000 ACS (Continued)

Absolute stereochemistry.



RN 240805-99-6 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(benzoyloxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 240806-00-2 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(1-oxopropoxy)-11-[4-(1-pyrrolidinyl)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 240806-01-3 CAPLUS

L9 ANSWER 1 OF 23 CAPLUS COPYRIGHT 2000 ACS (Continued)
240806-02-4P 240806-03-5P 240806-04-6P 240806-05-7P 240806-06-8P 240806-12-6P 240806-44-4P
RL: BAC (Biological activity or effector, except adverse); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(prepn. of 20-keto-11.beta.-arylsteroids with antiprogestational activity)
RN 240805-96-3 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(1-piperidinyl)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 240805-97-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-17-(1-oxopropoxy)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 240805-98-5 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-17-[(phenylacetyl)oxy]-, (11.beta.)- (9CI) (CA INDEX NAME)

L9 ANSWER 1 OF 23 CAPLUS COPYRIGHT 2000 ACS (Continued)
CN 19-Norpregna-4,9-diene-3,20-dione, 11-(1-methyl-1H-indol-5-yl)-17-(1-oxopropoxy)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 240806-02-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-(2,3-dihydro-1-methyl-1H-indol-5-yl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 240806-03-5 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-(4-methoxyphenyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L9 ANSWER 1 OF 23 CAPLUS COPYRIGHT 2000 ACS (Continued)



RN 240806-04-6 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(1-pyrrolidinyl)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 240806-05-7 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-(1-methyl-1H-indol-5-yl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L9 ANSWER 1 OF 23 CAPLUS COPYRIGHT 2000 ACS (Continued)



RN 240806-44-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-(2,3-dihydro-1-methyl-1H-indol-5-yl)-17-(1-oxopropoxy)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L9 ANSWER 1 OF 23 CAPLUS COPYRIGHT 2000 ACS (Continued)



RN 240806-06-8 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)-3-fluorophenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 240806-12-6 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(1-oxopropoxy)-11-[4-(1-piperidinyl)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L9 ANSWER 2 OF 23 CAPLUS COPYRIGHT 2000 ACS

ACCESSION NUMBER: 1999:416361 CAPLUS
DOCUMENT NUMBER: 131:243453
TITLE: Synthesis of N-desmethyl derivatives of 17.alpha.-acetoxy-11.beta.-(4-N,N-dimethylaminophenyl)-19-norpregna-4,9-diene-3,20-dione and mifepristone: substrates for the synthesis of radioligands
AUTHOR(S): Rao, Pemmaraju N.; Acosta, C. Kirk; Cessac, James W.; Bahr, Martin L.; Kim, Hyun K.
CORPORATE SOURCE: Department of Organic Chemistry, Southwest Foundation for Biomedical Research, San Antonio, TX, 78245-0549, USA
SOURCE: Steroids (1999), 64(3), 205-212
CODEN: STEDAM; ISSN: 0039-128X
PUBLISHER: Elsevier Science Inc.
DOCUMENT TYPE: Journal
LANGUAGE: English

AB The syntheses of N-desmethyl derivs. of CDB-2914 and the mono-N-desmethyl deriv. of mifepristone are described. We also describe the use of the mono-desmethyl derivs. as substrates for the synthesis of N-tritiomethyl derivs. of CDB-2914 and mifepristone with high specific activity (ca. 80 Ci/mmol), which serve as radioligands for RIA.

IT **126784-99-4**, CDB-2914
RL: RCT (Reactant)
(synthesis of N-desmethyl derivs. of CDB-2914 and mifepristone as substrates for synthesis of radioligands)

RN 126784-99-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



IT **159681-66-0P**, CDB 3877 **244206-53-9P**
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation)
(synthesis of N-desmethyl derivs. of CDB-2914 and mifepristone as substrates for synthesis of radioligands)

L9 ANSWER 2 OF 23 CAPLUS COPYRIGHT 2000 ACS (Continued)
RN 159681-66-0 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(methylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 244206-53-9 CAPLUS
CN Acetamide, N-[4-[(11.beta.)-17-(acetyloxy)-3,20-dioxo-19-norpregna-4,9-dien-11-yl]phenyl]-2,2,2-trifluoro- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



IT **244206-49-3P 244206-50-6P 244206-56-2P**
RL: SPN (Synthetic preparation); PREP (Preparation)
(synthesis of N-desmethyl derivs. of CDB-2914 and mifepristone as substrates for synthesis of radioligands)
RN 244206-49-3 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-(4-aminophenyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L9 ANSWER 2 OF 23 CAPLUS COPYRIGHT 2000 ACS (Continued)



L9 ANSWER 2 OF 23 CAPLUS COPYRIGHT 2000 ACS (Continued)



RN 244206-50-6 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(methylmethyl-ro-amino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 244206-56-2 CAPLUS
CN Acetamide, N-[4-[(11.beta.)-17-(acetyloxy)-3,20-dioxo-19-norpregna-4,9-dien-11-yl]phenyl]-N-methyl- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L9 ANSWER 3 OF 23 CAPLUS COPYRIGHT 2000 ACS
ACCESSION NUMBER: 1999:154103 CAPLUS
DOCUMENT NUMBER: 130:291788
TITLE: The novel progesterone receptor antagonists RTI 3021-012 and RTI 3021-022 exhibit complex glucocorticoid receptor antagonist activities: implications for the development of dissociated antiprogestins
AUTHOR(S): Wagner, B. L.; Pollio, G.; Giangrande, P.; Webster, J. C.; Breslin, M.; Mais, D. E.; Cook, C. E.; Vedeckis, W. V.; Cidlowski, J. A.; McDonnell, D. P.
CORPORATE SOURCE: Department of Pharmacology and Cancer Biology, Duke University Medical Center, Durham, NC, 27710, USA
SOURCE: Endocrinology (1999), 140(3), 1449-1458
CODEN: ENDOAO; ISSN: 0013-7227
PUBLISHER: Endocrine Society
DOCUMENT TYPE: Journal
LANGUAGE: English
AB The authors have identified two novel compds. (RTI 3021-012 and RTI 3021-022) that demonstrate similar affinities for human progesterone receptor (PR) and display equiv. antiprogestenic activity. As with most antiprogestins, such as RU486, RTI 3021-012, and RTI 3021-022 also bind to the glucocorticoid receptor (GR) with high affinity. Unexpectedly, when compared with RU486, the RTI antagonists manifest significantly less GR antagonist activity. This finding indicates that, with respect to antiglucocorticoid function, receptor binding affinity is not a good predictor of biol. activity. The authors have detd. that the lack of a clear correlation between the GR binding affinity of the RTI compds. and their antagonist activity reflects the unique manner in which they modulate GR signaling. Previously, the authors proposed a two step "active inhibition" model to explain steroid receptor antagonism: (1) competitive inhibition of agonist binding; and (2) competition of the antagonist bound receptor with that activated by agonists for DNA response elements within target gene promoters. Accordingly, the authors obsd. that RU486, RTI 3021-012, and RTI 3021-022, when assayed for PR antagonist activity, accomplished both of these steps. Thus, all three compds. are "active antagonists" of PR function. When assayed on GR, however, RU486 alone functioned as an active antagonist. RTI 3021-012 and RTI 3021-022, functioned solely as "competitive antagonists" since they were capable of high affinity GR binding, but the resulting ligand receptor complex was unable to bind DNA. These results have important pharmaceutical

L9 ANSWER 3 OF 23 CAPLUS COPYRIGHT 2000 ACS (Continued)
implications supporting the use of mechanism based approaches to identify
nuclear receptor modulators. Of equal importance, RTI 3021-012 and RTI
3021-022 are two new antiprogestins that may have clin. utility and are
likely to be useful as research reagents with which to sep. the effects of
antiprogestins and antiglucocorticoids in physiol. systems.
IT **126784-99-4**, RTI 3021-012
RL: BAC (Biological activity or effector, except adverse); BIOL (Biological study)
(progesterone receptor antagonists RTI 3021-012 and RTI 3021-022 exhibit complex glucocorticoid receptor antagonist activities)
RN 126784-99-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L9 ANSWER 4 OF 23 CAPLUS COPYRIGHT 2000 ACS (Continued)
RL: BAC (Biological activity or effector, except adverse); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(antiovulatory and postcoital antifertility activity of antiprogestin
CDB-2914 compared to mifepristone as single, multiple, or continuous
doses to rats)
RN 126784-99-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L9 ANSWER 4 OF 23 CAPLUS COPYRIGHT 2000 ACS
ACCESSION NUMBER: 1998:646581 CAPLUS
DOCUMENT NUMBER: 130:20723
TITLE: Antiovulatory and postcoital antifertility activity of
the antiprogestin CDB-2914 when administered as single, multiple, or continuous doses to rats
AUTHOR(S): Reel, Jerry R.; Hild-Petito, Sheri; Blye, Richard P.
CORPORATE SOURCE: BIOQUAL, Inc., Rockville, MD, 20852-3336, USA
SOURCE: Contraception (1998), 58(2), 129-136
CODEN: CCPTAY; ISSN: 0010-7824
PUBLISHER: Elsevier Science Inc.
DOCUMENT TYPE: Journal
LANGUAGE: English
AB The present studies in rats were undertaken to investigate the potential
of a new antiprogestin, CDB-2914, for use as an emergency postcoital contraceptive for women. When given orally at noon on the day of proestrus, both CDB-2914 and mifepristone displayed dose-dependent antiovulatory activity; however, CDB-2914 was about eight times more potent than mifepristone. Both antiprogestins were considerably less potent in blocking ovulation when injected s.c. To evaluate antifertility
activity during continuous low dose administration, rats were dosed orally
with 0.5 mg of either CDB-2914 or mifepristone daily, commencing on the
day of estrus and continuing for 24 days. Females were cohabited with proven fertile males on day 8 of treatment and were removed 1-3 days later
after confirmed mating. The pregnancy rate was significantly reduced only
in the CDB-2914-treated females; however, the mean no. of normal implantation sites per pregnant rat was significantly reduced by mifepristone as compared with the vehicle control group. CDB-2914 was also found to prevent pregnancy when administered orally after mating from
days 0-3 during tubal egg transport, or from days 4-6 during the pre- and
peri-implantation periods. To det. the day of maximal sensitivity to CDB-2914, a single 2-mg dose per rat was given orally on days 0, 1, 2, 3,
4, or 5 postmating. This dose of CDB-2914 was without effect on pregnancy
at days 0, 1, 2, or 3 postmating. In contrast, 2 mg CDB-2914 per rat was
highly effective in blocking pregnancy when given on either day 4 or 5 postmating. Collectively, these data demonstrate that CDB-2914 is an orally active postcoital antifertility agent that is more potent than mifepristone in the rat. Hence, CDB-2914 may prove to be an effective emergency postcoital contraceptive in women.
IT **126784-99-4**, CDB-2914

L9 ANSWER 5 OF 23 CAPLUS COPYRIGHT 2000 ACS
ACCESSION NUMBER: 1998:424125 CAPLUS
DOCUMENT NUMBER: 129:50105
TITLE: Uses of anti-glucocorticoid compounds for the treatment of psychoses or addictive behaviors
INVENTOR(S): Oberlander, Claude; Piazza, Pier Vincenzo
PATENT ASSIGNEE(S): Hoechst Marion Roussel, Fr.; Oberlander, Claude; Piazza, Pier Vincenzo
SOURCE: PCT Int. Appl., 41 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: French
FAMILY ACC. NUM. COUNT: 2
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9826783	A1	19980625	WO 1997-FR2320	19971217
W: AL, AU, BA, BB, BG, BR, CA, CN, CU, CZ, EE, GE, GW, HU, ID, IL, IS, JP, KP, KR, LC, LK, LR, LT, LV, MG, MK, MN, MX, NO, NZ, PL, RO, SG, SI, SK, SL, TR, TT, UA, US, UZ, VN, YU, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
FR 2757400	A1	19980626	FR 1996-15649	19961219
FR 2757400	B1	19991217		
AU 9855632	A1	19980715	AU 1998-55632	19971217
EP 892641	A1	19990127	EP 1997-952078	19971217
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
PRIORITY APPLN. INFO.:			FR 1996-15649	19961219
			WO 1997-FR2320	19971217

OTHER SOURCE(S): MARPAT 129:50105
AB Glucocorticoid antagonists, except mifepristone, are used as dopamine type
II receptor antagonists to treat psychotic or addictive behavior. Thus,
17.beta.-hydroxy-10.beta.-[(4-methylphenyl)methyl]-17.alpha.-(1-propynyl)estra-4,9(11)-dien-3-one considerably reduced the response to morphine in vivo.
IT **126784-99-4**
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(use of anti-glucocorticoid compds. as dopamine type II receptor blocking agents for the treatment of psychoses or addictive behaviors)
RN 126784-99-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L9 ANSWER 5 OF 23 CAPLUS COPYRIGHT 2000 ACS (Continued)



L9 ANSWER 6 OF 23 CAPLUS COPYRIGHT 2000 ACS (Continued)
(methylthio)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).



RN 202062-94-0 CAPLUS
CN 18,19-Dinorpregna-4,9-diene-3,20-dione,
17-(acetyloxy)-11-(4-acetylphenyl)-
13-ethyl-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).



L9 ANSWER 6 OF 23 CAPLUS COPYRIGHT 2000 ACS

ACCESSION NUMBER: 1998:13308 CAPLUS
DOCUMENT NUMBER: 128:128177
TITLE: 11.beta.-substituted 13.beta.-ethyl gonane derivatives exhibit reversal of antiprogestational activity
AUTHOR(S): Rao, Pemmaraju N.; Cessac, James W.; Blye, Richard P.; Kim, Hyun K.
CORPORATE SOURCE: Department of Organic Chemistry, Southwest Foundation for Biomedical Research, San Antonio, TX, 78245-0549, USA
SOURCE: Steroids (1998), 63(1), 50-57
CODEN: STEDAM; ISSN: 0039-128X
PUBLISHER: Elsevier Science Inc.
DOCUMENT TYPE: Journal
LANGUAGE: English

AB The syntheses of three 17.alpha.-acetoxy-13.beta.-ethyl-11.beta.-aryl-18,19-dinorpregna-4,9-diene-3,20 diones from levonorgestrel are described.
Despite their close structural similarity to the antiprogesterone CDB-2914, one of the compds. exhibits agonistic progestational activity, and the other two compds. are totally inactive.

IT **202062-92-8P 202062-93-9P 202062-94-0P**
RL: BAC (Biological activity or effector, except adverse); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)
(prepn. of acetoxyethylaryldinorpregnadienediones with reversal of antiprogestational activity)

RN 202062-92-8 CAPLUS
CN 18,19-Dinorpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-13-ethyl-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).



RN 202062-93-9 CAPLUS
CN 18,19-Dinorpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-13-ethyl-11-[4-

L9 ANSWER 7 OF 23 CAPLUS COPYRIGHT 2000 ACS

ACCESSION NUMBER: 1997:745947 CAPLUS
DOCUMENT NUMBER: 128:19047
TITLE: Improvement of implantation rates after in vitro fertilization by administering a nitric oxide substrate and/or donor
INVENTOR(S): Chwalsz, Krzysztof; Garfield, Robert E.
PATENT ASSIGNEE(S): Schering Aktiengesellschaft, Germany
SOURCE: PCT Int. Appl., 38 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9741866	A1	19971113	WO 1997-EP2371	19970507
W: AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, UZ, VN, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, KE, LS, MW, SD, SZ, UG, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
AU 9728947	A1	19971126	AU 1997-28947	19970507
EP 906105	A1	19990407	EP 1997-923032	19970507
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
CN 1218402	A	19990602	CN 1997-194452	19970507
NO 9805204	A	19990106	NO 1998-5204	19981106
PRIORITY APPLN. INFO.:			US 1996-646518	19960507
			WO 1997-EP2371	19970507

AB A method is provided for the improvement of implantation rates and/or pregnancy rates in a female mammal, comprising administering to a female mammal in whom pregnancy is desired an effective amt. of: (a) a nitric oxide synthase substrate, a nitric oxide donor, or both, optionally in combination with, (b) a progestin, and, (c) optionally, in further combination with an estrogen. A method is also provided for fertility control for a female mammal, comprising administering to a female mammal in whom pregnancy is not desired and at risk of becoming pregnant an effective amt. of nitric oxide synthase inhibitor in combination with an antiprogestin. Pharmaceutical compns. are also provided.

IT **126784-99-4**, CDB2914
RL: BAC (Biological activity or effector, except adverse); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

L9 ANSWER 7 OF 23 CAPLUS COPYRIGHT 2000 ACS (Continued)
(fertility control using a nitric oxide synthase inhibitor in combination with an antiprogestin)
RN 126784-99-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L9 ANSWER 8 OF 23 CAPLUS COPYRIGHT 2000 ACS
ACCESSION NUMBER: 1997:740250 CAPLUS
DOCUMENT NUMBER: 127:358992
TITLE: Preparation of 21-substituted progesterone derivatives as new antiprogestational agents
INVENTOR(S): Kim, Hyun K.; Blye, Richard P.; Rao, Pemmaraju N.; Cessac, James W.; Acosta, Carmie K.
PATENT ASSIGNEE(S): United States Dept. of Health and Human Services, USA; Kim, Hyun K.; Blye, Richard P.; Rao, Pemmaraju N.; Cessac, James W.; Acosta, Carmie K.
SOURCE: PCT Int. Appl., 65 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9741145	A1	19971106	WO 1997-US7373	19970430
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, KE, LS, MW, SD, SZ, UG, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
CA 2253673	AA	19971106	CA 1997-2253673	19970430
AU 9729304	A1	19971119	AU 1997-29304	19970430
EP 900234	A1	19990310	EP 1997-923523	19970430
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				

PRIORITY APPLN. INFO.: US 1996-16628 19960501
WO 1997-US7373 19970430
OTHER SOURCE(S): MARPAT 127:358992
AB Progesterone derivs. of formula I [R1 = OMe, SMe, NMe2, NHMe, CHO, Ac, CHOHCH3; R2 = halo, alkyl, acyl, OH, alkoxy, etc.; R3 = OH, alkyl, alkoxy, acyloxy; R4 = H, alkyl; X = O, (substituted) NOH] are prepd. as antiprogestational agents. The present invention provides methods wherein the compds. of formula I are advantageously used, inter alia, to antagonize endogenous progesterone; to induce menses; to treat

L9 ANSWER 8 OF 23 CAPLUS COPYRIGHT 2000 ACS (Continued)
endometriosis; to treat dysmenorrhea; to treat endocrine hormone-dependent tumors; to treat uterine fibroids; to inhibit uterine endometrial proliferation; to induce labor; and for contraception. Thus, II was prepd. from 3,3-ethylenedioxy-17.beta.-cyano-17.alpha.-hydroxyestra-5(10),9(11)-diene and 4-bromo-N,N-dimethylaniline in 9 steps. II showed 2.79 times the antiprogestational potency in the antiClauberg test compared to CDB-2914.
IT **198414-07-2P 198414-31-2P**
RL: BAC (Biological activity or effector, except adverse); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(prepn. of progesterone derivs. as antiprogestational agents)
RN 198414-07-2 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17,21-bis(acetyloxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-31-2 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-methoxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



IT **198414-03-8P 198414-05-0P 198414-11-8P 198414-22-1P 198414-33-4P 198414-34-5P 198414-39-0P 198414-43-6P**

L9 ANSWER 8 OF 23 CAPLUS COPYRIGHT 2000 ACS (Continued)
RL: BAC (Biological activity or effector, except adverse); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(prepn. of progesterone derivs. as antiprogestational agents)
RN 198414-03-8 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-fluoro-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-05-0 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-21-chloro-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-11-8 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-21-(acetylthio)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L9 ANSWER 8 OF 23 CAPLUS COPYRIGHT 2000 ACS (Continued)



RN 198414-22-1 CAPLUS
CN Estra-4,9-dien-3-one,
17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-17-(1-oxopropyl)-, (11.beta.,17.alpha.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).



RN 198414-33-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-21-(3-cyclopentyl-1-oxopropoxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L9 ANSWER 8 OF 23 CAPLUS COPYRIGHT 2000 ACS (Continued)



RN 198414-43-6 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-21-bromo-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



IT **198414-40-3P 198414-41-4P**
RL: SPN (Synthetic preparation); PREP (Preparation)
(prepn. of progesterone derivs. as antiprogestational agents)
RN 198414-40-3 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17,21-bis(acetyloxy)-11-[4-(dimethylamino)phenyl]-, 3-oxime, (3E,11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry as shown.



L9 ANSWER 8 OF 23 CAPLUS COPYRIGHT 2000 ACS (Continued)



RN 198414-34-5 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-39-0 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-ethoxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L9 ANSWER 8 OF 23 CAPLUS COPYRIGHT 2000 ACS (Continued)

RN 198414-41-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-methoxy-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



L9 ANSWER 9 OF 23 CAPLUS COPYRIGHT 2000 ACS
ACCESSION NUMBER: 1996:705614 CAPLUS
DOCUMENT NUMBER: 125:329114
TITLE: improved preparation of 17.alpha.-acetoxy-11.beta.-(4-N,N-dimethylaminophenyl)-19-norpregna-4,9-diene-3,20-dione and its intermediates
INVENTOR(S): Kim, Hyun K.; Rao, Pemmaraju Narasinha; Burdett, James E., Jr.; Acosta, Carmie Kirk
PATENT ASSIGNEE(S): United States Dept. of Health and Human Services, USA
SOURCE: PCT Int. Appl., 40 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9630390	A2	19961003	WO 1996-US3660	19960318
WO 9630390	A3	19970109		
W: AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI				
RW: KE, LS, MW, SD, SZ, UG, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML				
US 5929262	A	19990727	US 1995-413755	19950330
CA 2216737	AA	19961003	CA 1996-2216737	19960318
AU 9653145	A1	19961016	AU 1996-53145	19960318
EP 817793	A2	19980114	EP 1996-909749	19960318
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
PRIORITY APPLN. INFO.:			US 1995-413755	19950330
			WO 1996-US3660	19960318

OTHER SOURCE(S): CASREACT 125:329114; MARPAT 125:329114
AB Improved method for prepn. of 19-norprogesterone (I) and its intermediates, in cryst. and amorphous forms is given. I is prepd. in seven steps by silylation of 3-ethylenedioxy-17.beta.-cyano-17.alpha.-hydroxyestra-5(10),9(11)-diene followed by oxidn., ketalization, epoxidn., arylation, deprotection and acetylation.
IT **126784-99-4P**
RL: SPN (Synthetic preparation); PREP (Preparation)
(improved prepn. of 17.alpha.-acetoxy-11.beta.-(4-N,N-dimethylaminophenyl)-19-norpregna-4,9-diene-3,20-dione and its intermediates)
RN 126784-99-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L9 ANSWER 10 OF 23 CAPLUS COPYRIGHT 2000 ACS
ACCESSION NUMBER: 1996:540408 CAPLUS
DOCUMENT NUMBER: 125:238850
TITLE: Effects of two antiprogestins on early pregnancy in the long-tailed macaque (Macaca fascicularis)
AUTHOR(S): Tarantal, Alice F.; Hendrickx, Andrew G.; Matlin, Stephen A.; Lasley, Bill L.; Gu, Quin-Quin; Thomas, Charles A.A.; Vince, Pamela M.; Van Look, Paul F.A.
CORPORATE SOURCE: California Regional Primate Research Center, University of California, Davis, CA, 95616, USA
SOURCE: Contraception (1996), 54(2), 107-115
CODEN: CCPTAY; ISSN: 0010-7824
DOCUMENT TYPE: Journal
LANGUAGE: English
AB The abortifacient effects of mifepristone and HRP 2000 were compared in gravid long-tailed macaques. Thirty-six animals were studied with treatment administered either by the oral (0.5 or 5.0 mg/kg; N = 5 per antiprogestin per dose) or i.m. (IM) routes (0.5 mg/kg; N = 5 per antiprogestin) on gestational days (GD) 23-26; six vehicle controls were included. Blood samples were collected for assay of progesterone (P4) and each of the antiprogestins (pre-treatment, daily GD 23-28, every other day GD 30-40), and animals were monitored sonog. throughout gestation. Results of these studies indicated high rates of abortion with IM administration (3/5 mifepristone, 4/5 HRP 2000) and 5.0 mg/kg oral route (4/5, 2/5, resp.), with less effects noted at oral doses of 0.5 mg/kg (2/5, 0/5, resp.). No early abortions were obsd. in the control groups. Following daily IM treatment, peak levels of 8-16 ng/mL mifepristone were detected whereas 6-10 ng/mL of HRP 2000 were noted (GD 26-27). No serum levels of mifepristone were detected following either of the oral doses whereas serum levels of 2-6 ng/mL HRP 2000 were noted with high dose oral administration. Results of these studies suggest: (1) both antiprogestins are roughly comparable in terminating early pregnancy although HRP 2000 may be more efficacious when administered IM whereas mifepristone may be more effective when administered orally; (2) similar levels of biol. activity are seen with the IM and high dose oral dosing regimens, with little or no activity with the oral low dose; and (3) infants resulting from surviving pregnancies were not affected by early gestation exposure.
IT **126784-99-4**
RL: BPR (Biological process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(abortifacient effects of antiprogestins in early pregnancy in long-tailed macaque in relation to dose and administration route)
RN 126784-99-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L9 ANSWER 11 OF 23 CAPLUS COPYRIGHT 2000 ACS
ACCESSION NUMBER: 1996:498851 CAPLUS
DOCUMENT NUMBER: 125:238820
TITLE: 16.alpha.-Substituted analogs of the antiprogestin RU486 induce a unique conformation in the human progesterone receptor resulting in mixed agonist activity
AUTHOR(S): Wagner, Brandee L.; Pollio, Giuseppe; Leonhardt, Susan; Wani, Mansukh C.; Lee, David Y.-W.; Imhof, Markus O.; Edwards, Dean P.; Cook, C. Edgar; McDonnell, Donald P.
CORPORATE SOURCE: Department Pharmacology Molecular Cancer Biology, Duke University Medical Center, Durham, NC, 27710, USA
SOURCE: Proc. Natl. Acad. Sci. U. S. A. (1996), 93(16), 8739-8744
CODEN: PNASA6; ISSN: 0027-8424
DOCUMENT TYPE: Journal
LANGUAGE: English
AB Previously, the authors have shown that agonists and antagonists interact with distinct, though overlapping regions within the human progesterone receptor (hPR) resulting in the formation of structurally different complexes. Thus, a link was established between the structure of a ligand-receptor complex and biol. activity. In this study, the authors have utilized a series of in vitro assays with which to study hPR pharmacol. and have identified a third class of hPR ligands that induce a receptor conformation which is distinct from that induced by agonists or antagonists. Importantly, when assayed on PR-responsive target genes these compds. were shown to exhibit partial agonist activity; an activity that was influenced by cell context. Thus, as has been shown previously for estrogen receptor, the overall structure of the ligand-receptor complex is influenced by the nature of the ligand. It appears, therefore, that the obsd. differences in the activity of some PR and estrogen receptor ligands reflect the ability of the cellular transcription machinery to discriminate between the structurally different complexes that result following ligand interaction. These data support the increasingly favored hypothesis that different ligands can interact with different regions within the hormone binding domains of steroid hormone receptors resulting in different biologies.
IT **126784-99-4**, RTI 3021-012
RL: BAC (Biological activity or effector, except adverse); BPR (Biological process); PRP (Properties); BIOL (Biological study); PROC (Process)

L9 ANSWER 11 OF 23 CAPLUS COPYRIGHT 2000 ACS (Continued)
(16.alpha.-substituted analogs of the antiprogestin RU486 induce a unique conformation in the human progesterone receptor resulting in mixed agonist activity)
RN 126784-99-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L9 ANSWER 12 OF 23 CAPLUS COPYRIGHT 2000 ACS
ACCESSION NUMBER: 1995:985962 CAPLUS
DOCUMENT NUMBER: 124:22540
TITLE: Pharmaceutical compositions of antiglucocorticoid compounds for treating or preventing symptoms of spontaneous or narcotic-induced withdrawal.
INVENTOR(S): Petit, Francis; Philibert, Daniel; Ulmann, Andre
PATENT ASSIGNEE(S): Roussel-UCLAF, Fr.
SOURCE: Eur. Pat. Appl., 30 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: French
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 676203	A1	19951011	EP 1995-400764	19950406
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, NL, PT, SE				
FR 2718354	A1	19951013	FR 1994-4156	19940408
FR 2718354	B1	19960503		
ZA 9502058	A	19960313	ZA 1995-2058	19950313
CA 2146600	AA	19951009	CA 1995-2146600	19950407
FI 9501683	A	19951009	FI 1995-1683	19950407
AU 9516326	A1	19951019	AU 1995-16326	19950407
JP 07278017	A2	19951024	JP 1995-107071	19950407
HU 71468	A2	19951128	HU 1995-1019	19950407
CN 1116929	A	19960221	CN 1995-104015	19950407

PRIORITY APPLN. INFO.: FR 1994-4156 19940408
OTHER SOURCE(S): MARPAT 124:22540
AB Antiglucocorticoid steroids such as mifepristone, onapristone, lilopristone and related steroids are proposed for the prevention or treatment of withdrawal syndromes, either spontaneous or pptd. by narcotics or mixts. of narcotics. These antiglucocorticoids would be useful in the withdrawal from morphinomimetics such as heroin, morphine or methadone as well as cocaine. Pharmacol. activity was demonstrated by the effect of the antiglucocorticoids on the stereotypic behavior of mice in response to narcotics. Spontaneous withdrawal syndrome was induced by administration of the opioid antagonist, naloxone. An antiprogesterone activity of the steroids in their action mechanism was eliminated. Results confirmed the involvement of endogenous glucocorticoids in morphine withdrawal since this is inhibited by antiglucocorticoids or adrenalectomy.
IT **126784-99-4**
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(RU 486 related; antiglucocorticoid steroids for treatment or prevention of spontaneous opioid or narcotic-induced drug withdrawal syndrome.)
RN 126784-99-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

L9 ANSWER 12 OF 23 CAPLUS COPYRIGHT 2000 ACS (Continued)
Absolute stereochemistry.



L9 ANSWER 13 OF 23 CAPLUS COPYRIGHT 2000 ACS
ACCESSION NUMBER: 1995:499191 CAPLUS
DOCUMENT NUMBER: 122:256542
TITLE: The anti-progestin CDB 2914 has no antifertility effect in male rats
AUTHOR(S): Wang, Christina; Sinha-Hikim, Amiya; Leung, Andrew
CORPORATE SOURCE: Department of Medicine, Cedars-Sinai Medical Center, Los Angeles, CA, USA
SOURCE: Contraception (1995), 51(3), 215-18
CODEN: CCPTAY; ISSN: 0010-7824
DOCUMENT TYPE: Journal
LANGUAGE: English
AB This study examines the effect of an anti-progestin (CDB 2914) with anti-progestational potencies similar to RU 486 on spermatogenesis, sperm maturation, and fertility in male rats. Adult male rats of proven fertility were administered the anti-progestin (10 mg/kg/day) or vehicle (control group) for 14, 35, and 70 days to study the possible effect of this compd. on epididymal sperm maturation, post-meiotic sperm development, spermatogenesis, and fertility, resp. Fertility rates of the rats were detd. by mating studies. The anti-progestin, CDB 2914, had no effect on testis or accessory organ wts., epididymal sperm content or motility, testicular sperm count, spermatogenesis, and fertility of male rats. This study suggests that anti-progestins, when administered even at higher doses than those used in humans, have no contraceptive effect in adult male rats.
IT **126784-99-4**, CDB 2914
RL: BAC (Biological activity or effector, except adverse); BIOL (Biological study)
(anti-progestin CDB 2914 has no antifertility effect in male rats)
RN 126784-99-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L9 ANSWER 13 OF 23 CAPLUS COPYRIGHT 2000 ACS (Continued)



L9 ANSWER 14 OF 23 CAPLUS COPYRIGHT 2000 ACS
ACCESSION NUMBER: 1995:86211 CAPLUS
DOCUMENT NUMBER: 122:31745
TITLE: Oxidative demethylation of 4-substituted N,N-dimethylanilines with iodine and calcium oxide in the presence of methanol
AUTHOR(S): Acosta, Kirk; Cessac, James W.; Rao, P. Narasimha; Kim, Kyun K.
CORPORATE SOURCE: Dep. Org. Chem., Southwest Foundation Biomed. Res., San Antonio, TX, 78228-0147, USA
SOURCE: J. Chem. Soc., Chem. Commun. (1994), (17), 1985-6
CODEN: JCCCAT; ISSN: 0022-4936
DOCUMENT TYPE: Journal
LANGUAGE: English
OTHER SOURCE(S): CASREACT 122:31745
AB Reaction of p-substituted N,N-dimethylarylamines with iodine-calcium oxide in tetrahydrofuran-methanol affords N-methylarylamines in good yield.
IT **126784-99-4**
RL: RCT (Reactant)
(oxidative demethylation of 4-substituted N,N-dimethylanilines with iodine and calcium oxide in methanol)
RN 126784-99-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



IT **159681-66-0P**
RL: SPN (Synthetic preparation); PREP (Preparation)
(oxidative demethylation of 4-substituted N,N-dimethylanilines with iodine and calcium oxide in methanol)
RN 159681-66-0 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(methylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L9 ANSWER 14 OF 23 CAPLUS COPYRIGHT 2000 ACS (Continued)



L9 ANSWER 15 OF 23 CAPLUS COPYRIGHT 2000 ACS
ACCESSION NUMBER: 1994:290311 CAPLUS
DOCUMENT NUMBER: 120:290311
TITLE: A comparison of the pregnancy-terminating potencies of three anti-progestins in guinea pigs, and the effects of sulprostone
AUTHOR(S): Poyser, N. L.; Forcelledo, M. L.
CORPORATE SOURCE: Med. Sch., Univ. Edinburgh, Edinburgh, EH8 9JZ, UK
SOURCE: Prostaglandins, Leukotrienes Essent. Fatty Acids (1994), 50(5), 245-7
CODEN: PLEAEU; ISSN: 0952-3278
DOCUMENT TYPE: Journal
LANGUAGE: English
AB The anti-progestins mifepristone, lilopristone (ZK 98734) and HRP 2000 were equipotent at terminating the pregnancy of guinea-pigs during mid-gestation, although mifepristone was more effective at low doses. Sulprostone administration on the day following anti-progestin treatment tended to increase the effectiveness of mifepristone and HRP 2000, without affecting the time interval between the start of the antiprogestin treatment and the day of abortion. It is concluded that, of the three afferent anti-progestins used, none is more potent than the other two at terminating pregnancy in the animal model used. The co-administration of a PGE2 analog tends to increase the effectiveness of the anti-progestin.
IT **126784-99-4**
RL: BIOL (Biological study)
(abortion from, sulprostone enhancement of)
RN 126784-99-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L9 ANSWER 15 OF 23 CAPLUS COPYRIGHT 2000 ACS (Continued)

L9 ANSWER 16 OF 23 CAPLUS COPYRIGHT 2000 ACS
ACCESSION NUMBER: 1993:73787 CAPLUS
DOCUMENT NUMBER: 118:73787
TITLE: Reversal of activity profile in analogs of the antiprogestin RU 486: effect of a 16.alpha.-substituent on progestational (agonist) activity
AUTHOR(S): Cook, C. Edgar; Wani, Mansukh C.; Lee, Yue Wei; Fail, Patricia A.; Petrow, Vladimir
CORPORATE SOURCE: Research Triangle Inst., Research Triangle Park, NC, 27709-2194, USA
SOURCE: Life Sci. (1993), 52(2), 155-62
CODEN: LIFSAK; ISSN: 0024-3205
DOCUMENT TYPE: Journal
LANGUAGE: English
AB RU 486 analogs (I, R = H, OAc; R1 = H, Et; R2 = H, Me) were tested for binding to progestogen receptors and for progestational and antiprogestational activity. The 17.beta.-acetoxy analogs showed antiprogestational activity, whereas the 16.alpha.-Et analogs were progestogenic. The analog I (R = R1 = R2 = H) exhibited mixed activity. Examn. of structure-activity relationships in combination with computer aided mol. modeling suggests that a binding interaction of the 16.alpha.-Et group with the progesterone receptor (PR) or the PR-progestin response element complex may play the major role in this reversal of activity profile.
IT **125690-26-4 126784-99-4**
RL: BAC (Biological activity or effector, except adverse); BIOL (Biological study)
(antiprogestogenic activity of, mol. structure in relation to)
RN 126690-26-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-6-methyl-, (6.alpha.,11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L9 ANSWER 16 OF 23 CAPLUS COPYRIGHT 2000 ACS (Continued)
RN 126784-99-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L9 ANSWER 17 OF 23 CAPLUS COPYRIGHT 2000 ACS
ACCESSION NUMBER: 1990:198892 CAPLUS
DOCUMENT NUMBER: 112:198892
TITLE: Preparation of 11.beta.-aryl-19-norsteroids as antiglucocorticoids, progestogens, and antiprogestogens
INVENTOR(S): Cook, C. Edgar; Wani, Mansukh C.; Lee, Yue Wei; Reel, Jerry R.; Rector, Douglas
PATENT ASSIGNEE(S): Research Triangle Institute, USA
SOURCE: PCT Int. Appl., 50 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 8912448	A1	19891228	WO 1989-US2706	19890623
W: AU, DK, JP, KR, NO				
RW: AT, BE, CH, DE, FR, GB, IT, LU, NL, SE				
US 4954490	A	19900904	US 1988-210503	19880623
CA 1338906	A1	19970211	CA 1989-603686	19890622
AU 8938506	A1	19900112	AU 1989-38506	19890623
AU 635211	B2	19930318		
EP 422100	A1	19910417	EP 1989-907924	19890623
EP 422100	B1	19970312		
R: AT, BE, CH, DE, FR, GB, IT, LI, LU, NL, SE				
JP 03505582	T2	19911205	JP 1989-507392	19890623
JP 2953729	B2	19990927		
AT 149839	E	19970315	AT 1989-907924	19890623
US 5073548	A	19911217	US 1990-504129	19900403
NO 9005546	A	19901221	NO 1990-5546	19901221
NO 178264	B	19951113		
NO 178264	C	19960221		
DK 9003053	A	19901221	DK 1990-3053	19901221

PRIORITY APPLN. INFO.: US 1988-210503 19880623
WO 1989-US2706 19890623
OTHER SOURCE(S): MARPAT 112:198892
AB The title compds. [I; R1 = H, alkyl, alkenyl, etc.; R2 = H, R3 = H, alkyl, alkenyl, alkynyl; R4 = H, Me, F, Cl; R6 = H, Me2N, MeO, MeCO, MeS, etc.; X = O, MeON; or R1R2 = bond; or R1R3 = CH2, N:NCH2; or R2R3 = CH2] were prepd. Grignard reaction of 5.alpha.,6.alpha.-epoxy-6.alpha.-methyl-3,3:20,20-bis(ethylenedioxy)-19-norpregn-9(11)-en-17.alpha.-ol (prepn. given) with p-Me2NC6H4MgBr followed by 17-O-acetylation and deketalization gave I [R1 = AcO, R2 = R3 = H, R4 = Me, R6 = Me2N, X = O]. The binding affinity of I for progesterone receptor in cytosol obtained from estrogen-primed immature rabbit uterus was 8-80% that of progesterone.

L9 ANSWER 17 OF 23 CAPLUS COPYRIGHT 2000 ACS (Continued)
Several I had glucocorticoid receptor binding affinities up to 2.5-fold that of dexamethasone, and one compd. had in vivo antiprogestational activity comparable to that of RU-486.
IT **126690-26-4P 126690-29-7P 126784-99-4P**
RL: SPN (Synthetic preparation); PREP (Preparation)
(prepn. of, as antiglucocorticoid and/or (anti)progestogen)
RN 126690-26-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-6-methyl-, (6.alpha.,11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 126690-29-7 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-(4-acetylphenyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 126784-99-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L9 ANSWER 18 OF 23 CAPLUS COPYRIGHT 2000 ACS
ACCESSION NUMBER: 1989:213172 CAPLUS
DOCUMENT NUMBER: 110:213172
TITLE: 13(Alpha)-alkylgonanes, their production, and pharmaceutical preparations containing same
INVENTOR(S): Neef, Guenter; Wiechert, Rudolf; Beier, Sybille; Elger, Walter; Henderson, David
PATENT ASSIGNEE(S): Schering A.-G., Fed. Rep. Ger.
SOURCE: U.S., 5 pp. Cont. of U.S. Ser. No. 621,308.
CODEN: USXXAM
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 4
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 4780461	A	19881025	US 1985-810148	19851218
DE 3321826	A1	19841220	DE 1983-3321826	19830615
DE 3413036	A1	19851017	DE 1984-3413036	19840404
DE 3446661	A1	19860619	DE 1984-3446661	19841218

PRIORITY APPLN. INFO.: DE 1983-3321826 19830615
DE 1984-3413036 19840404
US 1984-621308 19840615
DE 1984-3446661 19841218
OTHER SOURCE(S): MARPAT 110:213172
AB 13.alpha.-Alkylgonanes [I; R = C1-4 acyl; X = O, NOH; II; R1 = amino; R2 = H, Me, Et; R3 = (substituted) alkyl; R4 = OH, alkoxy, alkanoyloxy; or R3R4 = O; R5 = H, alkyl; III; Z = CH2CH2, CH2CMe2CH2], having antigestagenic activity and useful as postcoital contraceptives, or for triggering abortion and menstruation (no data), are prepd. via photochem. epimerization of the 13.beta.-gonanes IV. 11.beta.-(4-Dimethylaminomethyl)-17.alpha.-hydroxy-13.alpha.-methyl-17.beta.-(3-hydroxypropyl)-4,9-gonadien-3-one (V) was acetylated with Ac2O in pyridine to give 11.beta.-(4-dimethylaminomethyl)-17.alpha.-hydroxy-13.alpha.-methyl-17.beta.-(3-acetoxypropyl)-4,9-gonadien-3-one. A tablet was formulated contg. V 10.0, lactose 140.0, corn starch 69.5, polyvinylpyrrolidone 25 2.5, Aerosil 2.0, and Mg stearate 0.5 mg.
IT **96285-40-4P 96285-50-6P**
RL: SPN (Synthetic preparation); PREP (Preparation)
(prepn. of, as postcoital contraceptive)
RN 96285-40-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.,13.alpha.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L9 ANSWER 18 OF 23 CAPLUS COPYRIGHT 2000 ACS (Continued)



RN 96285-50-6 CAPLUS
CN 18,19-Dinorpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-13-ethyl-, (11.beta.,13.alpha.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L9 ANSWER 19 OF 23 CAPLUS COPYRIGHT 2000 ACS (Continued)
IT 116421-73-9P 116421-74-0P
RL: SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(prepn. of, as drug)
RN 116421-73-9 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(1-propynyl)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 116421-74-0 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-(4-ethynylphenyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L9 ANSWER 19 OF 23 CAPLUS COPYRIGHT 2000 ACS
ACCESSION NUMBER: 1988:529463 CAPLUS
DOCUMENT NUMBER: 109:129463
TITLE: New 11-(alkynylphenyl)-substituted 19-nor and 19-nor-D-homo steroids, their formation and pharmacological activity, and processes for their preparation
INVENTOR(S): Teutsch, Jean Georges; Klich, Michel; Philibert, Daniel
PATENT ASSIGNEE(S): Roussel-UCLAF, Fr.
SOURCE: Eur. Pat. Appl., 88 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: French
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 245170	A1	19871111	EP 1987-401018	19870504
EP 245170	B1	19891129		
R: CH, DE, GB, IT, LI, NL, SE				
FR 2598421	A1	19871113	FR 1986-6517	19860506
FR 2598421	B1	19880819		
US 4912097	A	19900327	US 1987-44958	19870430
HU 44793	A2	19880428	HU 1987-2007	19870505
HU 196224	B	19881028		
JP 62294694	A2	19871222	JP 1987-109059	19870506

PRIORITY APPLN. INFO.: FR 1986-6517 19860506
AB Title steroids I [R1 = C2-8 alkynyl (un)substituted by OH, halo, trialkylsilyl, alkoxy, alkylthio, dialkylamino, or oxo; R2 = C1-3 alkyl; A/B-rings = Q1-Q5; D-ring = Q6, Q7; R3, R4 = H, C1-4 alkyl; R5 = H, OH, acycloxy, (un)substituted C1-6 alkoxy; R6 = H, C1-8 alkyl, C7-15 aralkyl; R7, R8 = H, OH, etc.; R7R8 = lactones and related groups; YZ = CH2CH2, CH:CH, 1,2-cyclopropanediyl, CHR9CH2, CH2CHR10; R9, R10 = C1-4 alkyl] are prepd. for use as progestogens, antiprogestogens, and/or antiglucocorticoids.
3,3-Ethylenedioxy-5,10-epoxy-estr-9(11)-en-17-one was treated with 4-(Me3SiC:C)C6H4MgBr and CuCl in THF, and the product treated with CH2:CHCH2MgBr and deprotected and dehydrated (NH4OH in aq. MeOH, then aq. HCl) to give (ethylnylphenyl)allylhydroxyestradienone II. At 10-8M in vitro, II gave 99% reversal of the dexamethasone-induced redn. of uridine uptake by rat thymocytes (5 .times. 10-8M dexamethasone). Tablets were prepd. from 50 mg of the 17.alpha.-(chloroethynyl) analog of II, and 120 mg of a mixt. of talc, starch, and Mg stearate.

L9 ANSWER 20 OF 23 CAPLUS COPYRIGHT 2000 ACS
ACCESSION NUMBER: 1987:5324 CAPLUS
DOCUMENT NUMBER: 106:5324
TITLE: 11.beta.-Phenylgonanes and pharmaceutical compositions containing them
INVENTOR(S): Neef, Guenter; Wiechert, Rudolf; Ottow, Eckard; Rohde, Ralph; Beier, Sybille; Elger, Walter; Henderson, David
PATENT ASSIGNEE(S): Schering A.-G. , Fed. Rep. Ger.
SOURCE: Eur. Pat. Appl., 55 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 2
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 190759	A2	19860813	EP 1986-101548	19860206
EP 190759	A3	19861120		
EP 190759	B1	19890830		
R: AT, BE, CH, DE, FR, GB, IT, LI, LU, NL, SE				
DE 3504421	A1	19860807	DE 1985-3504421	19850207
DE 3527517	A1	19870129	DE 1985-3527517	19850729
AT 45956	E	19890915	AT 1986-101548	19860206

PRIORITY APPLN. INFO.: DE 1985-3504421 19850207
DE 1985-3527517 19850729
EP 1986-101548 19860206
AB 11.beta.-Phenylgonane derivs. I [Z = O, CH2, bond; X = O, NOH; R1 = 3- or 4-hydrocarbyl contg. C:X; R2 = .alpha.- or .beta.-Me or -Et; R3 and R4 = various group combinations (e.g. R3 or R4 = OH, acyloxy, other = (un)substituted C.tplbond.CH, R3R4 = CH2CH2CO2); R5-8 = H, OH, alkyl, alkoxy, acyloxy, halo] were prepd. as antigestagens and antiglucocorticoids, with a notable dissocn. of the two activities. Thus, 4-BrC6H4Ac was ketalized with Me2C(CH2OH)2, and the ketal was coupled with epoxyestrenol deriv. II by a Cu-catalyzed Grignard reaction. The resulting arylgonane deriv. III (R3 = OH, R4 = H) was oxidized to give III (R3R4 = O), which underwent alkynylation by LiC.tplbond.CMe or LiC.tplbond.CCH2OTHP (THP = 2-tetrahydropyranyl) to give III (R3 = OH, R4 = C.tplbond.CR9, R9 = Me or CH2OTHP). The former was hydrolyzed by aq. HOAc, and the latter was hydrogenated and then hydrolyzed, to give IV (R4 = C.tplbond.CMe) (V) and (Z)-IV (R4 = CH:CHCH2OH) (VI). V and VI showed, resp., 10- and 30-fold the abortifacient activity of the known compd. RU-38486 in gravid rats, while showing 30% and <1% of its antiglucocorticoid activity.
IT 105114-79-2P

L9 ANSWER 20 OF 23 CAPLUS COPYRIGHT 2000 ACS (Continued)
RL: BAC (Biological activity or effector, except adverse); SPN (Synthetic
preparation); BIOL (Biological study); PREP (Preparation)
(prepn. of, as antigestagen and antiglucocorticoid)
RN 105114-79-2 CAPLUS
CN Benzaldehyde, 4-[(11.beta.,13.alpha.)-17-(acetyloxy)-3,20-dioxo-19-norpregna-4,9-dien-11-yl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L9 ANSWER 21 OF 23 CAPLUS COPYRIGHT 2000 ACS (Continued)
= Me, Et; R3, R4 = OH, acyloxy, alkynyl, acyl, Me, H, (substituted) alkyl,
alkenyl, tetrahydrofuran-5-on-2-yl], useful as contraceptives, antiprogestins, and antiglucocorticoids (data given), were prepd.

17.alpha.-Ethynyl-11.beta.-(4-formylphenyl)-17.beta.-hydroxy-4,9-estradien-3-one was prepd. in 5 steps from 4-BrC6H4CHO, (HOCH2)2CMe2, HC(OMe)3, and
4-MeC6H4SO3H.
IT **105114-79-2P**
RL: BAC (Biological activity or effector, except adverse); SPN (Synthetic
preparation); BIOL (Biological study); PREP (Preparation)
(prepn. of, as antigestagen and antiglucocorticoid)
RN 105114-79-2 CAPLUS
CN Benzaldehyde, 4-[(11.beta.,13.alpha.)-17-(acetyloxy)-3,20-dioxo-19-norpregna-4,9-dien-11-yl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L9 ANSWER 21 OF 23 CAPLUS COPYRIGHT 2000 ACS
ACCESSION NUMBER: 1987:5323 CAPLUS
DOCUMENT NUMBER: 106:5323
TITLE: 11.beta.-Phenylgonanes
INVENTOR(S): Neef, Guenter; Beier, Sybille; Elger, Walter; Henderson, David; Ottow, Eckhard; Rhode, Ralph
PATENT ASSIGNEE(S): Schering A.-G., Fed. Rep. Ger.
SOURCE: Ger. Offen., 40 pp.
CODEN: GWXXBX
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 2
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 3504421	A1	19860807	DE 1985-3504421	19850207
AU 8652913	A1	19860814	AU 1986-52913	19860131
AU 580843	B2	19890202		
IL 77762	A1	19920818	IL 1986-77762	19860202
CN 86100994	A	19861008	CN 1986-100994	19860203
CN 1033753	B	19970108		
ES 551625	A1	19861216	ES 1986-551625	19860204
DK 8600560	A	19860808	DK 1986-560	19860205
DK 161709	B	19910805		
DK 161709	C	19920113		
NO 8600425	A	19860808	NO 1986-425	19860206
NO 171994	B	19930215		
NO 171994	C	19930526		
EP 190759	A2	19860813	EP 1986-101548	19860206
EP 190759	A3	19861120		
EP 190759	B1	19890830		
R: AT, BE, CH, DE, FR, GB, IT, LI, LU, NL, SE				
HU 40453	A2	19861228	HU 1986-499	19860206
HU 194904	B	19880328		
DD 261166	A5	19881019	DD 1986-286860	19860206
AT 45956	E	19890915	AT 1986-101548	19860206
CA 1310630	A1	19921124	CA 1986-501252	19860206
FI 8600559	A	19860808	FI 1986-559	19860207
FI 85377	B	19911231		
FI 85377	C	19920410		
JP 61183296	A2	19860815	JP 1986-24260	19860207
JP 04037080	B4	19920618		
ZA 8600936	A	19860924	ZA 1986-936	19860207
US 5089635	A	19920218	US 1986-827050	19860207
NO 8604209	A	19860808	NO 1986-4209	19861021
NO 170285	B	19920622		
NO 170285	C	19920930		

PRIORITY APPLN. INFO.:

DE 1985-3504421	19850207
DE 1985-3527517	19850729
EP 1986-101548	19860206
NO 1986-425	19860206

AB Gonanes I [AB = O, CH2, bond; X = O, NOH; n = 0, 1; R1 = H, C1-4 alkyl; R2

L9 ANSWER 22 OF 23 CAPLUS COPYRIGHT 2000 ACS
ACCESSION NUMBER: 1986:34230 CAPLUS
DOCUMENT NUMBER: 104:34230
TITLE: New steroids with antiprogestational and antiglucocorticoid activities
AUTHOR(S): Neef, Guenter; Beier, Sybille; Elger, Walter; Henderson, David; Wiechert, Rudolf
CORPORATE SOURCE: Res. Lab., Schering A.-G./Bergkamen, Berlin, D-1000/65, Fed. Rep. Ger.
SOURCE: Steroids (1984), 44(4), 349-72
CODEN: STEDAM; ISSN: 0039-128X
DOCUMENT TYPE: Journal
LANGUAGE: English
AB C-11 substituted 19-norsteroids I and PI (R = MeO, F, Me2N; R1 = HO, AcO,
HC.tplbond.C, MeC.tplbond.C, HOCH2CH2CH2; R2 = HO, Ac, HC.tplbond.C, HOCH2CH2CH2, HOCH2CH:CH) with inverse configuration at C-13 were synthesized. 11.beta.-Aryl compds. possess antiprogestational and antiglucocorticoid activities.
IT **96285-40-4P**
RL: SPN (Synthetic preparation); PREP (Preparation)
(prepn. and antiglucocorticoid activity of)
RN 96285-40-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.,13.alpha.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L9 ANSWER 23 OF 23 CAPLUS COPYRIGHT 2000 ACS
ACCESSION NUMBER: 1985:406617 CAPLUS
DOCUMENT NUMBER: 103:6617
TITLE: 13.alpha.-Alkylgonanes and pharmaceutical compositions containing them
INVENTOR(S): Neef, Guenter; Sauer, Gerhard; Wiechert, Rudolf; Beier, Sybille; Elger, Walter; Henderson, David; Rohde, Ralph
PATENT ASSIGNEE(S): Schering A.-G. , Fed. Rep. Ger.
SOURCE: Eur. Pat. Appl., 34 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 4
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 129499	A2	19841227	EP 1984-730062	19840613
EP 129499	A3	19851009		
EP 129499	B1	19871209		
R: AT, BE, CH, DE, FR, GB, IT, LI, LU, NL, SE				
DE 3321826	A1	19841220	DE 1983-3321826	19830615
DE 3413036	A1	19851017	DE 1984-3413036	19840404
AT 31313	E	19871215	AT 1984-730062	19840613
PRIORITY APPLN. INFO.:			DE 1983-3321826	19830615
			DE 1984-3413036	19840404
			EP 1984-730062	19840613

AB Phenylalkylgonenes I [R = H, alkyl; R1 = amino, alkylamino, 5- or 6-membered heterocycle ring radical, alkoxy; R2 = H, Me, Et; R3 = alkyl, alkylsulfinylalkyl, alkoxyalkenyl, alkynyl, cyanoalkyl, Ac, HOCH2CO; R4 = HO, alkoxy, acyloxy; R3R4 = 5-oxodihydrofuran-2(3H)-ylidene] were prepd. via epimerization of estrene derivs. and possessed antigestagenic and post-coital contraceptive activities. Thus, the (aminophenyl)estrenone ketal II was photolyzed in THF using a Hg high-pressure lamp to give the C-13 epimer of II, which underwent successive addn. reaction with LiC.tplbond.CCH2O-THP (THP = tetrahydropyranyl), hydrogenation, and hydrolysis to give the (hydroxypropyl)gonadiene III. At 10 mg/animal/day III had a 100% abortion rate in rats.

IT **96285-40-4P 96285-50-6P**
RL: SPN (Synthetic preparation); PREP (Preparation)
(prepn. of)

RN 96285-40-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.,13.alpha.)- (9CI) (CA INDEX NAME)

L9 ANSWER 23 OF 23 CAPLUS COPYRIGHT 2000 ACS (Continued)
Absolute stereochemistry.



RN 96285-50-6 CAPLUS
CN 18,19-Dinorpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-13-ethyl-, (11.beta.,13.alpha.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



=> d ibib ab fqhit 1-18

L10 ANSWER 1 OF 18 MARPAT COPYRIGHT 2000 ACS
ACCESSION NUMBER: 131:199885 MARPAT
TITLE: Preparation of 20-keto-11.beta.-arylsteroids and their
derivatives having agonist or antagonist hormonal properties
INVENTOR(S): Cook, C. Edgar; Kepler, John A.; Zhang, Ping-sheng;
Lee, Yue-wei; Tallent, C. Ray
PATENT ASSIGNEE(S): Research Triangle Institute, USA
SOURCE: PCT Int. Appl., 95 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9945022	A1	19990910	WO 1999-US3732	19990305

W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
RW: GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG

PRIORITY APPLN. INFO.: US 1998-35949 19980306
AB 20-Keto-11.beta.-arylsteroids of formula I [X = O, (substituted) NOH, H2, OH, etc.; R1 = dialkylamino, imidazolyl, pyrrolyl, piperidino, etc.; R2 = H, halo; R3 = H, Me, halo; R4 = H, acyloxy, (substituted) OH, alkyl, etc.; R5 = H, alkyl, halo, acyloxy, etc.] are prepd. which exhibit potent antiprogestational activity. Thus, II was prepd. from 17.alpha.-hydroxymethyl-3-methoxy-19-norpregna-1,3,5(10)-trien-20-one and 4-bromo-N,N-dimethylaniline in several steps. The affinity of II for the progesterone hormone receptor was IC50 of 0.7 nM.

MSTR 1A



L10 ANSWER 1 OF 18 MARPAT COPYRIGHT 2000 ACS (Continued)



G2 = phenylene (SO (1) G3)
G14 = 128



G27 = OCHO
DER: and pharmaceutically acceptable salts
MPL: claim 1
NTE: substitution is restricted; also incorporates claim 3

L10 ANSWER 2 OF 18 MARPAT COPYRIGHT 2000 ACS
ACCESSION NUMBER: 130:282222 MARPAT
TITLE: Method for the preparation and pharmaceutic formulation of 11.beta.-benzaldoxime-9.alpha.,10.alpha.-epoxy-estr-4-ene derivatives
INVENTOR(S): Schubert, Gerd; Ring, Sven; Kaufmann, Guenter; Schneider, Birgitt; Elger, Walter
PATENT ASSIGNEE(S): Jenapharm G.m.b.H. und Co. K.-G., Germany
SOURCE: Ger. Offen., 16 pp.
CODEN: GWXXBX
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 19745085	A1	19990415	DE 1997-19745085	19971011
EP 909764	A1	19990421	EP 1998-118613	19981001
EP 909764	B1	19990929		

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO
AT 185145 E 19991015 AT 1998-118613 19981001

PRIORITY APPLN. INFO.: DE 1997-19745085 19971011
AB 11.beta.-Benzaldoxime-9.alpha.,10.alpha.-epoxy-estr-4-ene derivs., e.g. I (R1 = H, C1-6-alkyl; R2 = H, C1-10-alkyl, aryl, aralkyl, alkylaryl, C1-10-acyl, CONHR4, CO2R4; R3 = H, C1-10-alkyl, aryl, aralkyl, alkylaryl, (CH2)nCH2Y; R4 = H, C1-10-alkyl, aryl, aralkyl, alkylaryl; Y = F, Cl, Br, I, CN, N3, SCN, OR5, SR5; n = 0 - 2; R5 = H, C1-10-alkyl, aryl, aralkyl, alkylaryl, C1-10-acyl), are described. Thus, (E)-I (R1 = R2 = Me, R3 = CH2OMe, Z = H) was prepd. via regioselective epoxidn. of estradienone II (R1 = R2 = Me, R3 = CH2OMe, Z = H) with m-chloroperbenzoic acid in CH2Cl2. (E)-I (R1 = R2 = Me, R3 = CH2OMe, Z = H) showed 88% affinity for the progesterone receptor but only 12% affinity for the glucocorticoid receptor.

MSTR 2



L10 ANSWER 2 OF 18 MARPAT COPYRIGHT 2000 ACS (Continued)
G2 = 30

G3 = 33

G8 = 51

G12 = alkyl<(1-10)>
DER: or pharmaceutically acceptable salts
MPL: claim 1

L10 ANSWER 3 OF 18 MARPAT COPYRIGHT 2000 ACS
ACCESSION NUMBER: 129:50105 MARPAT
TITLE: Uses of anti-glucocorticoid compounds for the treatment of psychoses or addictive behaviors
INVENTOR(S): Oberlander, Claude; Piazza, Pier Vincenzo
PATENT ASSIGNEE(S): Hoechst Marion Roussel, Fr.; Oberlander, Claude; Piazza, Pier Vincenzo
SOURCE: PCT Int. Appl., 41 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: French
FAMILY ACC. NUM. COUNT: 2
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9826783	A1	19980625	WO 1997-FR2320	19971217
W: AL, AU, BA, BB, BG, BR, CA, CN, CU, CZ, EE, GE, GW, HU, ID, IL, IS, JP, KP, KR, LC, LK, LR, LT, LV, MG, MK, MN, MX, NO, NZ, PL, RO, SG, SI, SK, SL, TR, TT, UA, US, UZ, VN, YU, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
FR 2757400	A1	19980626	FR 1996-15649	19961219
FR 2757400	B1	19991217		
AU 9855632	A1	19980715	AU 1998-55632	19971217
EP 892641	A1	19990127	EP 1997-952078	19971217
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
PRIORITY APPLN. INFO.:			FR 1996-15649	19961219
			WO 1997-FR2320	19971217

AB Glucocorticoid antagonists, except mifepristone, are used as dopamine type II receptor antagonists to treat psychotic or addictive behavior. Thus, 17.beta.-hydroxy-10.beta.-[(4-methylphenyl)methyl]-17.alpha.-(1-propynyl)estra-4,9(11)-dien-3-one considerably reduced the response to morphine in vivo.

MSTR 7

L10 ANSWER 3 OF 18 MARPAT COPYRIGHT 2000 ACS (Continued)



G1 = OCOMe
DER: and pharmaceutically acceptable acid or basic addition salts
MPL: claim 18

L10 ANSWER 4 OF 18 MARPAT COPYRIGHT 2000 ACS
ACCESSION NUMBER: 128:188869 MARPAT
TITLE: Mixed agonists of the progesterone receptor and assays for them
INVENTOR(S): McDonnell, Donald P.; Wagner, Brandee L.
PATENT ASSIGNEE(S): Duke University, USA
SOURCE: PCT Int. Appl., 62 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9805679	A2	19980212	WO 1997-US13754	19970805
W: CA				
RW: AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
PRIORITY APPLN. INFO.:			US 1996-23206	19960805

AB A third class of PR-ligand (i.e. mixed agonist) is identified which induces a progesterone receptor conformation distinct from that induced by a PR agonist or antagonist; the agonists are estra-4,9-dien-3-one derivs. PR mixed agonists exhibit partial agonist activity which is influenced by cell context. These compds. provide useful pharmacol. profiles for treating progesterone related diseases and/or conditions, such as uterine proliferation from estrogen administration, endometriosis, breast cancer, fibroids, endometrial cancer, and brain meningiomas. The agonists can also be used as contraceptives. Assays are provided to screen for PR mixed agonists. Mol. designs are provided to convert a PR antagonist to a PR mixed agonist.

MSTR 2



G2 = COMe

L10 ANSWER 4 OF 18 MARPAT COPYRIGHT 2000 ACS (Continued)
G3 = OCOMe
MPL: claim 9

L10 ANSWER 5 OF 18 MARPAT COPYRIGHT 2000 ACS
ACCESSION NUMBER: 127:358992 MARPAT
TITLE: Preparation of 21-substituted progesterone derivatives as new antiprogestational agents
INVENTOR(S): Kim, Hyun K.; Blye, Richard P.; Rao, Pemmaraju N.; Cessac, James W.; Acosta, Carmie K.
PATENT ASSIGNEE(S): United States Dept. of Health and Human Services, USA; Kim, Hyun K.; Blye, Richard P.; Rao, Pemmaraju N.; Cessac, James W.; Acosta, Carmie K.
SOURCE: PCT Int. Appl., 65 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9741145	A1	19971106	WO 1997-US7373	19970430
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, KE, LS, MW, SD, SZ, UG, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
CA 2253673	AA	19971106	CA 1997-2253673	19970430
AU 9729304	A1	19971119	AU 1997-29304	19970430
EP 900234	A1	19990310	EP 1997-923523	19970430
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
PRIORITY APPLN. INFO.:			US 1996-16628	19960501
			WO 1997-US7373	19970430

AB Progesterone derivs. of formula I [R1 = OMe, SMe, NMe2, NHMe, CHO, Ac, CHOHCH3; R2 = halo, alkyl, acyl, OH, alkoxy, etc.; R3 = OH, alkyl, alkoxy, acyloxy; R4 = H, alkyl; X = O, (substituted) NOH] are prepd. as antiprogestational agents. The present invention provides methods wherein the compds. of formula I are advantageously used, inter alia, to antagonize endogenous progesterone; to induce menses; to treat endometriosis; to treat dysmenorrhea; to treat endocrine hormone-dependent

L10 ANSWER 5 OF 18 MARPAT COPYRIGHT 2000 ACS (Continued)
tumors; to treat uterine fibroids; to inhibit uterine endometrial proliferation; to induce labor; and for contraception. Thus, II was prepd. from 3,3-ethylenedioxy-17.beta.-cyano-17.alpha.-hydroxyestra-5(10),9(11)-diene and 4-bromo-N,N-dimethylaniline in 9 steps. II showed 2.79 times the antiprogestational potency in the antiClauberg test compared to CDB-2914.

MSTR 1



G8 = 46

MPL: claim 1

L10 ANSWER 6 OF 18 MARPAT COPYRIGHT 2000 ACS
ACCESSION NUMBER: 122:256423 MARPAT
TITLE: Antiglucocorticoid steroids for the treatment of anxiety disorders
INVENTOR(S): Peeters, Bernardus Wynand Machijs Maria
PATENT ASSIGNEE(S): Akzo Nobel N.V., Neth.
SOURCE: PCT Int. Appl., 25 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9504536	A1	19950216	WO 1994-EP2513	19940728
W: AM, AU, BB, BG, BR, BY, CA, CN, CZ, FI, GE, HU, JP, KG, KP, KR, KZ, LK, LT, LV, MD, MG, MN, NO, NZ, PL, RO, RU, SI, SK, TJ, TT, UA, US, UZ, VN				
RW: KE, MW, SD, AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
AU 9474968	A1	19950228	AU 1994-74968	19940728
AU 687088	B2	19980219		
EP 712311	A1	19960522	EP 1994-924819	19940728
EP 712311	B1	19981007		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, MC, NL, PT, SE				
JP 09501172	T2	19970204	JP 1994-506200	19940728
AT 171873	E	19981015	AT 1994-924819	19940728
ES 2124905	T3	19990216	ES 1994-924819	19940728
US 5741787	A	19980421	US 1996-581631	19960118
PRIORITY APPLN. INFO.:			EP 1993-202304	19930804
			EP 1994-924819	19940728
			WO 1994-EP2513	19940728

AB Antiglucocorticoid steroids are used for the manuf. of a pharmaceutical compn. for the treatment of anxiety disorders. The anxiolytic effect of 11.beta.-(4-dimethylaminophenyl)-17.beta.-hydroxy-17.alpha.-(prop-1-ynyl)-estra-4,9-dien-3-one (RU38486) was demonstrated in animal testing (antagonism of fear-potentiated startle). Prepn. and activity (antagonism of stress-induced hyperthermia) of selected steroids of the invention is also described.

MSTR 1

L10 ANSWER 6 OF 18 MARPAT COPYRIGHT 2000 ACS (Continued)



G7 = 44



G12 = OH
G13 = Ak<EC (1-6) C, BD (0-) D (0-) T> (SO (1-) G12)
G16 = OCHO
G18 = 39

MPL: claim 2

L10 ANSWER 7 OF 18 MARPAT COPYRIGHT 2000 ACS
ACCESSION NUMBER: 116:35156 MARPAT
TITLE: Preparation and use of antiprogestomimetics for synchronization of parturition in livestock
INVENTOR(S): Grandadam, Jean Andre
PATENT ASSIGNEE(S): Roussel-UCLAF, Fr.
SOURCE: Eur. Pat. Appl., 13 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: French
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 446124	A2	19910911	EP 1991-400594	19910305
EP 446124	A3	19920527		
R: AT, BE, CH, DE, DK, FR, GB, GR, IT, LI, LU, NL, SE				
FR 2659233	A1	19910913	FR 1990-2783	19900306
FR 2659233	B1	19940121		
CA 2037549	AA	19910907	CA 1991-2037549	19910305
AU 9172608	A1	19910912	AU 1991-72608	19910305
AU 642975	B2	19931104		
ZA 9101603	A	19920527	ZA 1991-1603	19910305
JP 04211610	A2	19920803	JP 1991-62496	19910305
RU 2037295	C1	19950619	RU 1991-4895041	19910305
CN 1055665	A	19911030	CN 1991-102108	19910306
HU 59006	A2	19920428	HU 1991-729	19910306

PRIORITY APPLN. INFO.: FR 1990-2783 19900306
AB The title antiprogestomimetics are I (R1 = C1-18 hydrocarbyl optionally substituted with .gtoreq.1 heteroatoms and bonded to the steroid by a C; R2 = C1-8 hydrocarbyl; X = remainder of 5- and 6-membered ring optionally substituted and optionally unsatd.; C = A = CNOH, oxo (free or blocked as ketal), etc.; B and C together form a double bond or epoxide bridge) and acid addn. salts thereof. Prepn. of 2 I are described. 17.beta.-Hydroxy-11.beta.-(4-dimethylaminophenyl)-17.alpha.-(prop-1-ynyl)estra-4,9-dien-3-one (II) was more effective at synchronizing parturition than cloprostenol when tested in sows. Injectable pharmaceuticals contg. II are disclosed.

MSTR 1C

L10 ANSWER 7 OF 18 MARPAT COPYRIGHT 2000 ACS (Continued)



G1 = 30



G3 = 55-13 57-14



G9 = 40



G15 = alkylcarbonyloxy<(1-8)>
DER: and protected derivatives
DER: and acid addition salts
MPL: claim 1

L10 ANSWER 8 OF 18 MARPAT COPYRIGHT 2000 ACS
ACCESSION NUMBER: 115:214857 MARPAT
TITLE: Injectable microspheres containing antiestrogenic and antiprogestomimetic steroids
INVENTOR(S): Cohen, Gerard; Dubois, Jean Luc
PATENT ASSIGNEE(S): Roussel-UCLAF, Fr.
SOURCE: Ger. Offen., 15 pp.
CODEN: GWXXBX
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 4036425	A1	19910516	DE 1990-4036425	19901115
FR 2654337	A1	19910517	FR 1989-14976	19891115
FR 2654337	B1	19940805		
SE 9003570	A	19910516	SE 1990-3570	19901109
BE 1005511	A4	19930831	BE 1990-1062	19901109
DK 9002709	A	19910516	DK 1990-2709	19901113
CA 2029940	AA	19910516	CA 1990-2029940	19901114
JP 03294229	A2	19911225	JP 1990-306374	19901114
CH 681691	A	19930514	CH 1990-3611	19901114
NL 9002492	A	19910603	NL 1990-2492	19901115
GB 2239798	A1	19910717	GB 1990-24862	19901115
GB 2239798	B2	19931027		
AT 9002313	A	19950415	AT 1990-2313	19901115
AT 400298	B	19951127		

PRIORITY APPLN. INFO.: FR 1989-14976 19891115
AB Biodegradable microspheres comprise the title steroids (Markush given) and copolymers of lactic acid with glycolic acid. A mixt. of 250 mL aq. 0.3% hydrolyzed PVA soln., 1 g poly(DL-lactic acid-glycolic acid), 17 g CH2Cl2, and 0.5 g 17.beta.-hydroxy-11.beta.-[4-(dimethylamino)phenyl]-17.alpha.-(1-propynyl)estra-4,9-dien-3-one was emulsified, followed by stirring at 22.degree. and decreasing pressure (.gtoreq.400 mm Hg) to give microspheres, which were used for the prepn. of injections.

MSTR 1A

G1—G3

G1 = 3



L10 ANSWER 8 OF 18 MARPAT COPYRIGHT 2000 ACS (Continued)
G3 = 24



G5 = 68-26 70-27

G9 = 74



G13 = alkylcarbonyloxy<(1-8)>
MPL: claim 6

L10 ANSWER 9 OF 18 MARPAT COPYRIGHT 2000 ACS
ACCESSION NUMBER: 115:151901 MARPAT
TITLE: Use of antiprogestomimetics for stimulating ovulation,
and new preparation for use in pharmaceutical compositions
INVENTOR(S): Grandadam, Jean Andre
PATENT ASSIGNEE(S): Roussel-UCLAF, Fr.
SOURCE: Eur. Pat. Appl., 24 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: French
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 417003	A2	19910313	EP 1990-402449	19900906
EP 417003	A3	19911204		
EP 417003	B1	19940629		
R: AT, BE, CH, DE, DK, FR, GB, IT, LI, LU, NL, SE				
FR 2651435	A1	19910308	FR 1989-11699	19890907
FR 2651435	B1	19940422		
US 5173483	A	19921222	US 1990-578894	19900905
CA 2024728	AA	19910308	CA 1990-2024728	19900906
AU 9062259	A1	19910314	AU 1990-62259	19900907
AU 623805	B2	19920521		
JP 03099015	A2	19910424	JP 1990-236004	19900907

PRIORITY APPLN. INFO.: FR 1989-11699 19890907
AB Anti-progestomimetic compds., e.g. I [R1 = C1-18 hydrocarbyl with optionally .gtoreq.1 heteroatoms, bonded to the steroid by a C; R2 = C1-8 hydrocarbyl; X = rest of 5- or 6-membered (substituted) (unsatd.) ring; A:C = oxo (free or in ketal), CH(OH), CH(OR3), CH(O2CR3), etc.; R3 = C1-8 alkyl, C7-15 aralkyl; B and C together form a double bond or epoxide bridge] and their acid and base addn. salts, are used for making pharmaceuticals for stimulating ovulation, e.g. in cows. The compds. of the invention are preferably used following treatment with progesterone or a progestomimemetic, e.g. 3-oxo-17.alpha.-allyl-17.beta.-hydroxyestra-4,9,11-triene (II). Thus, heifer cows were 1st administered II for 17 days; on the day following the last administration, the animals were injected with 17.beta.-hydroxy-11.beta.-(4-dimethylaminophenyl)-17.alpha.-(prop-1-ynyl)estra-4,9-dien-3-one. All of the heifers came to heat after a very short delay period, and LH levels rose very rapidly. Prepn. of 12 anti-progestomimetics is presented.

L10 ANSWER 9 OF 18 MARPAT COPYRIGHT 2000 ACS (Continued)
MSTR 1E



G1 = 85



G12 = alkylcarbonyloxy<(1-8)> (SO (1-) aryl) / 96



G14 = 98



DER: or acid or base addition salts
MPL: claim 2
NTE: oxo formed by G5 and G6 may be protected as a ketal

L10 ANSWER 10 OF 18 MARPAT COPYRIGHT 2000 ACS
ACCESSION NUMBER: 115:9125 MARPAT
TITLE: Preparation of .omega.-[(3-oxoestra-4,9-dien-11.beta.-yl)phenylamino]alkanoates as antiglucocorticoids
INVENTOR(S): Moguilewsky, Martine; Nedelec, Lucien; Nique, Francois; Philibert, Daniel
PATENT ASSIGNEE(S): Roussel-UCLAF, Fr.
SOURCE: Eur. Pat. Appl., 33 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: French
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 414606	A2	19910227	EP 1990-402328	19900822
EP 414606	A3	19910724		
EP 414606	B1	19941102		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE				
FR 2651233	A1	19910301	FR 1989-11173	19890823
FR 2651233	B1	19911213		
CA 2022648	AA	19910224	CA 1990-2022648	19900803
ZA 9006341	A	19911030	ZA 1990-6341	19900810
US 5166146	A	19921124	US 1990-568597	19900816
JP 03090097	A2	19910416	JP 1990-217281	19900820
IL 95451	A1	19950731	IL 1990-95451	19900821
AU 9061189	A1	19910228	AU 1990-61189	19900822
AU 634569	B2	19930225		
HU 54706	A2	19910328	HU 1990-5275	19900822
HU 208154	B	19930830		
ES 2063313	T3	19950101	ES 1990-402328	19900822
CN 1051362	A	19910515	CN 1990-107161	19900823
CN 1033808	B	19970115		
RU 2041236	C1	19950809	RU 1992-5011511	19920518

PRIORITY APPLN. INFO.: FR 1989-11173 19890823
AB The title compds. [I; R1 = aliph. hydrocarbyl; R2 = H, (un)substituted alkyl; R5, R6 = H, alkyl; X = atoms to complete an (un)substituted 5- or 6- membered ring; Z = (un)salified CO2H; n = 1-6] were prepd. Thus, aminophenylestradienone II (R = R5 = R6 = H) was condensed with BrCH2CO2Me to give, after sapon., II (R = CH2CO2Na, R5 = R6 = H) which at 10-6M in vitro gave 82% inhibition of uridine incorporation into rat thymocytes.

MSTR 1A

L10 ANSWER 10 OF 18 MARPAT COPYRIGHT 2000 ACS (Continued)



G3 = phenylene
G9 = 39-18 37-17



G10 = (1-2) 45



G13 = alkylcarbonyloxy<(1-8)> / 53



G16 = 68

MPL: claim 1

L10 ANSWER 11 OF 18 MARPAT COPYRIGHT 2000 ACS
ACCESSION NUMBER: 114:229227 MARPAT
TITLE: Preparation of 19-nor 3-oxo steroids with an amine substituted 17-chain as antioxidants and antinflammatories: their use as medicines and pharmaceutical composition containing them
INVENTOR(S): Claussner, Andre; Leclaire, Jacques; Nedelec, Lucien; Philibert, Daniel
PATENT ASSIGNEE(S): Roussel-UCLAF, Fr.
SOURCE: Eur. Pat. Appl., 29 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: French
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 389370	A1	19900926	EP 1990-400784	19900322
EP 389370	B1	19940427		
R: CH, DE, FR, GB, IT, LI, NL				
FR 2644789	A1	19900928	FR 1989-3742	19890322
FR 2644789	B1	19950203		
JP 02273693	A2	19901108	JP 1990-68508	19900320
JP 2848907	B2	19990120		
US 5108996	A	19920428	US 1990-497562	19900321
PRIORITY APPLN. INFO.:			FR 1989-3742	19890322

AB The title compds. [I; R1, R2 = H, Me; R11 = (poly)(hetera)hydrocarbyl; one of R17 and R18 is OH or acyloxy and the other is Q; Z = alkylene, alkenylene, alkynylene; P = (substituted) pyrimidinyl, pyridyl] were prepd. via reacting the halo derivs. II or III (X = halo) with the appropriate pyrimidinyl or pyridine deriv. IV. Reaction of estradienone V [R3 = 3-bromo-1-propynyl, R4 = OH] (prepn. given) was reacted with 2,4-bis(1-pyrrolidinyl)-6-(1-piperazinyl)pyrimidine (prepn. given) in acetone contg. K2CO3 at ambient temp. for 2 h to give V [R3 = 3-[4-[2,6-bis(1-pyrrolidinyl)-4-pyrimidinyl]-1-piperazinyl]-1-propynyl; R4 = OH]. At 5 .times. 10-4 M this inhibited in vitro the formation of malonyldialdehyde, a measure of lipid peroxidn., in rat brain homogeneate by .apprx.47.5%.

MSTR 1C

L10 ANSWER 11 OF 18 MARPAT COPYRIGHT 2000 ACS (Continued)



G2 = 97



G4 = 33



DER: and salts
MPL: claim 1
NTE: the alkylamino and dialkylamino groups in G11 may be interrupted by oxygen, sulfur, or nitrogen

L10 ANSWER 12 OF 18 MARPAT COPYRIGHT 2000 ACS
ACCESSION NUMBER: 113:115677 MARPAT
TITLE: Preparation of androstanone derivatives as drugs
INVENTOR(S): Scholz, Stefan; Neef, Guenter; Ottow, Eckhard; Elger, Walter; Beier, Sybille; Chwalisz, Krzysztof
PATENT ASSIGNEE(S): Schering A.-G., Fed. Rep. Ger.
SOURCE: Eur. Pat. Appl., 38 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 360369	A1	19900328	EP 1989-250040	19890920
EP 360369	B1	19950503		
R: AT, BE, CH, DE, ES, FR, GB, GR, IT, LI, LU, NL, SE				
DE 3832303	A1	19900412	DE 1988-3832303	19880920
IL 91672	A1	19941229	IL 1989-91672	19890918
WO 9003385	A1	19900405	WO 1989-EP1090	19890920
W: AU, DK, FI, HU, JP, NO, US				
AU 8943049	A1	19900418	AU 1989-43049	19890920
AU 640616	B2	19930902		
ZA 8907191	A	19901031	ZA 1989-7191	19890920
DD 284682	A5	19901121	DD 1989-332836	19890920
HU 56851	A2	19911028	HU 1989-5541	19890920
HU 208151	B	19930830		
JP 04501712	T2	19920326	JP 1989-509963	19890920
JP 2760870	B2	19980604		
AT 122052	E	19950515	AT 1989-250040	19890920
ES 2074073	T3	19950901	ES 1989-250040	19890920
NO 9101102	A	19910319	NO 1991-1102	19910319
DK 9100504	A	19910320	DK 1991-504	19910320
US 5244886	A	19930914	US 1991-663819	19910320
NO 9104772	A	19910319	NO 1991-4772	19911204
PRIORITY APPLN. INFO.:			DE 1988-3832303	19880920
			WO 1989-EP1090	19890920
			NO 1991-1102	19910319

AB The title compds. [I; Z = O, hydroxyimino; LM = bond, or L = H and M = .alpha.-OH; AB = bond and D = H and R1 = heteroaryl; or A = H and BD = CH2 and Z = H2; R3, R4 = tetrahydropyranyloxyalkyl, tetrahydropyranyloxyalkynyl, etc.], useful as antiglucocorticoids, neoplasm inhibitors (esp. for breast cancer), progestogen inhibitors, and antiproliferative agents, were prepd. 3-(Tetrahydropyran-2-yloxy)-1-propyne was lithiated with BuLi in THF-hexane and the product treated with 14.beta.-androstan-17-one II (R3R4 = O) (prepn. given) to give II (R3 = Q, R4 = OH) treated with 4N HCl to give I [R1 = OMe, R2 = Me, R3 = (CH2)3OH, BD = CH2, LM = bond, Z = O, A = H] (III). III had higher affinity for the gestagen receptor than the known EP-A 0277676 [11.beta.-[4-(dimethylamino)phenyl]-.alpha.-hydroxy-17-(3-hydroxypropyl)-14.beta.-estra-4,9-dien-3-one].

L10 ANSWER 12 OF 18 MARPAT COPYRIGHT 2000 ACS (Continued)

MSTR 1A



G20 = 45



G29 = OCHO
MPL: claim 1

L10 ANSWER 13 OF 18 MARPAT COPYRIGHT 2000 ACS
ACCESSION NUMBER: 112:235680 MARPAT
TITLE: Preparation of 13-alkyl-11.beta.-phenylgonanes as antigestagens and antiglucocorticoids
INVENTOR(S): Scholz, Stefan; Ottow, Eckhard; Neef, Guenter; Elger,
Walter; Beier, Sybille; Chwalisz, Krzysztof
PATENT ASSIGNEE(S): Schering A.-G., Fed. Rep. Ger.
SOURCE: Ger. Offen., 22 pp.
CODEN: GWXXBX
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 3822770	A1	19900104	DE 1988-3822770	19880701
IL 90826	A1	19940624	IL 1989-90826	19890630
CA 1334668	A1	19950307	CA 1989-604596	19890630
EP 349481	A1	19900103	EP 1989-730155	19890703
EP 349481	B1	19951102		
R: AT, BE, CH, DE, ES, FR, GB, GR, IT, LI, LU, NL, SE				
WO 9000174	A1	19900111	WO 1989-DE443	19890703
W: AU, FI, HU, JP, NO				
AU 8938568	A1	19900123	AU 1989-38568	19890703
AU 644060	B2	19931202		
ZA 8905058	A	19900425	ZA 1989-5058	19890703
DD 287511	A5	19910228	DD 1989-330342	19890703
HU 56114	A2	19910729	HU 1989-4130	19890703
HU 208021	B	19930728		
DD 295638	A5	19911107	DD 1989-341722	19890703
JP 03505727	T2	19911212	JP 1989-507188	19890703
JP 2956776	B2	19991004		
US 5273971	A	19931228	US 1989-374809	19890703
AT 129717	E	19951115	AT 1989-730155	19890703
ES 2080079	T3	19960201	ES 1989-730155	19890703
NO 9005609	A	19910228	NO 1990-5609	19901227
NO 180451	B	19970113		
NO 180451	C	19970423		
US 5446036	A	19950829	US 1993-144474	19931102
FI 9504856	A	19951012	FI 1995-4856	19951012
NO 9600829	A	19910228	NO 1996-829	19960229

PRIORITY APPLN. INFO.: DE 1988-3822770 19880701
US 1989-374809 19890703
WO 1989-DE443 19890703
NO 1990-5609 19901227
FI 1990-6441 19901228

AB The title compds. [I; R1 = heterocyclyl, cycylalkyl, cycloalkenyl, alkenyl, etc.; R2 = .alpha.-, .beta.-Me, -Et; R3,R4 = alkoxy, acyl, oxofuryl, alkynyl, etc.; Z = O, NOH], antigestagens and antiglucocorticoids useful for induction of abortion, were prepd. via Grignard reaction of the corresponding 5.alpha.,10.alpha.-epoxy-9(11)

L10 ANSWER 13 OF 18 MARPAT COPYRIGHT 2000 ACS (Continued)
unsatd. steroids with p-R1C6H4X (X = halo). Grignard reaction of epoxy
steroid II (prepn. given) with p-CH2:CHC6H4X (X = Br, iodo) gave I [R1 =
CH2:CH, R2 = .beta.-Me, R3 = OH, R4 = C.tplbond.CMe, Z = OCH2CMe2CH2O],
which was hydrolyzed to give I [Z = O, R1-R4 same as above]. This at 3.0
mg s.c./day induced abortion in 100% of rats tested.

MSTR 1A



G4 = 37



G7 = 32

G8 = CHO
MPL: claim 1
NTE: substitution is restricted

L10 ANSWER 14 OF 18 MARPAT COPYRIGHT 2000 ACS
ACCESSION NUMBER: 112:198892 MARPAT
TITLE: Preparation of 11.beta.-aryl-19-norsteroids as antiglucocorticoids, progestogens, and antiprogestogens
INVENTOR(S): Cook, C. Edgar; Wani, Mansukh C.; Lee, Yue Wei; Reel,
Jerry R.; Rector, Douglas
PATENT ASSIGNEE(S): Research Triangle Institute, USA
SOURCE: PCT Int. Appl., 50 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 8912448	A1	19891228	WO 1989-US2706	19890623
W: AU, DK, JP, KR, NO				
RW: AT, BE, CH, DE, FR, GB, IT, LU, NL, SE				
US 4954490	A	19900904	US 1988-210503	19880623
CA 1338906	A1	19970211	CA 1989-603686	19890622
AU 8938506	A1	19900112	AU 1989-38506	19890623
AU 635211	B2	19930318		
EP 422100	A1	19910417	EP 1989-907924	19890623
EP 422100	B1	19970312		
R: AT, BE, CH, DE, FR, GB, IT, LI, LU, NL, SE				
JP 03505582	T2	19911205	JP 1989-507392	19890623
JP 2953725	B2	19990927		
AT 149839	E	19970315	AT 1989-907924	19890623
US 5073548	A	19911217	US 1990-504129	19900403
NO 9005546	A	19901221	NO 1990-5546	19901221
NO 178264	B	19951113		
NO 178264	C	19960221		
DK 9003053	A	19901221	DK 1990-3053	19901221

PRIORITY APPLN. INFO.: US 1988-210503 19880623
WO 1989-US2706 19890623

AB The title compds. [I; R1 = H, alkyl, alkenyl, etc.; R2 = H, R3 = H, alkyl, alkenyl, alkynyl; R4 = H, Me, F, Cl; R6 = H, Me2N, MeO, MeCO, MeS, etc.; X = O, MeON; or R1R2 = bond; or R1R3 = CH2, N:NCH2; or R2R3 = CH2] were prepd. Grignard reaction of 5.alpha.,6.alpha.-epoxy-6.alpha.-methyl-3,3:20,20-bis(ethylenedioxy)-19-norpregn-9(11)-en-17.alpha.-ol (prepn. given) with p-Me2NC6H4MgBr followed by 17-O-acetylation and deketalization gave I [R1 = AcO, R2 = R3 = H, R4 = Me, R6 = Me2N, X = O]. The binding affinity of I for progesterone receptor in cytosol obtained from estrogen-primed immature rabbit uterus was 8-80% that of progesterone. Several I had glucocorticoid receptor binding affinities up to 2.5-fold that of dexamethasone, and one compd. had in vivo antiprogestational activity comparable to that of RU-486.

MSTR 1A

L10 ANSWER 14 OF 18 MARPAT COPYRIGHT 2000 ACS (Continued)



G1 = OCOMe
MPL: claim 1

L10 ANSWER 15 OF 18 MARPAT COPYRIGHT 2000 ACS
ACCESSION NUMBER: 111:233356 MARPAT
TITLE: New 11-aryl steroids useful as antiprogestins, their
preparation, and pharmaceuticals containing them
INVENTOR(S): De Jongh, Hendrik Paul; Van Vliet, Nicolaas Pieter
PATENT ASSIGNEE(S): AKZO N. V., Neth.
SOURCE: Eur. Pat. Appl., 10 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 321010	A1	19890621	EP 1988-202678	19881125
EP 321010	B1	19930203		
R: AT, BE, CH, DE, ES, FR, GB, GR, IT, LI, NL, SE				
AT 85342	E	19930215	AT 1988-202678	19881125
ES 2053714	T3	19940801	ES 1988-202678	19881125
ZA 8808996	A	19890830	ZA 1988-8996	19881130
AU 8826469	A1	19890615	AU 1988-26469	19881201
AU 613433	B2	19910801		
US 4921845	A	19900501	US 1988-281582	19881208
CA 1301162	A1	19920519	CA 1988-585297	19881208
DK 8806880	A	19890613	DK 1988-6880	19881209
DK 168444	B1	19940328		
FI 8805717	A	19890613	FI 1988-5717	19881209
FI 89056	B	19930430		
FI 89056	C	19930810		
CN 1034731	A	19890816	CN 1988-108484	19881212
CN 1019807	B	19921230		
JP 01211597	A2	19890824	JP 1988-313643	19881212
PRIORITY APPLN. INFO.:			NL 1987-3008	19871212
			EP 1988-202678	19881125

AB Aryl steroids I [R1 = aryl substituted by -NXY; X, Y = H, C1-4 hydrocarbyl; or XY = C2-6 hydrocarbyl forming 3- to 7-membered ring; R2 = H, OH, acyloxy, alkoxy, (un)satd. C1-8 hydrocarbyl with .gtoreq.1 OH, oxo, N3, cyano, and/or halo group; R3 = OH, acyloxy, alkoxy, or acyl optionally substituted by OH, alkoxy, acyloxy, or halo; or R2R3 forms ring; R2 .noteq. H or OH when R3 = OH; R4 = Me, Et], which are strong antiprogestins with little or no antiglucocorticoid activity (no data), are prepd. Thus, 7.beta.-methylestr-5-(10)-ene-3,17-dione 3,3-di-Me acetal underwent NaBH4 redn., deketalization, bromination/dehydrobromination, reketalization, and epoxidn., to give 5.alpha., 10.alpha.-epoxy-17.beta.-hydroxy-7.beta.-methylester-9(11)-en-3-one 3,3-ethylene acetal. This underwent CuCl-catalyzed coupling with

L10 ANSWER 15 OF 18 MARPAT COPYRIGHT 2000 ACS (Continued)
p-(Me2N)C6H4MgBr, Oppenauer oxidn. of 17-OH, alkynylation with THP-OCH2C.tplbond.CMgBr (THP = tetrahydropyranyl), and deprotection, to give (dimethylaminophenyl)hydroxy(hydroxypropynyl)methylestradienone II.

MSTR 1



G1 = phenylene
G5 = 31



G6 = 31 / 35



G10 = 31



G12 = Ak (SO (1-) G10)
G14 = 42

MPL: claim 1

L10 ANSWER 16 OF 18 MARPAT COPYRIGHT 2000 ACS
ACCESSION NUMBER: 110:213172 MARPAT
TITLE: 13(Alpha)-alkylgonanes, their production, and pharmaceutical preparations containing same
INVENTOR(S): Neef, Guenter; Wiechert, Rudolf; Beier, Sybille; Elger, Walter; Henderson, David
PATENT ASSIGNEE(S): Schering A.-G., Fed. Rep. Ger.
SOURCE: U.S., 5 pp. Cont. of U.S. Ser. No. 621,308.
CODEN: USXXAM
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 4
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 4780461	A	19881025	US 1985-810148	19851218
DE 3321826	A1	19841220	DE 1983-3321826	19830615
DE 3413036	A1	19851017	DE 1984-3413036	19840404
DE 3446661	A1	19860619	DE 1984-3446661	19841218
PRIORITY APPLN. INFO.:			DE 1983-3321826	19830615
			DE 1984-3413036	19840404
			US 1984-621308	19840615
			DE 1984-3446661	19841218

AB 13.alpha.-Alkylgonanes [I; R = C1-4 acyl; X = O, NOH; II; R1 = amino; R2 = H, Me, Et; R3 = (substituted) alkyl; R4 = OH, alkoxy, alkanoyloxy; or R3R4 = Q; R5 = H, alkyl; III; Z = CH2CH2, CH2CMe2CH2], having antigestagenic activity and useful as postcoital contraceptives, or for triggering abortion and menstruation (no data), are prepd. via photochem. epimerization of the 13.beta.-gonanes IV. 11.beta.-(4-Dimethylaminomethyl)-17.alpha.-hydroxy-13.alpha.-methyl-17.beta.-(3-hydroxypropyl)-4,9-gonadien-3-one (V) was acetylated with Ac2O in pyridine to give 11.beta.-(4-dimethylaminomethyl)-17.alpha.-hydroxy-13.alpha.-methyl-17.beta.-(3-acetoxypropyl)-4,9-gonadien-3-one. A tablet was formulated contg. V 10.0, lactose 140.0, corn starch 69.5, polyvinylpyrrolidone 25 2.5, Aerosil 2.0, and Mg stearate 0.5 mg.

MSTR 2



G4 = 59

L10 ANSWER 16 OF 18 MARPAT COPYRIGHT 2000 ACS (Continued)



G8 = alkylcarbonyloxy<(1-3)>
G12 = 66

GGA = 33 <RC (1), RS (1) M5 (1) X6, EC (0-) O (1-) N (0-) S (0) OTHERQ, AN (1) N, BD (ALL) SE>
DER: and acid addition salts
MPL: claim 18

L10 ANSWER 17 OF 18 MARPAT COPYRIGHT 2000 ACS
ACCESSION NUMBER: 110:95624 MARPAT
TITLE: Preparation of novel 11-arylestrane and 11-arylpregnane derivatives as antiprogestins with low or no antiglucocorticoid activity
INVENTOR(S): Groen, Marinus Bernard; De Jongh, Hendrik Paul
PATENT ASSIGNEE(S): AKZO N. V., Neth.
SOURCE: Eur. Pat. Appl., 11 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 289073	A1	19881102	EP 1988-200689	19880412
EP 289073	B1	19911127		
R: AT, BE, CH, DE, ES, FR, GB, GR, IT, LI, NL, SE				
AT 69820	E	19911215	AT 1988-200689	19880412
ES 2045082	T3	19940116	ES 1988-200689	19880412
ZA 8802643	A	19881130	ZA 1988-2643	19880414
FI 8801826	A	19881025	FI 1988-1826	19880419
FI 88396	B	19930129		
FI 88396	C	19930510		
US 4871724	A	19891003	US 1988-183851	19880420
CA 1297472	A1	19920317	CA 1988-564606	19880420
DK 8802218	A	19881025	DK 1988-2218	19880422
DK 168294	B1	19940307		
AU 8815072	A1	19881027	AU 1988-15072	19880422
AU 608831	B2	19910418		
JP 63280097	A2	19881117	JP 1988-100010	19880422
CN 88102416	A	19881214	CN 1988-102416	19880423
CN 1019978	B	19930303		

PRIORITY APPLN. INFO.: NL 1987-970 19870424
EP 1988-200689 19880412

AB The title compds. [I; R1 = aminoaryl; R2 = C1-4 alkyl; R3 = H, OH, substituted (unsatd.) C1-8 hydrocarbyl; R4 = OH, acyloxy, substituted acyl; R3R4 = atoms to complete a ring; R5 = C1-4 hydrocarbyl] useful as antiprogestins (no data) were prepd. 5.alpha.,6.alpha.-Epoxy-11.beta.-hydroxyestrane-3,17-dione-3,17-diethylene acetal (prepn. given) was treated with MeMgCl in PhMe/THF and the product was dehydrated with POCl3/pyridine to give 6-.beta.-methylestra-5(10),9(11)-diene-3,17-dione-3,17-diethylene acetal. The latter was converted in several steps to 11.beta.-[4-(dimethylamino)phenyl]-17.beta.-hydroxy-17.alpha.-(3-hydroxy-1-propynyl)-6.beta.-methylestra-4,9-diene-3-one.

MSTR 1

L10 ANSWER 17 OF 18 MARPAT COPYRIGHT 2000 ACS (Continued)



G1 = 63 / 64 / 65

G5 = 25

G6 = alkylcarbonyloxy (SR (1-) G12)
G7 = alkylcarbonyl (SO (1-) G10)
GGA = 69 <(1-7)>
MPL: claim 1

L10 ANSWER 18 OF 18 MARPAT COPYRIGHT 2000 ACS
ACCESSION NUMBER: 109:170799 MARPAT
TITLE: Antiprogestinic 11.beta.-aryl-14.beta.-estra-4,9-dien-3-one derivatives, a process for their preparation, and pharmaceuticals containing them
INVENTOR(S): Loozen, Hubert Jan Jozef
PATENT ASSIGNEE(S): AKZO N. V., Neth.
SOURCE: Eur. Pat. Appl., 15 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 277676	A1	19880810	EP 1988-200071	19880118
EP 277676	B1	19920304		
R: AT, BE, CH, DE, ES, FR, GB, GR, IT, LI, NL, SE				
CA 1339570	A1	19971209	CA 1988-556625	19880115
ZA 8800317	A	19880928	ZA 1988-317	19880118
AT 73137	E	19920315	AT 1988-200071	19880118
ES 2031991	T3	19930101	ES 1988-200071	19880118
FI 8800257	A	19880724	FI 1988-257	19880121
FI 89054	B	19930430		
FI 89054	C	19930810		
AU 8810669	A1	19880728	AU 1988-10669	19880121
AU 603637	B2	19901122		
DK 8800304	A	19880724	DK 1988-304	19880122
DK 163307	B	19920217		
DK 163307	C	19920706		
CN 88100979	A	19880817	CN 1988-100979	19880122
CN 1030081	B	19951018		
JP 63216895	A2	19880909	JP 1988-12431	19880122
US 5272140	A	19931221	US 1990-488391	19900227

PRIORITY APPLN. INFO.: NL 1987-157 19870123
EP 1988-200071 19880118
US 1988-146895 19880122

AB Title steroids I [R1 = monosubstituted homo- or heterocyclic aryl; R2 = C1-4 alkyl; R3, R4 = H, OH, C1-18 acyloxy, C2-8 alkoxyalkyl, C1-8 acyl, C1-12 alkoxy, (un)satd. (un)substituted C1-8 hydrocarbyl; R3R4 = C1-6 alkylidene, or atoms needed to form ring; .DELTA.16 optionally present, with R3 or R4 absent], having strong antiprogestinic activity, are prepd. Estrone 3-Me ether was brominated, dehydrobrominated, and hydrogenated to give the isomeric 14.beta.-estrone 3-Me ether. This underwent NaBH4 redn., Birch redn., hydrolysis, and bromination-dehydrobromination to give 17.alpha.-hydroxy-14.beta.-estra-4,9-dien-3-one. The latter was ketalized at the 3-position, oxidized to the 17-one, alkynylated at the 17-position by the tetrahydropyranyl ether of propargyl alc., epoxidized to the 5.alpha.,10.alpha.-epoxide, coupled with 4-(Me2N)C6H4MgBr in the presence of CuCl, hydrogenated in the side chain, hydrolyzed and dehydrated, and cyclized in the sidechain by tosylation in pyridine to give (dimethylaminophenyl)dihydrospiro(estradienefuran)one II. At 1 mg orally, twice daily in pregnant rats on days 6-10, II caused 100% pregnancy interception, but only slightly reversed dexamethasone-induced thymus wt. redn. in rats.

L10 ANSWER 18 OF 18 MARPAT COPYRIGHT 2000 ACS (Continued)

MSTR 1B



G1 = biphenylyl (SR)
G6 = 37 / 39



G10 = O
GGA = 27 31 <(1-10)>
GGA = 37 <(1-8)>
MPL: claim 1

=> d ibib ab hitstr 1-6

L11 ANSWER 1 OF 6 USPATFULL
ACCESSION NUMBER: 1999:85613 USPATFULL
TITLE: Method for preparing 17.alpha.-acetoxy-11.beta.-(4-N, N-dimethylaminophyl)-19-Norpregna-4,9-diene-3, 20-dione, intermediates useful in the method, and methods for the preparation of such intermediates
INVENTOR(S): Kim, Hyun K., Bethesda, MD, United States
Rao, Pemmaraju Narasinha, San Antonio, TX, United States
Burdett, Jr., James E., Somerset, TX, United States
Acosta, Carmie K., San Antonio, TX, United States
PATENT ASSIGNEE(S): The United States of America as represented by the Department of Health and Human Services, Washington, DC, United States (U.S. corporation)

	NUMBER	DATE
PATENT INFORMATION:	US 5929262	19990727
APPLICATION INFO.:	US 1995-413755	19950330 (8)

DOCUMENT TYPE: Utility
PRIMARY EXAMINER: Dees, Jose G.
ASSISTANT EXAMINER: Badio, Barbara
LEGAL REPRESENTATIVE: Leydig, Voit & Mayer
NUMBER OF CLAIMS: 19
EXEMPLARY CLAIM: 1
NUMBER OF DRAWINGS: 2 Drawing Figure(s); 2 Drawing Page(s)
LINE COUNT: 777
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
AB Methods for the preparation of the 19-norprogesterone of formula I ##STR1## and its intermediates, in crystalline and amorphous forms are disclosed. The process is performed by (1) protecting the hydroxyl group of a compound of formula II ##STR2## (2) reacting the protected compound with an alkali or alkaline earth metal anion radical, (3) hydrolyzing the resulting compound, (4) ketalizing the carbonyl groups, (5) epoxidizing the compound, (6) opening the epoxide ring and introducing an N,N,dimethylamino-phenyl functional group into the axial position of C.sub.11, (7) deketalizing and dehydrating the resulting compound, and (8) acetylating to provide 17.alpha.-acetoxy-11.beta.-(4-N,N-dimethylaminophenyl)-19-norpregna-4,9-diene-3,20-dione (I).
IT **126784-99-4P**
(improved prepn. of 17.alpha.-acetoxy-11.beta.-(4-N,N-dimethylaminophenyl)-19-norpregna-4,9-diene-3,20-dione and its intermediates)
RN 126784-99-4 USPATFULL

L11 ANSWER 1 OF 6 USPATFULL (Continued)
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L11 ANSWER 2 OF 6 USPATFULL
ACCESSION NUMBER: 92:13091 USPATFULL
TITLE: 11 .beta.-phenyl-gonanes, their manufacture and pharmaceutical preparations containing them
INVENTOR(S): Neef, Gunter, Berlin, Germany, Federal Republic of
Beier, Sybille, Berlin, Germany, Federal Republic of
Elger, Walter, Berlin, Germany, Federal Republic of
Henderson, David, Berlin, Germany, Federal Republic of
Otto, Eckard, Berlin, Germany, Federal Republic of
Rohde, Ralph, Berlin, Germany, Federal Republic of
PATENT ASSIGNEE(S): Schering Aktiengesellschaft, Berlin and Bergkamen, Germany, Federal Republic of (non-U.S. corporation)

	NUMBER	DATE
PATENT INFORMATION:	US 5089635	19920218
APPLICATION INFO.:	US 1986-827050	19860207 (6)

	NUMBER	DATE
PRIORITY INFORMATION:	DE 1985-3504421	19850207
	DE 1985-3527517	19850729

DOCUMENT TYPE: Utility
PRIMARY EXAMINER: Killos, Paul J.
LEGAL REPRESENTATIVE: Millen, White & Zelano
NUMBER OF CLAIMS: 45
EXEMPLARY CLAIM: 1
LINE COUNT: 1284
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
AB 13-alkyl-11.beta.-phenyl-gonanes of general formula I ##STR1## wherein A and B together stand for an oxygen atom, a CH.sub.2 group or a second bond between carbon atoms 9 and 10,

X is an oxygen atom or the hydroxyimino grouping N.about.OH,

R.sub.1 is a straight-chained or branched, saturated or unsaturated alkyl radical with up to 8 carbon atoms, which contains the grouping ##STR2## with X as described above, R.sub.2 is a methyl or ethyl radical in the .alpha. or .beta. position,

R.sub.9, R.sub.10, R.sub.11 and R.sub.12 each stand for a hydrogen atom, a hydroxy, alkyl, alkoxy or acyloxy group with 1 to 4 carbon atoms respectively or a halogen atom and R.sub.3 and R.sub.4 have a variety of meanings, have antigestagenic and antiglucocorticoid effects.
IT **105114-79-2P**
(prepn. of, as antigestagen and antiglucocorticoid)
RN 105114-79-2 USPATFULL
CN Benzaldehyde, 4-[(11.beta.,13.alpha.)-17-(acetyloxy)-3,20-dioxo-19-norpregna-4,9-dien-11-yl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L11 ANSWER 2 OF 6 USPATFULL (Continued)



L11 ANSWER 3 OF 6 USPATFULL
ACCESSION NUMBER: 91:102214 USPATFULL
TITLE: 11 .beta.-substituted progesterone analogs
INVENTOR(S): Cook, C. Edgar, Durham, NC, United States.
Wani, Mansukh C., Durham, NC, United States
Lee, Yun W., Chapel Hill, NC, United States
Reel, Jerry R., Cary, NC, United States
Rector, Douglas, Mobile, AL, United States
PATENT ASSIGNEE(S): Research Triangle Institute, Research Triangle Park,
NC, United States (U.S. corporation)

	NUMBER	DATE
PATENT INFORMATION:	US 5073548	19911217
APPLICATION INFO.:	US 1990-504129	19900403 (7)

RELATED APPLN. INFO.: Division of Ser. No. US 1988-210503, filed on 23 Jun
1988, now patented, Pat. No. US 4954490
DOCUMENT TYPE: Utility
PRIMARY EXAMINER: Shah, Mukund J.
ASSISTANT EXAMINER: Ward, E. C.
LEGAL REPRESENTATIVE: Oblon, Spivak, McClelland, Maier & Neustadt
NUMBER OF CLAIMS: 16
EXEMPLARY CLAIM: 1
NUMBER OF DRAWINGS: 2 Drawing Figure(s); 2 Drawing Page(s)
LINE COUNT: 1177
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
AB A 11.beta.-aryl-19-norprogesterone steroid of the formula: ##STR1## wherein (i) R.sup.1 is H, C.sub.1-4 alkyl, C.sub.2-4 alkenyl, C.sub.2-4
alkynyl, OH, OC(O)CH.sub.3, or OC(O)R.sup.5 , wherein R.sup.5 is C.sub.2-8 alkyl, C.sub.2-8 alkenyl, C.sub.2-8 alkynyl or aryl, R.sub.2
is H, R.sup.3 is H, C.sub.1-4 alkyl, C.sub.2-4 alkenyl or C.sub.2-4 alkynyl, R.sup.4 is H, CH.sub.3, F or Cl, R.sup.6 is H, (CH.sub.3).sub.2
N, CH.sub.3 O, CH.sub.3 CO, CH.sub.3 S, CH.sub.3 SO, CH.sub.3 SO.sub.2, and X is O or NOCH.sub.3 ; or

(ii) R.sup.1 and R.sup.2 taken together are a carbon-carbon bond and R.sup.3, R.sup.4, R.sup.6 and X are as defined above; or

(iii) R.sup.1 and R.sup.3 taken together are --CH.sub.2 -- or --N.dbd.N--CH.sub.2 --, R.sup.2 is H and R.sup.4, R.sup.6 and X are as defined above; or

(iv) R.sup.2 and R.sup.3 taken together are .dbd.CH.sub.2 and R.sup.1 , R.sup.4, R.sup.6 and X are as defined above.
IT **126690-26-4P 126690-29-7P 126784-99-4P**

L11 ANSWER 3 OF 6 USPATFULL (Continued)
(prepn. of, as antiglucocorticoid and/or (anti)progestogen)
RN 126690-26-4 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-6-methyl-, (6.alpha.,11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 126690-29-7 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-(4-acetylphenyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 126784-99-4 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L11 ANSWER 3 OF 6 USPATFULL (Continued)



L11 ANSWER 4 OF 6 USPATFULL
ACCESSION NUMBER: 90:69718 USPATFULL
TITLE: 11 .beta.-substituted progesterone analogs
INVENTOR(S): Cook, C. Edgar, Durham, NC, United States
Wani, Mansukh C., Research Triangle Park, NC, United
States
Lee, Y.-W, Chapel Hill, NC, United States
Reel, Jerry R., Delmar, NY, United States
Rector, Douglas, Raleigh, NC, United States
PATENT ASSIGNEE(S): Research Triangle Institute, Research Triangle Park,
NC, United States (U.S. corporation)

	NUMBER	DATE
PATENT INFORMATION:	US 4954490	19900904
APPLICATION INFO.:	US 1988-210503	19880623 (7)

DOCUMENT TYPE: Utility
PRIMARY EXAMINER: Lipovsky, Joseph A.
LEGAL REPRESENTATIVE: Oblon, Spivak, McClelland, Maier & Neustadt
NUMBER OF CLAIMS: 31
EXEMPLARY CLAIM: 1
NUMBER OF DRAWINGS: 4 Drawing Figure(s); 1 Drawing Page(s)
LINE COUNT: 1259
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
AB A 11.beta.-aryl-19-norprogesterone steroid of the formula: ##STR1## wherein (i) R.sup.1 is H, C.sub.1-4 alkyl, C.sub.2-4 alkenyl, C.sub.2-4
alkynyl, OH, OC(O)CH.sub.3, or OC(O)R.sup.5, wherein R.sup.5 is C.sub.2-8 alkyl, C.sub.2-8 alkenyl, C.sub.2-8 alkynyl or aryl, R.sub.2
is H, R.sup.3 is H, C.sub.1-4 alkyl, C.sub.2-4 alkenyl or C.sub.2-4 alkynyl, R.sup.4 is H, CH.sub.3, F or Cl, R.sup.6 is H, (CH.sub.3).sub.2
N, CH.sub.3 O, CH.sub.3 CO, CH.sub.3 S, CH.sub.3 SO, CH.sub.3 SO.sub.2, and X is O or NOCH.sub.3 ; or

(ii) R.sup.1 and R.sup.2 taken together are a carbon-carbon bond and R.sup.3, R.sup.4, R.sup.6 and X are as defined above; or

(iii) R.sup.1 and R.sup.3 taken together are --CH.sub.2 -- or --N.dbd.N--CH.sub.2 --, R.sup.2 is H and R.sup.4, R.sup.6 and X are as defined above; or

(iv) R.sup.2 and R.sup.3 taken together are .dbd.CH.sub.2 and R.sup.1, R.sup.4, R.sup.6 and X are as defined above.
IT **126690-26-4P 126690-29-7P 126784-99-4P**
(prepn. of, as antiglucocorticoid and/or (anti)progestogen)
RN 126690-26-4 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-6-methyl-, (6.alpha.,11.beta.)- (9CI) (CA INDEX NAME)

L11 ANSWER 4 OF 6 USPATFULL (Continued)

Absolute stereochemistry.



RN 126690-29-7 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-(4-acetylphenyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 126784-99-4 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L11 ANSWER 4 OF 6 USPATFULL (Continued)



L11 ANSWER 5 OF 6 USPATFULL

ACCESSION NUMBER:	90:23597 USPATFULL
TITLE:	Novel 11 .beta.-alkynylphenyl-10-nor-steroids
INVENTOR(S):	Teutsch, Jean-Georges, Pantin, France Klich, Michel, Villemomble, France Philibert, Daniel, La Varenne-Saint-Hilaire, France
PATENT ASSIGNEE(S):	Roussel Uclaf, Paris, France (non-U.S. corporation)

	NUMBER	DATE
PATENT INFORMATION:	US 4912097	19900327
APPLICATION INFO.:	US 1987-44958	19870430 (7)

	NUMBER	DATE
PRIORITY INFORMATION:	FR 1986-6517	19860506

DOCUMENT TYPE:	Utility
PRIMARY EXAMINER:	Berch, Mark L.
LEGAL REPRESENTATIVE:	Bierman & Muserlian
NUMBER OF CLAIMS:	21
EXEMPLARY CLAIM:	1,9
LINE COUNT:	2174

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB Novel 11.beta.-alkynylphenyl-19-nor-steroids of the formula ##STR1## wherein R.sub.1 is alkynyl of 2 to 8 carbon atoms optionally substituted with at least one member of the group consisting of --OH halogen, trialkylsilyl of 1 to 6 alkyl carbon atoms, alkoxy and alkylthio of 1 to 6 carbon atoms and dialkylamino of 1 to 6 alkyl carbon atoms having remarkably antiprogestomimetic and antiglucocorticoidal activity.

IT **116421-73-9P 116421-74-0P**
(prepn. of, as drug)

RN 116421-73-9 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(1-propynyl)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 116421-74-0 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-(4-ethynylphenyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

L11 ANSWER 5 OF 6 USPATFULL (Continued)

Absolute stereochemistry.



L11 ANSWER 6 OF 6 USPATFULL
ACCESSION NUMBER: 88:69168 USPATFULL
TITLE: 13.alpha.-alkyl-gonanes, their production, and pharmaceutical preparations containing same
INVENTOR(S): Neef, Gunter, Berlin, Germany, Federal Republic of
Wiechert, Rudolf, Berlin, Germany, Federal Republic of
Beier, Sybille, Berlin, Germany, Federal Republic of
Elger, Walter, Berlin, Germany, Federal Republic of
Henderson, David, Berlin, Germany, Federal Republic of
PATENT ASSIGNEE(S): Schering Aktiengesellschaft, Berlin and Bergkamen, Germany, Federal Republic of (non-U.S. corporation)

	NUMBER	DATE
PATENT INFORMATION:	US 4780461	19881025
APPLICATION INFO.:	US 1985-810148	19851218 (6)
RELATED APPLN. INFO.:	Continuation-in-part of Ser. No. US 1984-621308, filed on 15 Jun 1984, now abandoned	

	NUMBER	DATE
PRIORITY INFORMATION:	DE 1983-3321826	19830615
	DE 1984-3413036	19840404
	DE 1984-3446661	19841218

DOCUMENT TYPE: Utility
PRIMARY EXAMINER: Schenkman, Leonard
ASSISTANT EXAMINER: Lipovsky, Joseph A.
LEGAL REPRESENTATIVE: Millen & White
NUMBER OF CLAIMS: 41
EXEMPLARY CLAIM: 18
LINE COUNT: 310
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
AB 13.alpha.-alkylgonanes of formula I ##STR1## where R is an acyl radical with as many as 10 C-atoms, and

X is an oxygen atom or the grouping N--OH,

have a strong antigestagenic effect and can be used for postcoital fertility control.

IT **96285-40-4P 96285-50-6P**
(prepn. of, as postcoital contraceptive)
RN 96285-40-4 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.,13.alpha.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L11 ANSWER 6 OF 6 USPATFULL (Continued)



RN 96285-50-6 USPATFULL
CN 18,19-Dinorpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-13-ethyl-, (11.beta.,13.alpha.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



```
=> d his


     (FILE 'HOME' ENTERED AT 12:17:50 ON 07 JAN 2000)

     FILE 'REGISTRY' ENTERED AT 12:17:55 ON 07 JAN 2000
L1                STRUCTURE UPLOADED
L2             0 S L1
L3            25 S L1 FULL

     FILE 'USPATFULL' ENTERED AT 12:18:43 ON 07 JAN 2000
L4             0 S L3

     FILE 'CAPLUS' ENTERED AT 12:18:54 ON 07 JAN 2000
L5             2 S L3

     FILE 'REGISTRY' ENTERED AT 12:57:23 ON 07 JAN 2000
L6                STRUCTURE UPLOADED
L7             1 S L6
L8            41 S L6 FULL

     FILE 'CAPLUS' ENTERED AT 12:58:14 ON 07 JAN 2000
L9            23 S L8

     FILE 'MARPAT' ENTERED AT 13:01:43 ON 07 JAN 2000
L10           18 S L8 FULL

     FILE 'USPATFULL' ENTERED AT 13:04:11 ON 07 JAN 2000
L11            6 S L8
```

Printed by EAST

UserID: BBadio

Computer: WS06692

Date: 01/07/2000

Time: 13:10

Document Listing

Document	Image pages	Text pages	Error pages
US 4780461 A	6	2	0
Total	6	2	0

=> d ibib ab hitstr 1-8

L3 ANSWER 1 OF 8 CAPLUS COPYRIGHT 2000 ACS
ACCESSION NUMBER: 1999:576939 CAPLUS
DOCUMENT NUMBER: 131:199885
TITLE: Preparation of 20-keto-11.beta.-arylsteroids and their derivatives having agonist or antagonist hormonal properties
INVENTOR(S): Cook, C. Edgar; Kepler, John A.; Zhang, Ping-sheng; Lee, Yue-wei; Tallent, C. Ray
PATENT ASSIGNEE(S): Research Triangle Institute, USA
SOURCE: PCT Int. Appl., 95 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9945022	A1	19990910	WO 1999-US3732	19990305

W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
RW: GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG

PRIORITY APPLN. INFO.: US 1998-35949 19980306
OTHER SOURCE(S): MARPAT 131:199885
AB 20-Keto-11.beta.-arylsteroids of formula I [X = O, (substituted) NOH, H2, OH, etc.; R1 = dialkylamino, imidazolyl, pyrrolyl, piperidino, etc.; R2 = H, halo; R3 = H, Me, halo; R4 = H, acyloxy, (substituted) OH, alkyl, etc.; R5 = H, alkyl, halo, acyloxy, etc.] are prepd. which exhibit potent antiprogestational activity. Thus, II was prepd. from 17.alpha.-hydroxymethyl-3-methoxy-19-norpregna-1,3,5(10)-trien-20-one and 4-bromo-N,N-dimethylaniline in several steps. The affinity of II for the progesterone hormone receptor was IC50 of 0.7 nM.
IT **240805-96-3P 240805-97-4P 240805-98-5P 240805-99-6P 240806-00-2P 240806-01-3P**

L3 ANSWER 1 OF 8 CAPLUS COPYRIGHT 2000 ACS (Continued)

Absolute stereochemistry.



RN 240805-99-6 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(benzoyloxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 240806-00-2 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(1-oxopropoxy)-11-[4-(1-pyrrolidinyl)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 240806-01-3 CAPLUS

L3 ANSWER 1 OF 8 CAPLUS COPYRIGHT 2000 ACS (Continued)
240806-02-4P 240806-03-5P 240806-04-6P 240806-05-7P 240806-06-8P 240806-12-6P 240806-44-4P
RL: BAC (Biological activity or effector, except adverse); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(prepn. of 20-keto-11.beta.-arylsteroids with antiprogestational activity)
RN 240805-96-3 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(1-piperidinyl)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 240805-97-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-17-(1-oxopropoxy)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 240805-98-5 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-17-[(phenylacetyl)oxy]-, (11.beta.)- (9CI) (CA INDEX NAME)

L3 ANSWER 1 OF 8 CAPLUS COPYRIGHT 2000 ACS (Continued)
CN 19-Norpregna-4,9-diene-3,20-dione, 11-(1-methyl-1H-indol-5-yl)-17-(1-oxopropoxy)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 240806-02-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-(2,3-dihydro-1-methyl-1H-indol-5-yl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 240806-03-5 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-(4-methoxyphenyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L3 ANSWER 1 OF 8 CAPLUS COPYRIGHT 2000 ACS (Continued)



RN 240806-04-6 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(1-pyrrolidinyl)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 240806-05-7 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-(1-methyl-1H-indol-5-yl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L3 ANSWER 1 OF 8 CAPLUS COPYRIGHT 2000 ACS (Continued)



RN 240806-06-8 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)-3-fluorophenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 240806-12-6 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(1-oxopropoxy)-11-[4-(1-piperidinyl)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L3 ANSWER 1 OF 8 CAPLUS COPYRIGHT 2000 ACS (Continued)



RN 240806-44-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-(2,3-dihydro-1-methyl-1H-indol-5-yl)-17-(1-oxopropoxy)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L3 ANSWER 2 OF 8 CAPLUS COPYRIGHT 2000 ACS

ACCESSION NUMBER: 1998:646581 CAPLUS
DOCUMENT NUMBER: 130:20723
TITLE: Antiovulatory and postcoital antifertility activity of the antiprogestin CDB-2914 when administered as single, multiple, or continuous doses to rats
AUTHOR(S): Reel, Jerry R.; Hild-Petito, Sheri; Blye, Richard P.
CORPORATE SOURCE: BIOQUAL, Inc., Rockville, MD, 20852-3336, USA
SOURCE: Contraception (1998), 58(2), 129-136
CODEN: CCPTAY; ISSN: 0010-7824
PUBLISHER: Elsevier Science Inc.
DOCUMENT TYPE: Journal
LANGUAGE: English

AB The present studies in rats were undertaken to investigate the potential of a new antiprogestin, CDB-2914, for use as an emergency postcoital contraceptive for women. When given orally at noon on the day of proestrus, both CDB-2914 and mifepristone displayed dose-dependent antiovulatory activity; however, CDB-2914 was about eight times more potent than mifepristone. Both antiprogestins were considerably less potent in blocking ovulation when injected s.c. To evaluate antifertility activity during continuous low dose administration, rats were dosed orally with 0.5 mg of either CDB-2914 or mifepristone daily, commencing on the day of estrus and continuing for 24 days. Females were cohabited with proven fertile males on day 8 of treatment and were removed 1-3 days later after confirmed mating. The pregnancy rate was significantly reduced only in the CDB-2914-treated females; however, the mean no. of normal implantation sites per pregnant rat was significantly reduced by mifepristone as compared with the vehicle control group. CDB-2914 was also found to prevent pregnancy when administered orally after mating from days 0-3 during tubal egg transport, or from days 4-6 during the pre- and peri-implantation periods. To det. the day of maximal sensitivity to CDB-2914, a single 2-mg dose per rat was given orally on days 0, 1, 2, 3, 4, or 5 postmating. This dose of CDB-2914 was without effect on pregnancy at days 0, 1, 2, or 3 postmating. In contrast, 2 mg CDB-2914 per rat was highly effective in blocking pregnancy when given on either day 4 or 5 postmating. Collectively, these data demonstrate that CDB-2914 is an orally active postcoital antifertility agent that is more potent than mifepristone in the rat. Hence, CDB-2914 may prove to be an effective emergency postcoital contraceptive in women.

IT **126784-99-4**, CDB-2914
RL: BAC (Biological activity or effector, except adverse); **THU (Therapeutic use)**; BIOL (Biological study); USES (Uses)
(antiovulatory and postcoital antifertility activity of antiprogestin

L3 ANSWER 2 OF 8 CAPLUS COPYRIGHT 2000 ACS (Continued)
CDB-2914 compared to mifepristone as single, multiple, or continuous
doses to rats)
RN 126784-99-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L3 ANSWER 3 OF 8 CAPLUS COPYRIGHT 2000 ACS (Continued)
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L3 ANSWER 3 OF 8 CAPLUS COPYRIGHT 2000 ACS
ACCESSION NUMBER: 1998:424125 CAPLUS
DOCUMENT NUMBER: 129:50105
TITLE: Uses of anti-glucocorticoid compounds for the treatment of psychoses or addictive behaviors
INVENTOR(S): Oberlander, Claude; Piazza, Pier Vincenzo
PATENT ASSIGNEE(S): Hoechst Marion Roussel, Fr.; Oberlander, Claude; Piazza, Pier Vincenzo
SOURCE: PCT Int. Appl., 41 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: French
FAMILY ACC. NUM. COUNT: 2
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9826783	A1	19980625	WO 1997-FR2320	19971217
W: AL, AU, BA, BB, BG, BR, CA, CN, CU, CZ, EE, GE, GW, HU, ID, IL, IS, JP, KP, KR, LC, LK, LR, LT, LV, MG, MK, MN, MX, NO, NZ, PL, RO, SG, SI, SK, SL, TR, TT, UA, US, UZ, VN, YU, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
FR 2757400	A1	19980626	FR 1996-15649	19961219
FR 2757400	B1	19991217		
AU 9855632	A1	19980715	AU 1998-55632	19971217
EP 892641	A1	19990127	EP 1997-952078	19971217
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
PRIORITY APPLN. INFO.:			FR 1996-15649	19961219
			WO 1997-FR2320	19971217

OTHER SOURCE(S): MARPAT 129:50105
AB Glucocorticoid antagonists, except mifepristone, are used as dopamine type
II receptor antagonists to treat psychotic or addictive behavior. Thus,
17.beta.-hydroxy-10.beta.-[(4-methylphenyl)methyl]-17.alpha.-(1-propynyl)estra-4,9(11)-dien-3-one considerably reduced the response to morphine in vivo.
IT 126784-99-4
RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(use of anti-glucocorticoid compds. as dopamine type II receptor blocking agents for the treatment of psychoses or addictive behaviors)
RN 126784-99-4 CAPLUS

L3 ANSWER 4 OF 8 CAPLUS COPYRIGHT 2000 ACS
ACCESSION NUMBER: 1997:745947 CAPLUS
DOCUMENT NUMBER: 128:19047
TITLE: Improvement of implantation rates after in vitro fertilization by administering a nitric oxide substrate and/or donor
INVENTOR(S): Chwalsz, Krzysztof; Garfield, Robert E.
PATENT ASSIGNEE(S): Schering Aktiengesellschaft, Germany
SOURCE: PCT Int. Appl., 38 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9741866	A1	19971113	WO 1997-EP2371	19970507
W: AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, UZ, VN, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, KE, LS, MW, SD, SZ, UG, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
AU 9728947	A1	19971126	AU 1997-28947	19970507
EP 906105	A1	19990407	EP 1997-923032	19970507
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
CN 1218402	A	19990602	CN 1997-194452	19970507
NO 9805204	A	19990106	NO 1998-5204	19981106
PRIORITY APPLN. INFO.:			US 1996-646518	19960507
			WO 1997-EP2371	19970507

AB A method is provided for the improvement of implantation rates and/or pregnancy rates in a female mammal, comprising administering to a female
mammal in whom pregnancy is desired an effective amt. of: (a) a nitric oxide synthase substrate, a nitric oxide donor, or both, optionally in combination with, (b) a progestin, and, (c) optionally, in further combination with an estrogen. A method is also provided for fertility control for a female mammal, comprising administering to a female mammal
in whom pregnancy is not desired and at risk of becoming pregnant an effective amt. of nitric oxide synthase inhibitor in combination with an
antiprogestin. Pharmaceutical compns. are also provided.
IT 126784-99-4, CDB2914
RL: BAC (Biological activity or effector, except adverse); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

L3 ANSWER 4 OF 8 CAPLUS COPYRIGHT 2000 ACS (Continued)
(fertility control using a nitric oxide synthase inhibitor in combination with an antiprogestin)
RN 126784-99-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L3 ANSWER 5 OF 8 CAPLUS COPYRIGHT 2000 ACS
ACCESSION NUMBER: 1997:740250 CAPLUS
DOCUMENT NUMBER: 127:358992
TITLE: Preparation of 21-substituted progesterone derivatives as new antiprogestational agents
INVENTOR(S): Kim, Hyun K.; Blye, Richard P.; Rao, Pemmaraju N.; Cessac, James W.; Acosta, Carmie K.
PATENT ASSIGNEE(S): United States Dept. of Health and Human Services, USA;
Kim, Hyun K.; Blye, Richard P.; Rao, Pemmaraju N.; Cessac, James W.; Acosta, Carmie K.
SOURCE: PCT Int. Appl., 65 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9741145	A1	19971106	WO 1997-US7373	19970430
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, KE, LS, MW, SD, SZ, UG, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
CA 2253673	AA	19971106	CA 1997-2253673	19970430
AU 9729304	A1	19971119	AU 1997-29304	19970430
EP 900234	A1	19990310	EP 1997-923523	19970430
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				

PRIORITY APPLN. INFO.: US 1996-16628 19960501
WO 1997-US7373 19970430
OTHER SOURCE(S): MARPAT 127:358992
AB Progesterone derivs. of formula I [R1 = OMe, SMe, NMe2, NHMe, CHO, Ac, CHOHCH3; R2 = halo, alkyl, acyl, OH, alkoxy, etc.; R3 = OH, alkyl, alkoxy, acyloxy; R4 = H, alkyl; X = O, (substituted) NOH] are prepd. as antiprogestational agents. The present invention provides methods wherein the compds. of formula I are advantageously used, inter alia, to antagonize endogenous progesterone; to induce menses; to treat

L3 ANSWER 5 OF 8 CAPLUS COPYRIGHT 2000 ACS (Continued)
endometriosis; to treat dysmenorrhea; to treat endocrine hormone-dependent tumors; to treat uterine fibroids; to inhibit uterine endometrial proliferation; to induce labor; and for contraception. Thus, II was prepd. from 3,3-ethylenedioxy-17.beta.-cyano-17.alpha.-hydroxyestra-5(10),9(11)-diene and 4-bromo-N,N-dimethylaniline in 9 steps. II showed 2.79 times the antiprogestational potency in the antiClauberg test compared to CDB-2914.
IT **198414-07-2P 198414-31-2P**
RL: BAC (Biological activity or effector, except adverse); RCT (Reactant); SPN (Synthetic preparation); **THU (Therapeutic use)**; BIOL (Biological study); PREP (Preparation); USES (Uses)
(prepn. of progesterone derivs. as antiprogestational agents)
RN 198414-07-2 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17,21-bis(acetyloxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-31-2 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-methoxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



IT **198414-03-8P 198414-05-0P 198414-11-8P 198414-22-1P 198414-33-4P 198414-34-5P 198414-39-0P 198414-43-6P**

L3 ANSWER 5 OF 8 CAPLUS COPYRIGHT 2000 ACS (Continued)
RL: BAC (Biological activity or effector, except adverse); SPN (Synthetic preparation); **THU (Therapeutic use)**; BIOL (Biological study); PREP (Preparation); USES (Uses)
(prepn. of progesterone derivs. as antiprogestational agents)
RN 198414-03-8 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-fluoro-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-05-0 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-21-chloro-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-11-8 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-21-(acetylthio)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L3 ANSWER 5 OF 8 CAPLUS COPYRIGHT 2000 ACS (Continued)



RN 198414-22-1 CAPLUS
CN Estra-4,9-dien-3-one,
17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-17-(1-oxopropyl)-, (11.beta.,17.alpha.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).



RN 198414-33-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-21-(3-cyclopentyl-1-oxopropoxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L3 ANSWER 5 OF 8 CAPLUS COPYRIGHT 2000 ACS (Continued)



RN 198414-43-6 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-21-bromo-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L3 ANSWER 5 OF 8 CAPLUS COPYRIGHT 2000 ACS (Continued)



RN 198414-34-5 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-39-0 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-ethoxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L3 ANSWER 6 OF 8 CAPLUS COPYRIGHT 2000 ACS
ACCESSION NUMBER: 1996:540408 CAPLUS
DOCUMENT NUMBER: 125:238850
TITLE: Effects of two antiprogestins on early pregnancy in the long-tailed macaque (Macaca fascicularis)
AUTHOR(S): Tarantal, Alice F.; Hendrickx, Andrew G.; Matlin, Stephen A.; Lasley, Bill L.; Gu, Quin-Quin; Thomas, Charles A.A.; Vince, Pamela M.; Van Look, Paul F.A.
CORPORATE SOURCE: California Regional Primate Research Center, University of California, Davis, CA, 95616, USA
SOURCE: Contraception (1996), 54(2), 107-115
CODEN: CCPTAY; ISSN: 0010-7824
DOCUMENT TYPE: Journal
LANGUAGE: English

AB The abortifacient effects of mifepristone and HRP 2000 were compared in gravid long-tailed macaques. Thirty-six animals were studied with treatment administered either by the oral (0.5 or 5.0 mg/kg; N = 5 per antiprogestin per dose) or i.m. (IM) routes (0.5 mg/kg; N = 5 per antiprogestin) on gestational days (GD) 23-26; six vehicle controls were included. Blood samples were collected for assay of progesterone (P4) and each of the antiprogestins (pre-treatment, daily GD 23-28, every other day GD 30-40), and animals were monitored sonog. throughout gestation. Results of these studies indicated high rates of abortion with IM administration (3/5 mifepristone, 4/5 HRP 2000) and 5.0 mg/kg oral route (4/5, 2/5, resp.), with less effects noted at oral doses of 0.5 mg/kg (2/5, 0/5, resp.). No early abortions were obsd. in the control groups. Following daily IM treatment, peak levels of 8-16 ng/mL mifepristone were detected whereas 6-10 ng/mL of HRP 2000 were noted (GD 26-27). No serum levels of mifepristone were detected following either of the oral doses whereas serum levels of 2-6 ng/mL HRP 2000 were noted with high dose oral administration. Results of these studies suggest: (1) both antiprogestins are roughly comparable in terminating early pregnancy although HRP 2000 may be more efficacious when administered IM whereas mifepristone may be more effective when administered orally; (2) similar levels of biol. activity are seen with the IM and high dose oral dosing regimens, with little or no activity with the oral low dose; and (3) infants resulting from surviving pregnancies were not affected by early gestation exposure.

IT **126784-99-4**
RL: BPR (Biological process); **THU (Therapeutic use)**; BIOL

L3 ANSWER 8 OF 8 CAPLUS COPYRIGHT 2000 ACS (Continued)
RN 116421-73-9 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(1-propynyl)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 116421-74-0 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-(4-ethynylphenyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



=> d all 1-6

L4 ANSWER 1 OF 6 BEILSTEIN COPYRIGHT 2000 BEILSTEIN CD&S

Beilstein Reg. No. (BRN): 7958451 Beilstein
Molecular Formula (MF): C31 H39 N O4
Autonom Name (AUN): acetic acid
17-acetyl-11-(4-dimethylamino-phenyl)-13-ethyl-3-oxo-2,3,6,7,8,11,12,13,14,15,16,17-dodecahydro-1H-cyclopenta<a>phenanthren-17-yl ester
Beilstein Reference (SO): 6-14
General Comments (NTE): Stereo compound
Formula Weight (FW): 489.65
Lawson Number (LN): 15935; 2817; 1155

Ring System Data:

Number of Rings (CNR): 5
Ring Systems (CNRS): 2
Diff. Ring Systems (CNDRS): 2
Ring Heteros (CNRH): 0
Acyclic Heteros (CNAH): 5

Beilstein Ring Index (BRIX)	Ring System Formula (RF)	BRIX Count
17.4.32-0.0-2.20	C17	1
6.1.0-0.0-3.1	C6	1



Atom/Bond Notes:
1. CIP Descriptor: R
2. CIP Descriptor: S

Biological Function:
BF in vitro relative binding affinities for progesterone and glucocorticoid

L4 ANSWER 1 OF 6 BEILSTEIN COPYRIGHT 2000 BEILSTEIN CD&S (Continued)
Len: 10.0 nm
Solv: CHCl3
Wavel: 589.00 nm
Temp: 26.0 Cel
Reference(s):
1. Rao, Pemmaraju N.; Cessac, James W.; Blye, Richard P.; Kim, Hyun K.,
Steroids, 63 <1998> 1, 50-57, LA: EN, CODEN: STEDAM

NMR Absorption:
NMRA
Nucl: 1H
Solv: CDCl3
Reference(s):
1. Rao, Pemmaraju N.; Cessac, James W.; Blye, Richard P.; Kim, Hyun K.,
Steroids, 63 <1998> 1, 50-57, LA: EN, CODEN: STEDAM

Infrared Maximum:
IRM 2943 - 1610 cm**-1
Solv: KBr
Reference(s):
1. Rao, Pemmaraju N.; Cessac, James W.; Blye, Richard P.; Kim, Hyun K.,
Steroids, 63 <1998> 1, 50-57, LA: EN, CODEN: STEDAM

L4 ANSWER 1 OF 6 BEILSTEIN COPYRIGHT 2000 BEILSTEIN CD&S (Continued)
receptors; in vivo progestational (Clauberg), and antiprogestational (anti-Clauberg) no activity in immature New Zeland withe rabbits (p.o)
Reference(s):
1. Rao, Pemmaraju N.; Cessac, James W.; Blye, Richard P.; Kim, Hyun K.,
Steroids, 63 <1998> 1, 50-57, LA: EN, CODEN: STEDAM

Preparation:
PRE
Start: BRN=506007 acetic acid, BRN=7954622
13.beta.-ethyl-11.beta.-<4-(N,N-dimethylamino)phenyl>-17.alpha.-hydroxy-18,19-dinorpregna-4,9-diene-3,20-dione
Reag: 1.) trifluoroacetic anhydride, 2.) p-TsOH*H2O
Detail: 1.) CH2Cl2, RT, 30 min, 2.) CH2Cl2, 0 deg C, 1 h
Reference(s):
1. Rao, Pemmaraju N.; Cessac, James W.; Blye, Richard P.; Kim, Hyun K.,
Steroids, 63 <1998> 1, 50-57, LA: EN, CODEN: STEDAM
Note(s):
2. Yield given. Multistep reaction

CTCPL Coupling Phenomena: Spin-spin coupling constants
Reference(s):
1. Rao, Pemmaraju N.; Cessac, James W.; Blye, Richard P.; Kim, Hyun K.,
Steroids, 63 <1998> 1, 50-57, LA: EN, CODEN: STEDAM
Note(s):
2. 1H-1H. Solvent(s): CDCl3

Melting Point:

Value (MP) (Cel)	Solv. (.SOL)	Ref.	Note
233.00 - 236.00	CH2Cl2	1	1

Reference(s):
1. Rao, Pemmaraju N.; Cessac, James W.; Blye, Richard P.; Kim, Hyun K., Steroids, 63 <1998> 1, 50-57, LA: EN, CODEN: STEDAM

Notes(s):
1. Crystallization with 0.25 Mol(s) H2O

Optical Rotatory Power:
ORP 210.730 deg
Type: <alpha>
Conc: 1.03 g/100ml

L4 ANSWER 2 OF 6 BEILSTEIN COPYRIGHT 2000 BEILSTEIN CD&S

Beilstein Reg. No. (BRN): 7958075 Beilstein
Molecular Formula (MF): C30 H36 O4 S
Autonom Name (AUN): acetic acid
17-acetyl-13-ethyl-11-(4-methylsulfanyl-phenyl)-3-oxo-2,3,6,7,8,11,12,13,14,15,16,17-dodecahydro-1H-cyclopenta<a>phenanthren-17-yl ester
Beilstein Reference (SO): 6-08
General Comments (NTE): Stereo compound
Formula Weight (FW): 492.67
Lawson Number (LN): 9938; 1155; 292

Ring System Data:

Number of Rings (CNR): 5
Ring Systems (CNRS): 2
Diff. Ring Systems (CNDRS): 2
Ring Heteros (CNRH): 0
Acyclic Heteros (CNAH): 5

Beilstein Ring Index (BRIX)	Ring System Formula (RF)	BRIX Count
17.4.32-0.0-2.20	C17	1
6.1.0-0.0-3.1	C6	1



Atom/Bond Notes:
1. CIP Descriptor: R
2. CIP Descriptor: S

Biological Function:
BF in vitro relative binding affinities for progesterone and glucocorticoid
receptors; in vivo progestational activity (Clauberg), and in vivo antiprogestational (anti-Clauberg) no activity in immature New Zeland withe rabbits (p.o)
Reference(s):
1. Rao, Pemmaraju N.; Cessac, James W.; Blye, Richard P.; Kim, Hyun K.,

L4 ANSWER 2 OF 6 BEILSTEIN COPYRIGHT 2000 BEILSTEIN CD&S (Continued)
Steroids, 63 <1998> 1, 50-57, LA: EN, CODEN: STEDAM

Preparation:
PRE
Start: BRN=506007 acetic acid, BRN=7953710
13.beta.-ethyl-11.beta.-<4-

(methylthio)phenyl>-17.alpha.-hydroxy-18,19-dinorpregna-4,9-diene-3,20-dione
Reag: 1.) trifluoroacetic anhydride, 2.) p-TsOH*H2O
Detail: 1.) CH2Cl2, RT, 30 min, 2.) CH2Cl2, 0 deg C, 1 h
Reference(s):
1. Rao, Pemmaraju N.; Cessac, James W.; Blye, Richard P.; Kim, Hyun K.,
Steroids, 63 <1998> 1, 50-57, LA: EN, CODEN: STEDAM
Note(s):
2. Yield given. Multistep reaction

CTCPL Coupling Phenomena: Spin-spin coupling constants
Reference(s):
1. Rao, Pemmaraju N.; Cessac, James W.; Blye, Richard P.; Kim, Hyun K.,
Steroids, 63 <1998> 1, 50-57, LA: EN, CODEN: STEDAM
Note(s):
2. 1H-1H. Solvent(s): CDCl3

Melting Point:

Value (MP) (Cel)	Solv. (.SOL)	Ref.	Note
270.00 - 275.00	ethyl acetate	1	1

Reference(s):
1. Rao, Pemmaraju N.; Cessac, James W.; Blye, Richard P.; Kim, Hyun K., Steroids, 63 <1998> 1, 50-57, LA: EN, CODEN: STEDAM

Notes(s):
1. Crystallization with 0.125 Mol(s) H2O

Optical Rotatory Power:
ORP 213.900 deg
Type: <alpha>
Conc: 1.01 g/100ml
Len: 10.0 nm
Solv: CHCl3
Wavel: 589.00 nm
Temp: 26.0 Cel
Reference(s):

L4 ANSWER 2 OF 6 BEILSTEIN COPYRIGHT 2000 BEILSTEIN CD&S (Continued)
1. Rao, Pemmaraju N.; Cessac, James W.; Blye, Richard P.; Kim, Hyun K.,
Steroids, 63 <1998> 1, 50-57, LA: EN, CODEN: STEDAM

NMR Absorption:
NMRA
Nucl: 1H
Solv: CDCl3
Reference(s):
1. Rao, Pemmaraju N.; Cessac, James W.; Blye, Richard P.; Kim, Hyun K.,
Steroids, 63 <1998> 1, 50-57, LA: EN, CODEN: STEDAM

Infrared Maximum:
IRM 2948 - 1595 cm**-1
Solv: KBr
Reference(s):
1. Rao, Pemmaraju N.; Cessac, James W.; Blye, Richard P.; Kim, Hyun K.,
Steroids, 63 <1998> 1, 50-57, LA: EN, CODEN: STEDAM

L4 ANSWER 3 OF 6 BEILSTEIN COPYRIGHT 2000 BEILSTEIN CD&S

Beilstein Reg. No. (BRN): 7957866 Beilstein
Molecular Formula (MF): C31 H36 O5
Synonym (SY): 17.alpha.-acetoxy-13.beta.-ethyl-11.beta.-(4-acetylphenyl)-18,19-dinorpregna-4,9-diene-3,20-dione
Autonom Name (AUN): acetic acid 17-acetyl-11-(4-acetyl-phenyl)-13-ethyl-3-oxo-2,3,6,7,8,11,12,13,14,15,16,17-dodecahydro-1H-cyclopenta<a>phenanthren-17-yl ester
Beilstein Reference (SO): 6-08
General Comments (NTE): Stereo compound
Formula Weight (FW): 488.62
Lawson Number (LN): 9954; 1155

Ring System Data:

Number of Rings (CNR): 5
Ring Systems (CNRS): 2
Diff. Ring Systems (CNDRS): 2
Ring Heteros (CNRH): 0
Acyclic Heteros (CNAH): 5

Beilstein Ring Index (BRIX)	Ring System Formula (RF)	BRIX Count
17.4.32-0.0-2.20	C17	1
6.1.0-0.0-3.1	C6	1



Atom/Bond Notes:
1. CIP Descriptor: R
2. CIP Descriptor: S

Biological Function:
BF in vitro relative binding affinities for progesterone and glucocorticoid

L4 ANSWER 3 OF 6 BEILSTEIN COPYRIGHT 2000 BEILSTEIN CD&S (Continued)
receptors; in vivo progestational (Clauberg), and antiprogestational (anti-Clauberg) no activity in immature New Zeland withe rabbits (p.o)
Reference(s):
1. Rao, Pemmaraju N.; Cessac, James W.; Blye, Richard P.; Kim, Hyun K.,
Steroids, 63 <1998> 1, 50-57, LA: EN, CODEN: STEDAM

Preparation:
PRE
Start: BRN=506007 acetic acid, BRN=7953599
13.beta.-ethyl-11.beta.-(4-

acetylphenyl)-17.alpha.-hydroxy-18,19-dinorpregna-4,9-diene-3,20-dione
Reag: 1.) trifluoroacetic anhydride, 2.) p-TsOH*H2O
Detail: 1.) CH2Cl2, RT, 30 min, 2.) CH2Cl2, 0 deg C, 45 min
Reference(s):
1. Rao, Pemmaraju N.; Cessac, James W.; Blye, Richard P.; Kim, Hyun K.,
Steroids, 63 <1998> 1, 50-57, LA: EN, CODEN: STEDAM
Note(s):
2. Yield given. Multistep reaction

CTCPL Coupling Phenomena: Spin-spin coupling constants
Reference(s):
1. Rao, Pemmaraju N.; Cessac, James W.; Blye, Richard P.; Kim, Hyun K.,
Steroids, 63 <1998> 1, 50-57, LA: EN, CODEN: STEDAM
Note(s):
2. 1H-1H. Solvent(s): CDCl3

Melting Point:

Value (MP) (Cel)	Solv. (.SOL)	Ref.	Note
268.00 - 270.00	CH2Cl2, diethyl ether	1	1

Reference(s):
1. Rao, Pemmaraju N.; Cessac, James W.; Blye, Richard P.; Kim, Hyun K., Steroids, 63 <1998> 1, 50-57, LA: EN, CODEN: STEDAM

Notes(s):
1. Decomposition

Optical Rotatory Power:
ORP 184.400 deg
Type: <alpha>
Conc: 1.03 g/100ml
Len: 10.0 nm
Solv: CHCl3
Wavel: 589.00 nm

L4 ANSWER 3 OF 6 BEILSTEIN COPYRIGHT 2000 BEILSTEIN CD&S (Continued)
Temp: 26.0 Cel
Reference(s):
1. Rao, Pemmaraju N.; Cessac, James W.; Blye, Richard P.; Kim, Hyun K.,
Steroids, 63 <1998> 1, 50-57, LA: EN, CODEN: STEDAM

NMR Absorption:
NMRA
Nucl: 1H
Solv: CDCl3
Reference(s):
1. Rao, Pemmaraju N.; Cessac, James W.; Blye, Richard P.; Kim, Hyun K.,
Steroids, 63 <1998> 1, 50-57, LA: EN, CODEN: STEDAM

Infrared Maximum:
IRM 2951 - 1596 cm**-1
Solv: KBr
Reference(s):
1. Rao, Pemmaraju N.; Cessac, James W.; Blye, Richard P.; Kim, Hyun K.,
Steroids, 63 <1998> 1, 50-57, LA: EN, CODEN: STEDAM

L4 ANSWER 4 OF 6 BEILSTEIN COPYRIGHT 2000 BEILSTEIN CD&S

Beilstein Reg. No. (BRN): 6946364 Beilstein
Molecular Formula (MF): C30 H37 N O4
Autonom Name (AUN): acetic acid
17-acetyl-11-(4-dimethylamino-phenyl)-13-methyl-3-oxo-2,3,6,7,8,11,12,13,14,15,16,17-dodecahydro-1H-cyclopenta<a>phenanthren-17-yl ester
Beilstein Reference (SO): 6-14
General Comments (NTE): Stereo compound
Rltd. Stereoisomers (RSI): 5673666
Formula Weight (FW): 475.63
Lawson Number (LN): 15934; 2817; 1155

Ring System Data:

Number of Rings (CNR): 5
Ring Systems (CNRS): 2
Diff. Ring Systems (CNDRS): 2
Ring Heteros (CNRH): 0
Acyclic Heteros (CNAH): 5

Beilstein Ring Index (BRIX)	Ring System Formula (RF)	BRIX Count
17.4.32-0.0-2.20	C17	1
6.1.0-0.0-3.1	C6	1



Atom/Bond Notes:
1. CIP Descriptor: R

L4 ANSWER 4 OF 6 BEILSTEIN COPYRIGHT 2000 BEILSTEIN CD&S (Continued)
2. CIP Descriptor: S

Biological Function:
BF in vitro relative binding affinities for progesterone and glucocorticoid
receptors; in vivo antiprogestational activity (anti-Clauberg) in immature
New Zeland withe rabbits (p.o)
Reference(s):
1. Rao, Pemmaraju N.; Cessac, James W.; Blye, Richard P.; Kim, Hyun K.,
Steroids, 63 <1998> 1, 50-57, LA: EN, CODEN: STEDAM
BF agonistic activity in female breast cancer cells BT-474 and T47-D (by measuring amount of prostate-specific antigen (PSA) gene); antagonistic
activity in T47-D cells (blocking of norgestrel, norgestimate and dihydrotestosterone activities)
Reference(s):
1. Rao, Pemmaraju N.; Wang, Zhiqiang; Cessac, James W.; Rosenberg, Rachel
S.; Jenkins, David J. A.; Diamandis, Eleftherios P., Steroids, 63 <1998> 10, 523-530, LA: EN, CODEN: STEDAM

L4 ANSWER 5 OF 6 BEILSTEIN COPYRIGHT 2000 BEILSTEIN CD&S

Beilstein Reg. No. (BRN): 6945949 Beilstein
Molecular Formula (MF): C29 H35 N O4
Synonym (SY): 17-acetoxy-11.beta.-(4-N-methylaminophenyl)-19-norpregna-4,9-diene-3,20-dione
Autonom Name (AUN): acetic acid
17-acetyl-13-methyl-11-(4-methylamino-phenyl)-3-oxo-2,3,6,7,8,11,12,13,14,15,16,17-dodecahydro-1H-cyclopenta<a>phenanthren-17-yl ester
Beilstein Reference (SO): 6-14
General Comments (NTE): Stereo compound
Formula Weight (FW): 461.60
Lawson Number (LN): 15934; 2817; 1155

Ring System Data:

Number of Rings (CNR): 5
Ring Systems (CNRS): 2
Diff. Ring Systems (CNDRS): 2
Ring Heteros (CNRH): 0
Acyclic Heteros (CNAH): 5

Beilstein Ring Index (BRIX)	Ring System Formula (RF)	BRIX Count
17.4.32-0.0-2.20	C17	1
6.1.0-0.0-3.1	C6	1



Atom/Bond Notes:
1. CIP Descriptor: R
2. CIP Descriptor: S

Preparation:
PRE
Start: BRN=6946364
17-acetoxy-11.beta.-(4-N,N-dimethylaminophenyl)-19-

L4 ANSWER 5 OF 6 BEILSTEIN COPYRIGHT 2000 BEILSTEIN CD&S (Continued)
norpregna-4,9-diene-3,20-dione
Reag: I2, CaO
Solv: tetrahydrofuran, methanol
Reference(s):
1. Acosta, Kirk; Cessac, James W.; Rao, P. Narasimha; Kim, Hyun K., J.Chem.Soc.Chem.Commun., <1994> 17, 1985-1986, LA: EN, CODEN: JCCCAT

L4 ANSWER 6 OF 6 BEILSTEIN COPYRIGHT 2000 BEILSTEIN CD&S

Beilstein Reg. No. (BRN): 5673666 Beilstein
Molecular Formula (MF): C30 H37 N O4
Synonym (SY):
17.alpha.-acetoxy-11.beta.-(4-dimethylaminophenyl)-13.alpha.-methyl-18,19-dinor-pregna-4,9-diene-3,20-dione
Autonom Name (AUN): acetic acid 17-acetyl-11-(4-dimethylamino-phenyl)-13-methyl-3-oxo-2,3,6,7,8,11,12,13,14,15,16,17-dodecahydro-1H-cyclopenta<a>phenanthren-17-yl ester
Beilstein Reference (SO): 6-14
General Comments (NTE): Stereo compound
CAS Reg. No. (RN): 96285-40-4; 126784-99-4
Rltd. Stereoisomers (RSI): 6946364
Formula Weight (FW): 475.63
Lawson Number (LN): 15934; 2817; 1155

Ring System Data:

Number of Rings (CNR): 5
Ring Systems (CNRS): 2
Diff. Ring Systems (CNDRS): 2
Ring Heteros (CNRH): 0
Acyclic Heteros (CNAH): 5

Beilstein Ring Index (BRIX)	Ring System Formula (RF)	BRIX Count
17.4.32-0.0-2.20	C17	1
6.1.0-0.0-3.1	C6	1

L4 ANSWER 6 OF 6 BEILSTEIN COPYRIGHT 2000 BEILSTEIN CD&S (Continued)



Atom/Bond Notes:
1. CIP Descriptor: R
2. CIP Descriptor: S

Biological Function:
BF reversal of dexamethasone induced tyrosine aminotransferase activity in rat hepatoma cells (antiglucocorticoid activity)
Reference(s):
1. Neef, Guenter; Beier, Sybille; Elger, Walter; Henderson, David; Wiechert, Rudolf, Steroids, 44 <1984> 4, 349-372, LA: EN, CODEN: STEDAM

Preparation:
PRE
Start: BRN=5657948 11.beta.-(4-dimethylaminophenyl)-17.alpha.-hydroxy-13.alpha.-methyl-18,19-dinor-pregna-4,9-diene-3,20-dione , BRN=385737 acetic acid anhydride
Reag: 4-dimethylaminopyridine
Time: 14 hour(s)
Yield: 93.00 %
Solv: toluene
Ambient Temperature
Reference(s):
1. Neef, Guenter; Beier, Sybille; Elger, Walter; Henderson, David; Wiechert, Rudolf, Steroids, 44 <1984> 4, 349-372, LA: EN, CODEN: STEDAM

Melting Point:

Value (MP)	Solv. (.SOL)	Ref.

L4 ANSWER 6 OF 6 BEILSTEIN COPYRIGHT 2000 BEILSTEIN CD&S (Continued)

(Cel)		
194.00 - 195.00	ethyl acetate, hexane	1

Reference(s):
1. Neef, Guenter; Beier, Sybille; Elger, Walter; Henderson, David; Wiechert, Rudolf, Steroids, 44 <1984> 4, 349-372, LA: EN, CODEN: STEDAM

Optical Rotatory Power:
ORP 372.300 deg
Type: <alpha>
Conc: 0.39 g/100ml
Solv: CHCl3
Wavel: 589.00 nm
Temp: 25.0 Cel
Reference(s):
1. Neef, Guenter; Beier, Sybille; Elger, Walter; Henderson, David; Wiechert, Rudolf, Steroids, 44 <1984> 4, 349-372, LA: EN, CODEN: STEDAM

NMR Absorption:
NMRA
Nucl: 1H
Solv: CDCl3
Reference(s):
1. Neef, Guenter; Beier, Sybille; Elger, Walter; Henderson, David; Wiechert, Rudolf, Steroids, 44 <1984> 4, 349-372, LA: EN, CODEN: STEDAM

Infrared Maximum:
IRM 1736 - 1612 cm**-1
Solv: KBr
Reference(s):
1. Neef, Guenter; Beier, Sybille; Elger, Walter; Henderson, David; Wiechert, Rudolf, Steroids, 44 <1984> 4, 349-372, LA: EN, CODEN: STEDAM

```
=> d his


     (FILE 'HOME' ENTERED AT 13:14:23 ON 07 JAN 2000)

     FILE 'REGISTRY' ENTERED AT 13:14:38 ON 07 JAN 2000
               ACTIVATE K2132/A
               ---------
L1              STR
L2            41 SEA FILE=REGISTRY SSS FUL L1
               ---------

     FILE 'CAPLUS' ENTERED AT 13:15:01 ON 07 JAN 2000
L3             8 S L2/THU

     FILE 'BEILSTEIN' ENTERED AT 13:16:58 ON 07 JAN 2000
L4             6 S L1 FULL

=> log y
```

=> d ibib ab hitstr 1-3 16

L6 ANSWER 1 OF 3 USPATFULL
ACCESSION NUMBER: 2002:43584 USPATFULL
TITLE: 21-SUBSTITUTED PROGESTERONE DERIVATIVES AS NEW ANTIPROGESTATIONAL AGENTS
INVENTOR(S): KIM, HYUN K., BETHESDA, MD, UNITED STATES
BLYE, RICHARD P., HIGHLAND, MD, UNITED STATES
RAO, PEMMARAJU N., SAN ANTONIO, TX, UNITED STATES
CESSAC, JAMES W., SAN ANTONIO, TX, UNITED STATES
ACOSTA, CARMIE K., SAN ANTONIO, TX, UNITED STATES

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 2002025951	A1	20020228	
APPLICATION INFO.:	US 1999-180132	A1	19990524	(9)
	WO 1997-US7373		19970430	

DOCUMENT TYPE: Utility
FILE SEGMENT: APPLICATION
LEGAL REPRESENTATIVE: EUGENIA GARRETT WACKOWSKI, TOWNSEND AND TOWNSEND AND CREW, TWO EMBARCADERO CENTER, 8TH FLOOR, SAN FRANCISCO, CA, 94111
NUMBER OF CLAIMS: 36
EXEMPLARY CLAIM: 1
NUMBER OF DRAWINGS: 3 Drawing Page(s)
LINE COUNT: 2185
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB A compound having the general formula: ##STR1##

in which: R.sup.1 is a member selected from the group consisting of --OCH.sub.3, --SCH.sub.3, --N(CH.sub.3).sub.2,--NHCH.sub.3, --CHO, --COCH.sub.3 and --CHOHCH.sub.3; R.sup.2 is a member selected from the group consisting of halogen, alkyl, acyl, hydroxy, alkoxy, acyloxy, alkyl carbonate, cypionyloxy, S-alkyl and S-acyl; R.sup.3 is a member selected from the group consisting of alkyl, hydroxy, alkoxy and acyloxy; R.sup.4 is a member selected from the group consisting of hydrogen and alkyl; and X is a member selected from the group consisting of .sub..dbd.O and .sub..dbd.N--OR.sup.5 , wherein R.sup.5 is a member selected from the group consisting of hydrogen and alkyl.

In addition to providing the compounds of Formula I, the present invention provides methods wherein the compounds of Formula I are advantageously used, inter alia, to antagonize endogenous progesterone; to induce menses; to treat endometriosis; to treat dysmenorrhea; to treat endocrine hormone-dependent tumors; to treat uterine fibroids; to inhibit uterine endometrial proliferation; to induce labor; and for contraception.

IT **198414-07-2P 198414-09-4P 198414-31-2P**
(prepn. of progesterone derivs. as antiprogestational agents)

RN 198414-07-2 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 17,21-bis(acetyloxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L6 ANSWER 1 OF 3 USPATFULL (Continued)

RN 198414-09-4 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetylthio)-11-[4-(dimethylamino)phenyl]-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-31-2 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-methoxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



IT **198414-03-8P 198414-05-0P 198414-11-8P**
198414-22-1P 198414-32-3P 198414-33-4P
198414-34-5P 198414-39-0P 198414-43-6P
(prepn. of progesterone derivs. as antiprogestational agents)

L6 ANSWER 1 OF 3 USPATFULL (Continued)

RN 198414-03-8 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-fluoro-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-05-0 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-21-chloro-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-11-8 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-21-(acetylthio)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-22-1 USPATFULL
CN Estra-4,9-dien-3-one, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-17-(1-oxopropyl)-, (11.beta.,17.alpha.)- (9CI) (CA INDEX NAME)

L6 ANSWER 1 OF 3 USPATFULL (Continued)

Absolute stereochemistry. Rotation (+).



RN 198414-32-3 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(3-cyclopentyl-1-oxopropoxy)-11-[4-(dimethylamino)phenyl]-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-33-4 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-21-(3-cyclopentyl-1-oxopropoxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-34-5 USPATFULL

L6 ANSWER 1 OF 3 USPATFULL (Continued)
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-39-0 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-ethoxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-43-6 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-21-bromo-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L6 ANSWER 1 OF 3 USPATFULL (Continued)



RN 198413-99-9 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-17-hydroxy-21-[(methylsulfonyl)oxy]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-00-5 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-21-fluoro-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-21-0 USPATFULL
CN Estra-4,9-dien-3-one, 11-[4-(dimethylamino)phenyl]-17-hydroxy-17-(1-oxopropyl)-, (11.beta.,17.alpha.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L6 ANSWER 1 OF 3 USPATFULL (Continued)
IT **198413-96-6P 198413-97-7P 198413-98-8P**
198413-99-9P 198414-00-5P 198414-21-0P
198414-30-1P 198414-38-9P 198414-42-5P
(prepn. of progesterone derivs. as antiprogestational agents)
RN 198413-96-6 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 21-chloro-11-[4-(dimethylamino)phenyl]-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198413-97-7 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-(dimethylamino)phenyl]-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198413-98-8 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-17,21-dihydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L6 ANSWER 1 OF 3 USPATFULL (Continued)



RN 198414-30-1 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-17-hydroxy-21-methoxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-38-9 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-21-ethoxy-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-42-5 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 21-bromo-11-[4-(dimethylamino)phenyl]-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L6 ANSWER 1 OF 3 USPATFULL (Continued)



IT **198414-40-3P 198414-41-4P**
(prepn. of progesterone derivs. as antiprogestational agents)
RN 198414-40-3 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 17,21-bis(acetyloxy)-11-[4-(dimethylamino)phenyl]-, 3-oxime, (3E,11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry as shown.



RN 198414-41-4 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-methoxy-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



L6 ANSWER 2 OF 3 USPATFULL

ACCESSION NUMBER: 2001:4726 USPATFULL
TITLE: 17.beta.-acyl-17.alpha.-propynyl-11.beta.-arylsteroids and their derivatives having agonist or antagonist hormonal properties
INVENTOR(S): Cook, C. Edgar, Staunton, VA, United States
Kepler, John A., Raleigh, NC, United States
O'Reilly, Jill M., Durham, NC, United States
PATENT ASSIGNEE(S): Research Triangle Institute, Research Triangle Park, NC, United States (U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 6172052	B1	20010109
APPLICATION INFO.:	US 1998-205395		19981204 (9)

DOCUMENT TYPE: Patent
FILE SEGMENT: Granted
PRIMARY EXAMINER: Dees, Jose G.
ASSISTANT EXAMINER: Qazi, Sabiha
LEGAL REPRESENTATIVE: Oblon, Spivak, McClelland, Maier & Neustadt, P.C.
NUMBER OF CLAIMS: 5
EXEMPLARY CLAIM: 1
NUMBER OF DRAWINGS: 2 Drawing Figure(s); 2 Drawing Page(s)
LINE COUNT: 2216
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
AB The invention is directed to a novel class of 17.beta.-acyl-17.beta.-propynyl steroids which exhibit potent antiprogestational activity.
IT **273208-59-6P 273208-60-9P 273208-61-0P**
273208-62-1P 273208-63-2P 273208-64-3P
273208-77-8P 273208-78-9P 273208-79-0P
273208-80-3P 273208-81-4P 273208-82-5P
273209-12-4P 273209-13-5P 273209-14-6P
273209-15-7P 273209-16-8P 273209-17-9P
273209-30-6P 273209-31-7P 273209-32-8P
273209-33-9P 273209-34-0P 273209-35-1P
273209-67-9P 273209-68-0P 273209-69-1P
273209-70-4P 273209-71-5P 273209-72-6P
273209-85-1P 273209-86-2P 273209-87-3P
273209-88-4P 273209-89-5P 273209-90-8P
273210-18-7P 273210-19-8P 273210-20-1P
273210-21-2P 273210-22-3P 273210-23-4P
273210-36-9P 273210-37-0P 273210-38-1P
273210-39-2P 273210-40-5P 273210-41-6P
273210-54-1P 273210-55-2P 273210-56-3P
273210-57-4P 273210-58-5P 273210-59-6P
(prepn. of 17.beta.-acyl-17.alpha.-propynyl-11.beta.-arylsteroids with antiprogestational activity)
RN 273208-59-6 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 11-(4-aminophenyl)-21-methoxy-17-(1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L6 ANSWER 1 OF 3 USPATFULL (Continued)

L6 ANSWER 2 OF 3 USPATFULL (Continued)



RN 273208-60-9 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 11-(4-aminophenyl)-21-methoxy-17-(3,3,3-trifluoro-1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273208-61-0 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 11-(4-aminophenyl)-17-(3-hydroxy-1-propynyl)-21-methoxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273208-62-1 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 11-(4-aminophenyl)-21-methoxy-17-(1-propynyl)-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.

L6 ANSWER 2 OF 3 USPATFULL (Continued)



RN 273208-63-2 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 11-(4-aminophenyl)-21-methoxy-17-(3,3,3-trifluoro-1-propynyl)-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 273208-64-3 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 11-(4-aminophenyl)-17-(3-hydroxy-1-propynyl)-21-methoxy-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 273208-77-8 USPATFULL
CN Estra-4,9-dien-3-one, 11-(4-aminophenyl)-17-(1-oxopropyl)-17-(1-propynyl)-

L6 ANSWER 2 OF 3 USPATFULL (Continued)
CN Estra-4,9-dien-3-one, 11-(4-aminophenyl)-17-(1-oxopropyl)-17-(1-propynyl)-, 3-oxime, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 273208-81-4 USPATFULL
CN Estra-4,9-dien-3-one, 11-(4-aminophenyl)-17-(1-oxopropyl)-17-(3,3,3-trifluoro-1-propynyl)-, 3-oxime, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 273208-82-5 USPATFULL
CN Estra-4,9-dien-3-one, 11-(4-aminophenyl)-17-(3-hydroxy-1-propynyl)-17-(1-oxopropyl)-, 3-oxime, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



L6 ANSWER 2 OF 3 USPATFULL (Continued)
, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273208-78-9 USPATFULL
CN Estra-4,9-dien-3-one, 11-(4-aminophenyl)-17-(1-oxopropyl)-17-(3,3,3-trifluoro-1-propynyl)-, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273208-79-0 USPATFULL
CN Estra-4,9-dien-3-one, 11-(4-aminophenyl)-17-(3-hydroxy-1-propynyl)-17-(1-oxopropyl)-, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273208-80-3 USPATFULL

L6 ANSWER 2 OF 3 USPATFULL (Continued)
RN 273209-12-4 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-21-methoxy-17-(1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273209-13-5 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-21-methoxy-17-(3,3,3-trifluoro-1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273209-14-6 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-17-(3-hydroxy-1-propynyl)-21-methoxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273209-15-7 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-21-methoxy-17-(1-propynyl)-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

L6 ANSWER 2 OF 3 USPATFULL (Continued)

Absolute stereochemistry.
Double bond geometry unknown.



RN 273209-16-8 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-21-methoxy-17-(3,3,3-trifluoro-1-propynyl)-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 273209-17-9 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-17-(3-hydroxy-1-propynyl)-21-methoxy-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.

L6 ANSWER 2 OF 3 USPATFULL (Continued)

Absolute stereochemistry.



RN 273209-33-9 USPATFULL
CN Estra-4,9-dien-3-one, 11-[4-(dimethylamino)phenyl]-17-(1-oxopropyl)-17-(1-propynyl)-, 3-oxime, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 273209-34-0 USPATFULL
CN Estra-4,9-dien-3-one, 11-[4-(dimethylamino)phenyl]-17-(1-oxopropyl)-17-(3,3,3-trifluoro-1-propynyl)-, 3-oxime, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 273209-35-1 USPATFULL
CN Estra-4,9-dien-3-one, 11-[4-(dimethylamino)phenyl]-17-(3-hydroxy-1-propynyl)-17-(1-oxopropyl)-, 3-oxime, (11.beta.,17.beta.)- (9CI) (CA

L6 ANSWER 2 OF 3 USPATFULL (Continued)



RN 273209-30-6 USPATFULL
CN Estra-4,9-dien-3-one, 11-[4-(dimethylamino)phenyl]-17-(1-oxopropyl)-17-(1-propynyl)-, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273209-31-7 USPATFULL
CN Estra-4,9-dien-3-one, 11-[4-(dimethylamino)phenyl]-17-(1-oxopropyl)-17-(3,3,3-trifluoro-1-propynyl)-, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273209-32-8 USPATFULL
CN Estra-4,9-dien-3-one, 11-[4-(dimethylamino)phenyl]-17-(3-hydroxy-1-propynyl)-17-(1-oxopropyl)-, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

L6 ANSWER 2 OF 3 USPATFULL (Continued)
INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 273209-67-9 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 21-methoxy-11-[4-(methylamino)phenyl]-17-(1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273209-68-0 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 21-methoxy-11-[4-(methylamino)phenyl]-17-(3,3,3-trifluoro-1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273209-69-1 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(3-hydroxy-1-propynyl)-21-methoxy-11-[4-(methylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

L6 ANSWER 2 OF 3 USPATFULL (Continued)
Absolute stereochemistry.



RN 273209-70-4 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 21-methoxy-11-[4-(methylamino)phenyl]-17-(1-propynyl)-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 273209-71-5 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 21-methoxy-11-[4-(methylamino)phenyl]-17-(3,3,3-trifluoro-1-propynyl)-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



L6 ANSWER 2 OF 3 USPATFULL (Continued)



RN 273209-87-3 USPATFULL
CN Estra-4,9-dien-3-one, 17-(3-hydroxy-1-propynyl)-11-[4-(methylamino)phenyl]-17-(1-oxopropyl)-, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273209-88-4 USPATFULL
CN Estra-4,9-dien-3-one, 11-[4-(methylamino)phenyl]-17-(1-oxopropyl)-17-(1-propynyl)-, 3-oxime, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 273209-89-5 USPATFULL
CN Estra-4,9-dien-3-one, 11-[4-(methylamino)phenyl]-17-(1-oxopropyl)-17-(3,3,3-trifluoro-1-propynyl)-, 3-oxime, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.

L6 ANSWER 2 OF 3 USPATFULL (Continued)
RN 273209-72-6 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(3-hydroxy-1-propynyl)-21-methoxy-11-[4-(methylamino)phenyl]-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 273209-85-1 USPATFULL
CN Estra-4,9-dien-3-one, 11-[4-(methylamino)phenyl]-17-(1-oxopropyl)-17-(1-propynyl)-, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273209-86-2 USPATFULL
CN Estra-4,9-dien-3-one, 11-[4-(methylamino)phenyl]-17-(1-oxopropyl)-17-(3,3,3-trifluoro-1-propynyl)-, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L6 ANSWER 2 OF 3 USPATFULL (Continued)



RN 273209-90-8 USPATFULL
CN Estra-4,9-dien-3-one, 17-(3-hydroxy-1-propynyl)-11-[4-(methylamino)phenyl]-17-(1-oxopropyl)-, 3-oxime, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 273210-18-7 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-(4-aminophenyl)-17-(1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273210-19-8 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-(4-aminophenyl)-17-(3,3,3-trifluoro-1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L6 ANSWER 2 OF 3 USPATFULL (Continued)



RN 273210-20-1 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-(4-aminophenyl)-17-(3-hydroxy-1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273210-21-2 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-(4-aminophenyl)-17-(1-propynyl)-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 273210-22-3 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-(4-aminophenyl)-17-(3,3,3-trifluoro-1-propynyl)-, 3-oxime, (11.beta.)- (9CI) (CA INDEX

L6 ANSWER 2 OF 3 USPATFULL (Continued)



RN 273210-37-0 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-(dimethylamino)phenyl]-17-(3,3,3-trifluoro-1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273210-38-1 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-(dimethylamino)phenyl]-17-(3-hydroxy-1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273210-39-2 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-(dimethylamino)phenyl]-17-(1-propynyl)-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L6 ANSWER 2 OF 3 USPATFULL (Continued)
NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 273210-23-4 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-(4-aminophenyl)-17-(3-hydroxy-1-propynyl)-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 273210-36-9 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-(dimethylamino)phenyl]-17-(1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L6 ANSWER 2 OF 3 USPATFULL (Continued)
Double bond geometry unknown.



RN 273210-40-5 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-(dimethylamino)phenyl]-17-(3,3,3-trifluoro-1-propynyl)-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 273210-41-6 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-(dimethylamino)phenyl]-17-(3-hydroxy-1-propynyl)-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 273210-54-1 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-(methylamino)phenyl]-17-(1-propynyl)-, (11.beta.)- (9CI) (CA INDEX

L6 ANSWER 2 OF 3 USPATFULL (Continued)
NAME)

Absolute stereochemistry.



RN 273210-55-2 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-(methylamino)phenyl]-17-(3,3,3-trifluoro-1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273210-56-3 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-17-(3-hydroxy-1-propynyl)-11-[4-(methylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L6 ANSWER 2 OF 3 USPATFULL (Continued)



L6 ANSWER 2 OF 3 USPATFULL (Continued)

RN 273210-57-4 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-(methylamino)phenyl]-17-(1-propynyl)-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 273210-58-5 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-(methylamino)phenyl]-17-(3,3,3-trifluoro-1-propynyl)-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 273210-59-6 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-17-(3-hydroxy-1-propynyl)-11-[4-(methylamino)phenyl]-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.

L6 ANSWER 3 OF 3 USPATFULL

ACCESSION NUMBER:	2000:12791 USPATFULL
TITLE:	20-keto-11.beta.-arylsteroids and their derivatives having agonist or antagonist hormonal properties
INVENTOR(S):	Cook, C. Edgar, Staunton, VA, United States Kepler, John A., Raleigh, NC, United States Zhang, Ping-sheng, Millbrae, CA, United States Lee, Yue-wei, Chapel Hill, NC, United States Tallent, C. Ray, Raleigh, NC, United States
PATENT ASSIGNEE(S):	Research Triangle Institute, Research Triangle Park, NC, United States (U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 6020328		20000201
APPLICATION INFO.:	US 1998-35949		19980306 (9)

DOCUMENT TYPE:	Utility
FILE SEGMENT:	Granted
PRIMARY EXAMINER:	Dees, Jose' G.
ASSISTANT EXAMINER:	Badio, Barbara
LEGAL REPRESENTATIVE:	Oblon, Spivak, McClelland, Maier & Neustadt, P.C.
NUMBER OF CLAIMS:	9
EXEMPLARY CLAIM:	1
NUMBER OF DRAWINGS:	5 Drawing Figure(s); 10 Drawing Page(s)
LINE COUNT:	2399

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The invention is directed to 20-keto-11.beta.-arylsteroids of formula I: ##STR1## wherein R.sup.1, R.sup.6, R.sup.7, R.sup.9, R.sup.12 and X are as defined by the specification. The compounds exhibit progestational and antiprogestational activities.

IT **240806-28-4P**
(prepn. of 20-keto-11.beta.-arylsteroids with antiprogestational activity)

RN 240806-28-4 USPATFULL
CN 19,21-Dinorchola-4,9-dien-24-oic acid, 11-[4-(dimethylamino)phenyl]-17-hydroxy-3,20-dioxo-, ethyl ester, (11.beta.)-, trifluoroacetate (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 240806-27-3
CMF C32 H41 N O5

Absolute stereochemistry.



L6 ANSWER 3 OF 3 USPATFULL (Continued)
CM 2

CRN 76-05-1
CMF C2 H F3 O2

=> d ibib ab fqhit 1-15

L12 ANSWER 1 OF 15 MARPAT COPYRIGHT 2002 ACS
ACCESSION NUMBER: 130:282222 MARPAT
TITLE: Method for the preparation and pharmaceutic formulation of 11.beta.-benzaldoxime-9.alpha.,10.alpha.-epoxy-estr-4-ene derivatives
INVENTOR(S): Schubert, Gerd; Ring, Sven; Kaufmann, Guenter; Schneider, Birgitt; Elger, Walter
PATENT ASSIGNEE(S): Jenapharm G.m.b.H. und Co. K.-G., Germany
SOURCE: Ger. Offen., 16 pp.
CODEN: GWXXBX
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 19745085	A1	19990415	DE 1997-19745085	19971011
EP 909764	A1	19990421	EP 1998-118613	19981001
EP 909764	B1	19990929		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
AT 185145	E	19991015	AT 1998-118613	19981001

PRIORITY APPLN. INFO.: DE 1997-19745085 19971011

AB 11.beta.-Benzaldoxime-9.alpha.,10.alpha.-epoxy-estr-4-ene derivs., e.g. I (R1 = H, C1-6-alkyl; R2 = H, C1-10-alkyl, aryl, aralkyl, alkylaryl, C1-10-acyl, CONHR4, CO2R4; R3 = H, C1-10-alkyl, aryl, aralkyl, alkylaryl, (CH2)nCH2Y; R4 = H, C1-10-alkyl, aryl, aralkyl, alkylaryl; Y = F, Cl, Br, I, CN, N3, SCN, OR5, SR5; n = 0 - 2; R5 = H, C1-10-alkyl, aryl, aralkyl, alkylaryl, C1-10-acyl), are described. Thus, (E)-I (R1 = R2 = Me, R3 = CH2OMe, Z = H) was prepd. via regioselective epoxidn. of estradienone II (R1 = R2 = Me, R3 = CH2OMe, Z = H) with m-chloroperbenzoic acid in CH2Cl2. (E)-I (R1 = R2 = Me, R3 = CH2OMe, Z = H) showed 88% affinity for the progesterone receptor but only 12% affinity for the glucocorticoid receptor.

MSTR 2



G8 = 51

L12 ANSWER 1 OF 15 MARPAT COPYRIGHT 2002 ACS (Continued)
G12 = alkyl<(1-10)>
DER: or pharmaceutically acceptable salts
MPL: claim 1

L12 ANSWER 2 OF 15 MARPAT COPYRIGHT 2002 ACS
ACCESSION NUMBER: 129:50105 MARPAT
TITLE: Uses of anti-glucocorticoid compounds for the treatment of psychoses or addictive behaviors
INVENTOR(S): Oberlander, Claude; Piazza, Pier Vincenzo
PATENT ASSIGNEE(S): Hoechst Marion Roussel, Fr.; Oberlander, Claude; Piazza, Pier Vincenzo
SOURCE: PCT Int. Appl., 41 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: French
FAMILY ACC. NUM. COUNT: 2
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9826783	A1	19980625	WO 1997-FR2320	19971217
W: AL, AU, BA, BB, BG, BR, CA, CN, CU, CZ, EE, GE, GW, HU, ID, IL, IS, JP, KP, KR, LC, LK, LR, LT, LV, MG, MK, MN, MX, NO, NZ, PL, RO, SG, SI, SK, SL, TR, TT, UA, US, UZ, VN, YU, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
FR 2757400	A1	19980626	FR 1996-15649	19961219
FR 2757400	B1	19991217		
AU 9855632	A1	19980715	AU 1998-55632	19971217
EP 892641	A1	19990127	EP 1997-952078	19971217
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				

PRIORITY APPLN. INFO.: FR 1996-15649 19961219
WO 1997-FR2320 19971217

AB Glucocorticoid antagonists, except mifepristone, are used as dopamine type II receptor antagonists to treat psychotic or addictive behavior. Thus, 17.beta.-hydroxy-10.beta.-[(4-methylphenyl)methyl]-17.alpha.-(1-propynyl)estra-4,9(11)-dien-3-one considerably reduced the response to morphine in vivo.

MSTR 1



G1 = Ph (SO (1-) G11)
G3 = 35-13 37-14



G4 = C(O)

L12 ANSWER 2 OF 15 MARPAT COPYRIGHT 2002 ACS (Continued)
G12 = 41

DER: and pharmaceutically acceptable acid addition salts
MPL: claim 4
NTE: substitution is restricted

L12 ANSWER 3 OF 15 MARPAT COPYRIGHT 2002 ACS
ACCESSION NUMBER: 128:188869 MARPAT
TITLE: Mixed agonists of the progesterone receptor and assays for them
INVENTOR(S): McDonnell, Donald P.; Wagner, Brandee L.
PATENT ASSIGNEE(S): Duke University, USA
SOURCE: PCT Int. Appl., 62 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9805679	A2	19980212	WO 1997-US13754	19970805
W: CA				
RW: AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
PRIORITY APPLN. INFO.:			US 1996-23206P	19960805

AB A third class of PR-ligand (i.e. mixed agonist) is identified which induces a progesterone receptor conformation distinct from that induced by a PR agonist or antagonist; the agonists are estra-4,9-dien-3-one derivs. PR mixed agonists exhibit partial agonist activity which is influenced by cell context. These compds. provide useful pharmacol. profiles for treating progesterone related diseases and/or conditions, such as uterine proliferation from estrogen administration, endometriosis, breast cancer, fibroids, endometrial cancer, and brain meningiomas. The agonists can also be used as contraceptives. Assays are provided to screen for PR mixed agonists. Mol. designs are provided to convert a PR antagonist to a PR mixed agonist.

MSTR 1



G2 = 30

30 C(O)G3

G3 = alkyl<(1-6)> (SO)
G9 = 52

L12 ANSWER 3 OF 15 MARPAT COPYRIGHT 2002 ACS (Continued)

MPL: claim 4

L12 ANSWER 4 OF 15 MARPAT COPYRIGHT 2002 ACS
ACCESSION NUMBER: 124:22540 MARPAT
TITLE: Pharmaceutical compositions of antiglucocorticoid compounds for treating or preventing symptoms of spontaneous or narcotic-induced withdrawal.
INVENTOR(S): Petit, Francis; Philibert, Daniel; Ulmann, Andre
PATENT ASSIGNEE(S): Roussel-UCLAF, Fr.
SOURCE: Eur. Pat. Appl., 30 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: French
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 676203	A1	19951011	EP 1995-400764	19950406
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, NL, PT, SE				
FR 2718354	A1	19951013	FR 1994-4156	19940408
FR 2718354	B1	19960503		
ZA 9502058	A	19960313	ZA 1995-2058	19950313
CA 2146600	AA	19951009	CA 1995-2146600	19950407
FI 9501683	A	19951009	FI 1995-1683	19950407
AU 9516326	A1	19951019	AU 1995-16326	19950407
JP 07278017	A2	19951024	JP 1995-107071	19950407
HU 71468	A2	19951128	HU 1995-1019	19950407
CN 1116929	A	19960221	CN 1995-104015	19950407
PRIORITY APPLN. INFO.:			FR 1994-4156	19940408

AB Antiglucocorticoid steroids such as mifepristone, onapristone, lilopristone and related steroids are proposed for the prevention or treatment of withdrawal syndromes, either spontaneous or pptd. by narcotics or mixts. of narcotics. These antiglucocorticoids would be useful in the withdrawal from morphinomimetics such as heroin, morphine or methadone as well as cocaine. Pharmacol. activity was demonstrated by the effect of the antiglucocorticoids on the stereotypic behavior of mice in response to narcotics. Spontaneous withdrawal syndrome was induced by administration of the opioid antagonist, naloxone. An antiprogesterone activity of the steroids in their action mechanism was eliminated. Results confirmed the involvement of endogenous glucocorticoids in morphine withdrawal since this is inhibited by antiglucocorticoids or adrenalectomy.

MSTR 2



G1 = Ph (SO (1-) G2)
G4 = 21

21 C(O)G5

L12 ANSWER 4 OF 15 MARPAT COPYRIGHT 2002 ACS (Continued)
G5 = alkyl (SR G13)
G9 = O
DER: and pharmaceutically acceptable addition salts
DER: and pharmaceutically acceptable addition salts
MPL: claim 7

L12 ANSWER 5 OF 15 MARPAT COPYRIGHT 2002 ACS
ACCESSION NUMBER: 123:218391 MARPAT
TITLE: Steroids for reducing multidrug resistance to cancer chemotherapeutic agents
INVENTOR(S): Cohn, Suzanne Bourgeois; Gruol, Donald J.
PATENT ASSIGNEE(S): Salk Institute for Biological Studies, USA
SOURCE: PCT Int. Appl., 54 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9517192	A1	19950629	WO 1994-US14624	19941219
W: AM, AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, JP, KE, KG, KP, KR, KZ, LK, LR, LT, LU, LV, MD, MG, MN, MW, NL, NO, NZ, PL, PT, RO, RU, SD, SE, SI, SK, TJ, TT, UA, US, UZ				
RW: KE, MW, SD, SZ, AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
AU 9514395	A1	19950710	AU 1995-14395	19941219
PRIORITY APPLN. INFO.:			US 1993-173243	19931222
			WO 1994-US14624	19941219

AB Certain steroid-like compds. {I; R1 = H; R2 = OR; or R1R2 = :O; R = H, lower alkyl, Me3Si; R3 = H, Me, or absent if double bond or epoxide bridge joins C9 and C10; R4 = OR', C4-18 cyclic org. group contg. O, N, P, or Si; R' = lower alkyl, Me3Si; R5 = H, OR; or R5C16C17 form a 3-, 5-, 6-, or 7-membered ring; R6 = C(O)CH3, CH(OH)CH3, C(O)CH2OH, (substituted) hydrocarbyl; R9 = H, halo, or absent if double bond or epoxide bridge joins C9 and C10} are capable of inhibiting the P-glycoprotein-assocd. efflux pump which is considered responsible for multidrug resistance. Chemotherapy can be enhanced by facilitating the accumulation of drug at the target site, with reduced or eliminated competition by the drug efflux system. Thus RU 38486, an antiprogestin, at 5 .mu.M facilitated killing of multidrug-resistant S7CD-5 murine thymoma cells by 20 .mu.M puromycin.

MSTR 1B



G1 = C(O)
G10 = Ph (SO (1-2) G16)
G13 = 36

L12 ANSWER 5 OF 15 MARPAT COPYRIGHT 2002 ACS (Continued)



MPL: claim 1

L12 ANSWER 6 OF 15 MARPAT COPYRIGHT 2002 ACS
ACCESSION NUMBER: 122:256423 MARPAT
TITLE: Antiglucocorticoid steroids for the treatment of anxiety disorders
INVENTOR(S): Peeters, Bernardus Wynand Machijs Maria
PATENT ASSIGNEE(S): Akzo Nobel N.V., Neth.
SOURCE: PCT Int. Appl., 25 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9504536	A1	19950216	WO 1994-EP2513	19940728
W: AM, AU, BB, BG, BR, BY, CA, CN, CZ, FI, GE, HU, JP, KG, KP, KR, KZ, LK, LT, LV, MD, MG, MN, NO, NZ, PL, RO, RU, SI, SK, TJ, TT, UA, US, UZ, VN				
RW: KE, MW, SD, AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
AU 9474968	A1	19950228	AU 1994-74968	19940728
AU 687088	B2	19980219		
EP 712311	A1	19960522	EP 1994-924819	19940728
EP 712311	B1	19981007		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, MC, NL, PT, SE				
JP 09501172	T2	19970204	JP 1994-506200	19940728
AT 171873	E	19981015	AT 1994-924819	19940728
ES 2124905	T3	19990216	ES 1994-924819	19940728
US 5741787	A	19980421	US 1996-581631	19960118
PRIORITY APPLN. INFO.:			EP 1993-202304	19930804
			EP 1994-924819	19940728
			WO 1994-EP2513	19940728

AB Antiglucocorticoid steroids are used for the manuf. of a pharmaceutical compn. for the treatment of anxiety disorders. The anxiolytic effect of 11.beta.-(4-dimethylaminophenyl)-17.beta.-hydroxy-17.alpha.-(prop-1-ynyl)-estra-4,9-dien-3-one (RU38486) was demonstrated in animal testing (antagonism of fear-potentiated startle). Prepn. and activity (antagonism of stress-induced hyperthermia) of selected steroids of the invention is also described.

MSTR 1



G7 = 44



L12 ANSWER 6 OF 15 MARPAT COPYRIGHT 2002 ACS (Continued)
G16 = alkylcarbonyl<(1-5)> (SO (1-) G17)
G18 = 39

MPL: claim 2

L12 ANSWER 7 OF 15 MARPAT COPYRIGHT 2002 ACS
ACCESSION NUMBER: 116:35156 MARPAT
TITLE: Preparation and use of antiprogestomimetics for synchronization of parturition in livestock
INVENTOR(S): Grandadam, Jean Andre
PATENT ASSIGNEE(S): Roussel-UCLAF, Fr.
SOURCE: Eur. Pat. Appl., 13 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: French
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 446124	A2	19910911	EP 1991-400594	19910305
EP 446124	A3	19920527		
R: AT, BE, CH, DE, DK, FR, GB, GR, IT, LI, LU, NL, SE				
FR 2659233	A1	19910913	FR 1990-2783	19900306
FR 2659233	B1	19940121		
CA 2037549	AA	19910907	CA 1991-2037549	19910305
AU 9172608	A1	19910912	AU 1991-72608	19910305
AU 642975	B2	19931104		
ZA 9101603	A	19920527	ZA 1991-1603	19910305
JP 04211610	A2	19920803	JP 1991-62496	19910305
RU 2037295	C1	19950619	RU 1991-4895041	19910305
CN 1055665	A	19911030	CN 1991-102108	19910306
HU 59006	A2	19920428	HU 1991-729	19910306

PRIORITY APPLN. INFO.: FR 1990-2783 19900306
AB The title antiprogestomimetics are I (R1 = C1-18 hydrocarbyl optionally substituted with .gtoreq.1 heteroatoms and bonded to the steroid by a C; R2 = C1-8 hydrocarbyl; X = remainder of 5- and 6-membered ring optionally substituted and optionally unsatd.; C = A = CNOH, oxo (free or blocked as ketal), etc.; B and C together form a double bond or epoxide bridge) and acid addn. salts thereof. Prepn. of 2 I are described. 17.beta.-Hydroxy-11.beta.-(4-dimethylaminophenyl)-17.alpha.-(prop-1-ynyl)estra-4,9-dien-3-one (II) was more effective at synchronizing parturition than cloprostenol when tested in sows. Injectable pharmaceuticals contg. II are disclosed.

MSTR 1C



G1 = 30

L12 ANSWER 7 OF 15 MARPAT COPYRIGHT 2002 ACS (Continued)



G3 = 55-13 57-14



G15 = 61

G4 +G17= O
DER: and protected derivatives
DER: and acid addition salts
MPL: claim 1

L12 ANSWER 8 OF 15 MARPAT COPYRIGHT 2002 ACS
ACCESSION NUMBER: 115:214857 MARPAT
TITLE: Injectable microspheres containing antiestrogenic and antiprogestomimetic steroids
INVENTOR(S): Cohen, Gerard; Dubois, Jean Luc
PATENT ASSIGNEE(S): Roussel-UCLAF, Fr.
SOURCE: Ger. Offen., 15 pp.
CODEN: GWXXBX
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 4036425	A1	19910516	DE 1990-4036425	19901115
FR 2654337	A1	19910517	FR 1989-14976	19891115
FR 2654337	B1	19940805		
SE 9003570	A	19910516	SE 1990-3570	19901109
BE 1005511	A4	19930831	BE 1990-1062	19901109
DK 9002709	A	19910516	DK 1990-2709	19901113
CA 2029940	AA	19910516	CA 1990-2029940	19901114
JP 03294229	A2	19911225	JP 1990-306374	19901114
CH 681691	A	19930514	CH 1990-3611	19901114
NL 9002492	A	19910603	NL 1990-2492	19901115
GB 2239798	A1	19910717	GB 1990-24862	19901115
GB 2239798	B2	19931027		
AT 9002313	A	19950415	AT 1990-2313	19901115
AT 400298	B	19951127		

PRIORITY APPLN. INFO.: FR 1989-14976 19891115
AB Biodegradable microspheres comprise the title steroids (Markush given) and copolymers of lactic acid with glycolic acid. A mixt. of 250 mL aq. 0.3% hydrolyzed PVA soln., 1 g poly(DL-lactic acid-glycolic acid), 17 g CH2Cl2, and 0.5 g 17.beta.-hydroxy-11.beta.-[4-(dimethylamino)phenyl]-17.alpha.-(1-propynyl)estra-4,9-dien-3-one was emulsified, followed by stirring at 22.degree. and decreasing pressure (.gtoreq.400 mm Hg) to give microspheres, which were used for the prepn. of injections.

MSTR 1A

G1—G3

G1 = 3



G3 = 24

L12 ANSWER 8 OF 15 MARPAT COPYRIGHT 2002 ACS (Continued)



G5 = 68-26 70-27



G9 = 74



G10 = OH
MPL: claim 6

L12 ANSWER 9 OF 15 MARPAT COPYRIGHT 2002 ACS
ACCESSION NUMBER: 115:151901 MARPAT
TITLE: Use of antiprogestomimetics for stimulating ovulation, and new preparation for use in pharmaceutical compositions
INVENTOR(S): Grandadam, Jean Andre
PATENT ASSIGNEE(S): Roussel-UCLAF, Fr.
SOURCE: Eur. Pat. Appl., 24 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: French
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 417003	A2	19910313	EP 1990-402449	19900906
EP 417003	A3	19911204		
EP 417003	B1	19940629		
R: AT, BE, CH, DE, DK, FR, GB, IT, LI, LU, NL, SE				
FR 2651435	A1	19910308	FR 1989-11699	19890907
FR 2651435	B1	19940422		
US 5173483	A	19921222	US 1990-578894	19900905
CA 2024728	AA	19910308	CA 1990-2024728	19900906
AU 9062259	A1	19910314	AU 1990-62259	19900907
AU 623805	B2	19920521		
JP 03099015	A2	19910424	JP 1990-236004	19900907
JP 3032258	B2	20000410		

PRIORITY APPLN. INFO.: FR 1989-11699 19890907

AB Anti-progestomimetic compds., e.g. I [R1 = C1-18 hydrocarbyl with optionally .gtoreq.1 heteroatoms, bonded to the steroid by a C; R2 = C1-8 hydrocarbyl; X = rest of 5- or 6-membered (substituted) (unsatd.) ring; A:C = oxo (free or in ketal), CH(OH), CH(OR3), CH(O2CR3), etc.; R3 = C1-8 alkyl, C7-15 aralkyl; B and C together form a double bond or epoxide bridge] and their acid and base addn. salts, are used for making pharmaceuticals for stimulating ovulation, e.g. in cows. The compds. of the invention are preferably used following treatment with progesterone or a progestomimemetic, e.g. 3-oxo-17.alpha.-allyl-17.beta.-hydroxyestra-4,9,11-triene (II). Thus, heifer cows were 1st administered II for 17 days; on the day following the last administration, the animals were injected with 17.beta.-hydroxy-11.beta.-(4-dimethylaminophenyl)-17.alpha.-(prop-1-ynyl)estra-4,9-dien-3-one. All of the heifers came to heat after a very short delay period, and LH levels rose very rapidly. Prepn. of 12 anti-progestomimetics is presented.

MSTR 1E



L12 ANSWER 9 OF 15 MARPAT COPYRIGHT 2002 ACS (Continued)

G1 = 85



G12 = 96



G14 = 98



G15 = OH
G5 +G6 = O
DER: or acid or base addition salts
MPL: claim 2
NTE: oxo formed by G5 and G6 may be protected as a ketal

L12 ANSWER 10 OF 15 MARPAT COPYRIGHT 2002 ACS
ACCESSION NUMBER: 115:9125 MARPAT
TITLE: Preparation of .omega.-[(3-oxoestra-4,9-dien-11.beta.-yl)phenylamino]alkanoates as antiglucocorticoids
INVENTOR(S): Moguilewsky, Martine; Nedelec, Lucien; Nique, Francois; Philibert, Daniel
PATENT ASSIGNEE(S): Roussel-UCLAF, Fr.
SOURCE: Eur. Pat. Appl., 33 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: French
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 414606	A2	19910227	EP 1990-402328	19900822
EP 414606	A3	19910724		
EP 414606	B1	19941102		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE				
FR 2651233	A1	19910301	FR 1989-11173	19890823
FR 2651233	B1	19911213		
CA 2022648	AA	19910224	CA 1990-2022648	19900803
ZA 9006341	A	19911030	ZA 1990-6341	19900810
US 5166146	A	19921124	US 1990-568597	19900816
JP 03090097	A2	19910416	JP 1990-217281	19900820
JP 3026997	B2	20000327		
IL 95451	A1	19950731	IL 1990-95451	19900821
AU 9061189	A1	19910228	AU 1990-61189	19900822
AU 634569	B2	19930225		
HU 54706	A2	19910328	HU 1990-5275	19900822
HU 208154	B	19930830		
ES 2063313	T3	19950101	ES 1990-402328	19900822
CN 1051362	A	19910515	CN 1990-107161	19900823
CN 1033808	B	19970115		
RU 2041236	C1	19950809	RU 1992-5011511	19920518

PRIORITY APPLN. INFO.: FR 1989-11173 19890823
OTHER SOURCE(S): CASREACT 115:9125

AB The title compds. [I; R1 = aliph. hydrocarbyl; R2 = H, (un)substituted alkyl; R5, R6 = H, alkyl; X = atoms to complete an (un)substituted 5- or 6- membered ring; Z = (un)salified CO2H; n = 1-6] were prepd. Thus, aminophenylestradienone II (R = R5 = R6 = H) was condensed with BrCH2CO2Me to give, after sapon., II (R = CH2CO2Na, R5 = R6 = H) which at 10-6M in vitro gave 82% inhibition of uridine incorporation into rat thymocytes.

MSTR 1A



G3 = phenylene
G9 = 39-18 37-17

L12 ANSWER 10 OF 15 MARPAT COPYRIGHT 2002 ACS (Continued)



G10 = (1-2) 45



G13 = 53



G16 = 68



MPL: claim 1

L12 ANSWER 11 OF 15 MARPAT COPYRIGHT 2002 ACS
ACCESSION NUMBER: 114:229227 MARPAT
TITLE: Preparation of 19-nor 3-oxo steroids with an amine substituted 17-chain as antioxidants and antinflammatories: their use as medicines and pharmaceutical composition containing them
INVENTOR(S): Claussner, Andre; Leclaire, Jacques; Nedelec, Lucien; Philibert, Daniel
PATENT ASSIGNEE(S): Roussel-UCLAF, Fr.
SOURCE: Eur. Pat. Appl., 29 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: French
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 389370	A1	19900926	EP 1990-400784	19900322
EP 389370	B1	19940427		
R: CH, DE, FR, GB, IT, LI, NL				
FR 2644789	A1	19900928	FR 1989-3742	19890322
FR 2644789	B1	19950203		
JP 02273693	A2	19901108	JP 1990-68508	19900320
JP 2848907	B2	19990120		
US 5108996	A	19920428	US 1990-497562	19900321
PRIORITY APPLN. INFO.:			FR 1989-3742	19890322

OTHER SOURCE(S): CASREACT 114:229227
AB The title compds. [I; R1, R2 = H, Me; R11 = (poly)(hetera)hydrocarbyl; one of R17 and R18 is OH or acyloxy and the other is Q; Z = alkylene, alkenylene, alkynylene; P = (substituted) pyrimidinyl, pyridyl] were prepd. via reacting the halo derivs. II or III (X = halo) with the appropriate pyrimidinyl or pyridine deriv. IV. Reaction of estradienone V [R3 = 3-bromo-1-propynyl, R4 = OH] (prepn. given) was reacted with 2,4-bis(1-pyrrolidinyl)-6-(1-piperazinyl)pyrimidine (prepn. given) in acetone contg. K2CO3 at ambient temp. for 2 h to give V [R3 = 3-[4-[2,6-bis(1-pyrrolidinyl)-4-pyrimidinyl]-1-piperazinyl]-1-propynyl; R4 = OH]. At 5 .times. 10-4 M this inhibited in vitro the formation of malonyldialdehyde, a measure of lipid peroxidn., in rat brain homogeneate by .apprx.47.5%.

MSTR 3



G2 = 97

L12 ANSWER 11 OF 15 MARPAT COPYRIGHT 2002 ACS (Continued)



MPL: claim 13
NTE: the alkylamino and dialkylamino groups in G11 may be interrupted by oxygen, sulfur, or nitrogen

L12 ANSWER 12 OF 15 MARPAT COPYRIGHT 2002 ACS
ACCESSION NUMBER: 113:115677 MARPAT
TITLE: Preparation of androstanone derivatives as drugs
INVENTOR(S): Scholz, Stefan; Neef, Guenter; Ottow, Eckhard; Elger, Walter; Beier, Sybille; Chwalisz, Krzysztof
PATENT ASSIGNEE(S): Schering A.-G., Fed. Rep. Ger.
SOURCE: Eur. Pat. Appl., 38 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 360369	A1	19900328	EP 1989-250040	19890920
EP 360369	B1	19950503		
R: AT, BE, CH, DE, ES, FR, GB, GR, IT, LI, LU, NL, SE				
DE 3832303	A1	19900412	DE 1988-3832303	19880920
IL 91672	A1	19941229	IL 1989-91672	19890918
WO 9003385	A1	19900405	WO 1989-EP1090	19890920
W: AU, DK, FI, HU, JP, NO, US				
AU 8943049	A1	19900418	AU 1989-43049	19890920
AU 640616	B2	19930902		
ZA 8907191	A	19901031	ZA 1989-7191	19890920
DD 284682	A5	19901121	DD 1989-332836	19890920
HU 56851	A2	19911028	HU 1989-5541	19890920
HU 208151	B	19930830		
JP 04501712	T2	19920326	JP 1989-509963	19890920
JP 2760870	B2	19980604		
AT 122052	E	19950515	AT 1989-250040	19890920
ES 2074073	T3	19950901	ES 1989-250040	19890920
NO 9101102	A	19910319	NO 1991-1102	19910319
DK 9100504	A	19910320	DK 1991-504	19910320
US 5244886	A	19930914	US 1991-663819	19910320
NO 9104772	A	19910319	NO 1991-4772	19911204
PRIORITY APPLN. INFO.:			DE 1988-3832303	19880920
			WO 1989-EP1090	19890920
			NO 1991-1102	19910319

OTHER SOURCE(S): CASREACT 113:115677
AB The title compds. [I; Z = O, hydroxyimino; LM = bond, or L = H and M = .alpha.-OH; AB = bond and D = H and R1 = heteroaryl; or A = H and BD = CH2 and Z = H2; R3, R4 = tetrahydropyranyloxyalkyl, tetrahydropyranyloxyalkynyl, etc.], useful as antiglucocorticoids, neoplasm inhibitors (esp. for breast cancer), progestogen inhibitors, and antiproliferative agents, were prepd. 3-(Tetrahydropyran-2-yloxy)-1-propyne was lithiated with BuLi in THF-hexane and the product treated with 14.beta.-androstan-17-one II (R3R4 = O) (prepn. given) to give II (R3 = Q, R4 = OH) treated with 4N HCl to give I [R1 = OMe, R2 = Me, R3 = (CH2)3OH, BD = CH2, LM = bond, Z = O, A = H] (III). III had higher affinity for the gestagen receptor than the known EP-A 0277676 [11.beta.-[4-(dimethylamino)phenyl]-17.alpha.-hydroxy-17-(3-hydroxypropyl)-14.beta.-estra-4,9-dien-3-one].

MSTR 1A

L12 ANSWER 12 OF 15 MARPAT COPYRIGHT 2002 ACS (Continued)



G1 = O
G20 = 45



G28 = alkyl<(1-4)>
MPL: claim 1

L12 ANSWER 13 OF 15 MARPAT COPYRIGHT 2002 ACS
ACCESSION NUMBER: 112:235680 MARPAT
TITLE: Preparation of 13-alkyl-11.beta.-phenylgonanes as antigestagens and antiglucocorticoids
INVENTOR(S): Scholz, Stefan; Ottow, Eckhard; Neef, Guenter; Elger, Walter; Beier, Sybille; Chwalisz, Krzysztof
PATENT ASSIGNEE(S): Schering A.-G., Fed. Rep. Ger.
SOURCE: Ger. Offen., 22 pp.
CODEN: GWXXBX
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 3822770	A1	19900104	DE 1988-3822770	19880701
IL 90826	A1	19940624	IL 1989-90826	19890630
CA 1334668	A1	19950307	CA 1989-604596	19890630
EP 349481	A1	19900103	EP 1989-730155	19890703
EP 349481	B1	19951102		
R: AT, BE, CH, DE, ES, FR, GB, GR, IT, LI, LU, NL, SE				
WO 9000174	A1	19900111	WO 1989-DE443	19890703
W: AU, FI, HU, JP, NO				
AU 8938568	A1	19900123	AU 1989-38568	19890703
AU 644060	B2	19931202		
ZA 8905058	A	19900425	ZA 1989-5058	19890703
DD 287511	A5	19910228	DD 1989-330342	19890703
HU 56114	A2	19910729	HU 1989-4130	19890703
HU 208021	B	19930728		
DD 295638	A5	19911107	DD 1989-341722	19890703
JP 03505727	T2	19911212	JP 1989-507188	19890703
JP 2956776	B2	19991004		
US 5273971	A	19931228	US 1989-374809	19890703
AT 129717	E	19951115	AT 1989-730155	19890703
ES 2080079	T3	19960201	ES 1989-730155	19890703
NO 9005609	A	19910228	NO 1990-5609	19901227
NO 180451	B	19970113		
NO 180451	C	19970423		
US 5446036	A	19950829	US 1993-144474	19931102
FI 9504856	A	19951012	FI 1995-4856	19951012
NO 9600829	A	19910228	NO 1996-829	19960229

PRIORITY APPLN. INFO.: DE 1988-3822770 19880701
US 1989-374809 19890703
WO 1989-DE443 19890703
NO 1990-5609 19901227
FI 1990-6441 19901228

AB The title compds. [I; R1 = heterocyclyl, cycylalkyl, cycloalkenyl, alkenyl, etc.; R2 = .alpha.-, .beta.-Me, -Et; R3,R4 = alkoxy, acyl, oxofuryl, alkynyl, etc.; Z = O, NOH], antigestagens and antiglucocorticoids useful for induction of abortion, were prepd. via Grignard reaction of the corresponding 5.alpha.,10.alpha.-epoxy-9(11) unsatd. steroids with p-R1C6H4X (X = halo). Grignard reaction of epoxy steroid II (prepn. given) with p-CH2:CHC6H4X (X = Br, iodo) gave I [R1 = CH2:CH, R2 = .beta.-Me, R3 = OH, R4 = C.tplbond.CMe, Z = OCH2CMe2CH2O], which was hydrolyzed to give I [Z = O, R1-R4 same as above]. This at 3.0 mg s.c./day induced abortion in 100% of rats tested.

L12 ANSWER 13 OF 15 MARPAT COPYRIGHT 2002 ACS (Continued)

MSTR 1A



G1 = O
G4 = 37



G10 = alkyl<(1-4)>
MPL: claim 1
NTE: substitution is restricted

L12 ANSWER 14 OF 15 MARPAT COPYRIGHT 2002 ACS
ACCESSION NUMBER: 110:213172 MARPAT
TITLE: 13(Alpha)-alkylgonanes, their production, and pharmaceutical preparations containing same
INVENTOR(S): Neef, Guenter; Wiechert, Rudolf; Beier, Sybille; Elger, Walter; Henderson, David
PATENT ASSIGNEE(S): Schering A.-G., Fed. Rep. Ger.
SOURCE: U.S., 5 pp. Cont. of U.S. Ser. No. 621,308.
CODEN: USXXAM
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 4
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 4780461	A	19881025	US 1985-810148	19851218
DE 3321826	A1	19841220	DE 1983-3321826	19830615
DE 3413036	A1	19851017	DE 1984-3413036	19840404
DE 3446661	A1	19860619	DE 1984-3446661	19841218

PRIORITY APPLN. INFO.: DE 1983-3321826 19830615
DE 1984-3413036 19840404
US 1984-621308 19840615
DE 1984-3446661 19841218

OTHER SOURCE(S): CASREACT 110:213172

AB 13.alpha.-Alkylgonanes [I; R = C1-4 acyl; X = O, NOH; II; R1 = amino; R2 = H, Me, Et; R3 = (substituted) alkyl; R4 = OH, alkoxy, alkanoyloxy; or R3R4 = O; R5 = H, alkyl; III; Z = CH2CH2, CH2CMe2CH2], having antigestagenic activity and useful as postcoital contraceptives, or for triggering abortion and menstruation (no data), are prepd. via photochem. epimerization of the 13.beta.-gonanes IV. 11.beta.-(4-Dimethylaminomethyl)-17.alpha.-hydroxy-13.alpha.-methyl-17.beta.-(3-hydroxypropyl)-4,9-gonadien-3-one (V) was acetylated with Ac2O in pyridine to give 11.beta.-(4-dimethylaminomethyl)-17.alpha.-hydroxy-13.alpha.-methyl-17.beta.-(3-acetoxypropyl)-4,9-gonadien-3-one. A tablet was formulated contg. V 10.0, lactose 140.0, corn starch 69.5, polyvinylpyrrolidone 25 2.5, Aerosil 2.0, and Mg stearate 0.5 mg.

L12 ANSWER 14 OF 15 MARPAT COPYRIGHT 2002 ACS (Continued)

GGA = 33 <RC (1), RS (1) M5 (1) X6, EC (O-) O (1-) N (O-) S (O) OTHERQ, AN (1) N, BD (ALL) SE>
DER: and acid addition salts
MPL: claim 18

MSTR 2



G4 = 59

G11 = OH
G12 = 66

L12 ANSWER 15 OF 15 MARPAT COPYRIGHT 2002 ACS
ACCESSION NUMBER: 109:170799 MARPAT
TITLE: Antiprogestinic 11.beta.-aryl-14.beta.-estra-4,9-dien-3-one derivatives, a process for their preparation, and pharmaceuticals containing them
INVENTOR(S): Loozen, Hubert Jan Jozef
PATENT ASSIGNEE(S): AKZO N. V., Neth.
SOURCE: Eur. Pat. Appl., 15 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 277676	A1	19880810	EP 1988-200071	19880118
EP 277676	B1	19920304		
R: AT, BE, CH, DE, ES, FR, GB, GR, IT, LI, NL, SE				
CA 1339570	A1	19971209	CA 1988-556625	19880115
ZA 8800317	A	19880928	ZA 1988-317	19880118
AT 73137	E	19920315	AT 1988-200071	19880118
ES 2031991	T3	19930101	ES 1988-200071	19880118
FI 8800257	A	19880724	FI 1988-257	19880121
FI 89054	B	19930430		
FI 89054	C	19930810		
AU 8810669	A1	19880728	AU 1988-10669	19880121
AU 603637	B2	19901122		
DK 8800304	A	19880724	DK 1988-304	19880122
DK 163307	B	19920217		
DK 163307	C	19920706		
CN 88100979	A	19880817	CN 1988-100979	19880122
CN 1030081	B	19951018		
JP 63216895	A2	19880909	JP 1988-12431	19880122
US 5272140	A	19931221	US 1990-488391	19900227
PRIORITY APPLN. INFO.:			NL 1987-157	19870123
			EP 1988-200071	19880118
			US 1988-146895	19880122

AB Title steroids I [R1 = monosubstituted homo- or heterocyclic aryl; R2 = C1-4 alkyl; R3, R4 = H, OH, C1-18 acyloxy, C2-8 alkoxyalkyl, C1-8 acyl, C1-12 alkoxy, (un)satd. (un)substituted C1-8 hydrocarbyl; R3R4 = C1-6 alkylidene, or atoms needed to form ring; .DELTA.16 optionally present, with R3 or R4 absent], having strong antiprogestinic activity, are prepd. Estrone 3-Me ether was brominated, dehydrobrominated, and hydrogenated to give the isomeric 14.beta.-estrone 3-Me ether. This underwent NaBH4 redn., Birch redn., hydrolysis, and bromination-dehydrobromination to give 17.alpha.-hydroxy-14.beta.-estra-4,9-dien-3-one. The latter was ketalized at the 3-position, oxidized to the 17-one, alkynylated at the 17-position by the tetrahydropyranyl ether of propargyl alc., epoxidized to the 5.alpha.,10.alpha.-epoxide, coupled with 4-(Me2N)C6H4MgBr in the presence of CuCl, hydrogenated in the side chain, hydrolyzed and dehydrated, and cyclized in the sidechain by tosylation in pyridine to give (dimethylaminophenyl)dihydrospiro(estradienefuran)one II. At 1 mg orally, twice daily in pregnant rats on days 6-10, II caused 100% pregnancy interception, but only slightly reversed dexamethasone-induced thymus wt. redn. in rats.

L12 ANSWER 15 OF 15 MARPAT COPYRIGHT 2002 ACS (Continued)
MSTR 1B



G1 = biphenylyl (SR)
G6 = 37

GGA = 27 31 <(1-10)>
GGA = 37 <(1-8)>
MPL: claim 1

```
=> d his

     (FILE 'HOME' ENTERED AT 12:02:25 ON 09 AUG 2002)

     FILE 'REGISTRY' ENTERED AT 12:02:30 ON 09 AUG 2002
L1                STRUCTURE UPLOADED
L2             23 S L1
L3                STRUCTURE UPLOADED
L4             12 S L3
L5            176 S L3 FULL

     FILE 'USPATFULL' ENTERED AT 12:05:46 ON 09 AUG 2002
L6              3 S L5

     FILE 'CAPLUS' ENTERED AT 12:07:33 ON 09 AUG 2002
L7              7 S L5
L8              0 S L7 NOT L6

     FILE 'USPATFULL' ENTERED AT 12:10:05 ON 09 AUG 2002

     FILE 'BEILSTEIN' ENTERED AT 12:11:15 ON 09 AUG 2002
L9              0 S L3 FULL

     FILE 'CAOLD' ENTERED AT 12:11:34 ON 09 AUG 2002
L10             0 S L5

     FILE 'MARPAT' ENTERED AT 12:11:43 ON 09 AUG 2002
L11            20 S L5 FULL
L12            15 S L11 NOT L7
```

L9 ANSWER 1 OF 12 MARPAT COPYRIGHT 2000 ACS
ACCESSION NUMBER: 131:199885 MARPAT
TITLE: Preparation of 20-keto-11.beta.-arylsteroids and their derivatives having agonist or antagonist hormonal properties
INVENTOR(S): Cook, C. Edgar; Kepler, John A.; Zhang, Ping-sheng; Lee, Yue-wei; Tallent, C. Ray
PATENT ASSIGNEE(S): Research Triangle Institute, USA
SOURCE: PCT Int. Appl., 95 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9945022	A1	19990910	WO 1999-US3732	19990305

W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
RW: GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG

PRIORITY APPLN. INFO.: US 1998-35949 19980306

AB 20-Keto-11.beta.-arylsteroids of formula I [X = O, (substituted) NOH, H2, OH, etc.; R1 = dialkylamino, imidazolyl, pyrrolyl, piperidino, etc.; R2 = H, halo; R3 = H, Me, halo; R4 = H, acyloxy, (substituted) OH, alkyl, etc.; R5 = H, alkyl, halo, acyloxy, etc.] are prepd. which exhibit potent antiprogestational activity. Thus, II was prepd. from 17.alpha.-hydroxymethyl-3-methoxy-19-norpregna-1,3,5(10)-trien-20-one and 4-bromo-N,N-dimethylaniline in several steps. The affinity of II for the progesterone hormone receptor was IC50 of 0.7 nM.

MSTR 1A

L9 ANSWER 1 OF 12 MARPAT COPYRIGHT 2000 ACS (Continued)



G2 = phenylene (SO (1) G3)
G14 = 128

G27 = OCHO
G29 = OCHO
DER: and pharmaceutically acceptable salts
MPL: claim 1
NTE: substitution is restricted; also incorporates claim 3

L9 ANSWER 2 OF 12 MARPAT COPYRIGHT 2000 ACS
ACCESSION NUMBER: 127:358992 MARPAT
TITLE: Preparation of 21-substituted progesterone derivatives as new antiprogestational agents
INVENTOR(S): Kim, Hyun K.; Blye, Richard P.; Rao, Pemmaraju N.; Cessac, James W.; Acosta, Carmie K.
PATENT ASSIGNEE(S): United States Dept. of Health and Human Services, USA; Kim, Hyun K.; Blye, Richard P.; Rao, Pemmaraju N.; Cessac, James W.; Acosta, Carmie K.
SOURCE: PCT Int. Appl., 65 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9741145	A1	19971106	WO 1997-US7373	19970430

W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
RW: GH, KE, LS, MW, SD, SZ, UG, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG

CA 2253673	AA	19971106	CA 1997-2253673	19970430
AU 9729304	A1	19971119	AU 1997-29304	19970430
EP 900234	A1	19990310	EP 1997-923523	19970430

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI

PRIORITY APPLN. INFO.: US 1996-16628 19960501
WO 1997-US7373 19970430

AB Progesterone derivs. of formula I [R1 = OMe, SMe, NMe2, NHMe, CHO, Ac, CHOHCH3; R2 = halo, alkyl, acyl, OH, alkoxy, etc.; R3 = OH, alkyl, alkoxy, acyloxy; R4 = H, alkyl; X = O, (substituted) NOH] are prepd. as antiprogestational agents. The present invention provides methods wherein the compds. of formula I are advantageously used, inter alia, to antagonize endogenous progesterone; to induce menses; to treat endometriosis; to treat dysmenorrhea; to treat endocrine hormone-dependent tumors; to treat uterine fibroids; to inhibit uterine endometrial proliferation; to induce labor; and for contraception. Thus, II was prepd. from 3,3-ethylenedioxy-17.beta.-cyano-17.alpha.-hydroxyestra-5(10),9(11)-diene and 4-bromo-N,N-dimethylaniline in 9 steps. II showed

L9 ANSWER 2 OF 12 MARPAT COPYRIGHT 2000 ACS (Continued)
2.79 times the antiprogestational potency in the antiClauberg test compared to CDB-2914.

MSTR 1



G2 = 29

G3 = alkyl<(1-6)> (SO)
G8 = 46

MPL: claim 1

L9 ANSWER 3 OF 12 MARPAT COPYRIGHT 2000 ACS
ACCESSION NUMBER: 122:256423 MARPAT
TITLE: Antiglucocorticoid steroids for the treatment of anxiety disorders
INVENTOR(S): Peeters, Bernardus Wynand Machijs Maria
PATENT ASSIGNEE(S): Akzo Nobel N.V., Neth.
SOURCE: PCT Int. Appl., 25 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9504536	A1	19950216	WO 1994-EP2513	19940728
W: AM, AU, BB, BG, BR, BY, CA, CN, CZ, FI, GE, HU, JP, KG, KP, KR, KZ, LK, LT, LV, MD, MG, MN, NO, NZ, PL, RO, RU, SI, SK, TJ, TT, UA, US, UZ, VN				
RW: KE, MW, SD, AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
AU 9474968	A1	19950228	AU 1994-74968	19940728
AU 687088	B2	19980219		
EP 712311	A1	19960522	EP 1994-924819	19940728
EP 712311	B1	19981007		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, MC, NL, PT, SE				
JP 09501172	T2	19970204	JP 1994-506200	19940728
AT 171873	E	19981015	AT 1994-924819	19940728
ES 2124905	T3	19990216	ES 1994-924819	19940728
US 5741787	A	19980421	US 1996-581631	19960118
PRIORITY APPLN. INFO.:			EP 1993-202304	19930804
			EP 1994-924819	19940728
			WO 1994-EP2513	19940728

AB Antiglucocorticoid steroids are used for the manuf. of a pharmaceutical compn. for the treatment of anxiety disorders. The anxiolytic effect of 11.beta.-(4-dimethylaminophenyl)-17.beta.-hydroxy-17.alpha.-(prop-1-ynyl)-estra-4,9-dien-3-one (RU38486) was demonstrated in animal testing (antagonism of fear-potentiated startle). Prepn. and activity (antagonism of stress-induced hyperthermia) of selected steroids of the invention is also described.

MSTR 1

L9 ANSWER 3 OF 12 MARPAT COPYRIGHT 2000 ACS (Continued)



G7 = 44



G11 = OCHO
G16 = alkylcarbonyl<(1-5)> (SO (1-) G17)
G17 = alkoxy<(1-6)>
G18 = 39

MPL: claim 2

L9 ANSWER 4 OF 12 MARPAT COPYRIGHT 2000 ACS
ACCESSION NUMBER: 116:35156 MARPAT
TITLE: Preparation and use of antiprogestomimetics for synchronization of parturition in livestock
INVENTOR(S): Grandadam, Jean Andre
PATENT ASSIGNEE(S): Roussel-UCLAF, Fr.
SOURCE: Eur. Pat. Appl., 13 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: French
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 446124	A2	19910911	EP 1991-400594	19910305
EP 446124	A3	19920527		
R: AT, BE, CH, DE, DK, FR, GB, GR, IT, LI, LU, NL, SE				
FR 2659233	A1	19910913	FR 1990-2783	19900306
FR 2659233	B1	19940121		
CA 2037549	AA	19910907	CA 1991-2037549	19910305
AU 9172608	A1	19910912	AU 1991-72608	19910305
AU 642975	B2	19931104		
ZA 9101603	A	19920527	ZA 1991-1603	19910305
JP 04211610	A2	19920803	JP 1991-62496	19910305
RU 2037295	C1	19950619	RU 1991-4895041	19910305
CN 1055665	A	19911030	CN 1991-102108	19910306
HU 59006	A2	19920428	HU 1991-729	19910306
PRIORITY APPLN. INFO.:			FR 1990-2783	19900306

AB The title antiprogestomimetics are I (R1 = C1-18 hydrocarbyl optionally substituted with .gtoreq.1 heteroatoms and bonded to the steroid by a C; R2 = C1-8 hydrocarbyl; X = remainder of 5- and 6-membered ring optionally substituted and optionally unsatd.; C = A = CNOH, oxo (free or blocked as ketal), etc.; B and C together form a double bond or epoxide bridge) and acid addn. salts thereof. Prepn. of 2 I are described. 17.beta.-Hydroxy-11.beta.-(4-dimethylaminophenyl)-17.alpha.-(prop-1-ynyl)estra-4,9-dien-3-one (II) was more effective at synchronizing parturition than cloprostenol when tested in sows. Injectable pharmaceuticals contg. II are disclosed.

MSTR 1C



L9 ANSWER 4 OF 12 MARPAT COPYRIGHT 2000 ACS (Continued)
G1 = 30



G3 = 55-13 57-14



G9 = 43



G15 = alkylcarbonyloxy<(1-8)>
DER: and protected derivatives
DER: and acid addition salts
MPL: claim 1

L9 ANSWER 5 OF 12 MARPAT COPYRIGHT 2000 ACS
ACCESSION NUMBER: 115:214857 MARPAT
TITLE: Injectable microspheres containing antiestrogenic and
antiprogestomimetic steroids
INVENTOR(S): Cohen, Gerard; Dubois, Jean Luc
PATENT ASSIGNEE(S): Roussel-UCLAF, Fr.
SOURCE: Ger. Offen., 15 pp.
CODEN: GWXXBX
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 4036425	A1	19910516	DE 1990-4036425	19901115
FR 2654337	A1	19910517	FR 1989-14976	19891115
FR 2654337	B1	19940805		
SE 9003570	A	19910516	SE 1990-3570	19901109
BE 1005511	A4	19930831	BE 1990-1062	19901109
DK 9002709	A	19910516	DK 1990-2709	19901113
CA 2029940	AA	19910516	CA 1990-2029940	19901114
JP 03294229	A2	19911225	JP 1990-306374	19901114
CH 681691	A	19930514	CH 1990-3611	19901114
NL 9002492	A	19910603	NL 1990-2492	19901115
GB 2239798	A1	19910717	GB 1990-24862	19901115
GB 2239798	B2	19931027		
AT 9002313	A	19950415	AT 1990-2313	19901115
AT 400298	B	19951127		

PRIORITY APPLN. INFO.: FR 1989-14976 19891115
AB Biodegradable microspheres comprise the title steroids (Markush given) and
copolymers of lactic acid with glycolic acid. A mixt. of 250 mL aq. 0.3%
hydrolyzed PVA soln., 1 g poly(DL-lactic acid-glycolic acid), 17 g CH2Cl2,
and 0.5 g 17.beta.-hydroxy-11.beta.-[4-(dimethylamino)phenyl]-17.alpha.-(1-propynyl)estra-4,9-dien-3-one was emulsified, followed by stirring at 22.degree. and decreasing pressure (.gtoreq.400 mm Hg) to give microspheres, which were used for the prepn. of injections.

MSTR 1A

G1—G3

G1 = 3

L9 ANSWER 5 OF 12 MARPAT COPYRIGHT 2000 ACS (Continued)



G3 = 24



G5 = 68-26 70-27

G9 = 74



G10 = alkylcarbonyloxy<(1-8)> (SO)
G13 = alkylcarbonyloxy<(1-8)>
MPL: claim 6

L9 ANSWER 6 OF 12 MARPAT COPYRIGHT 2000 ACS
ACCESSION NUMBER: 115:151901 MARPAT
TITLE: Use of antiprogestomimetics for stimulating ovulation,
and new preparation for use in pharmaceutical compositions
INVENTOR(S): Grandadam, Jean Andre
PATENT ASSIGNEE(S): Roussel-UCLAF, Fr.
SOURCE: Eur. Pat. Appl., 24 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: French
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 417003	A2	19910313	EP 1990-402449	19900906
EP 417003	A3	19911204		
EP 417003	B1	19940629		
R: AT, BE, CH, DE, DK, FR, GB, IT, LI, LU, NL, SE				
FR 2651435	A1	19910308	FR 1989-11699	19890907
FR 2651435	B1	19940422		
US 5173483	A	19921222	US 1990-578894	19900905
CA 2024728	AA	19910308	CA 1990-2024728	19900906
AU 9062259	A1	19910314	AU 1990-62259	19900907
AU 623805	B2	19920521		
JP 03099015	A2	19910424	JP 1990-236004	19900907

PRIORITY APPLN. INFO.: FR 1989-11699 19890907
AB Anti-progestomimetic compds., e.g. I [R1 = C1-18 hydrocarbyl with optionally .gtoreq.1 heteroatoms, bonded to the steroid by a C; R2 = C1-8
hydrocarbyl; X = rest of 5- or 6-membered (substituted) (unsatd.) ring;
A:C = oxo (free or in ketal), CH(OH), CH(OR3), CH(O2CR3), etc.; R3 = C1-8
alkyl, C7-15 aralkyl; B and C together form a double bond or epoxide bridge] and their acid and base addn. salts, are used for making pharmaceuticals for stimulating ovulation, e.g. in cows. The compds. of
the invention are preferably used following treatment with progesterone or
a progestomimemetic, e.g. 3-oxo-17.alpha.-allyl-17.beta.-hydroxyestra-4,9,11-triene (II). Thus, heifer cows were 1st administered II for 17 days; on the day following the last administration, the animals were injected with
17.beta.-hydroxy-11.beta.-(4-dimethylaminophenyl)-17.alpha.-(prop-1-ynyl)estra-4,9-dien-3-one. All of the heifers came to heat after
a very short delay period, and LH levels rose very rapidly. Prepn. of 12
anti-progestomimetics is presented.

MSTR 1E

L9 ANSWER 6 OF 12 MARPAT COPYRIGHT 2000 ACS (Continued)



G1 = 85



G12 = alkylcarbonyloxy<(1-8)> (SO (1-) aryl) / 96



G14 = 98

G15 = alkylcarbonyloxy<(1-8)> (SO (1-) aryl)
DER: or acid or base addition salts
MPL: claim 2
NTE: oxo formed by G5 and G6 may be protected as a ketal

L9 ANSWER 7 OF 12 MARPAT COPYRIGHT 2000 ACS
ACCESSION NUMBER: 115:9125 MARPAT
TITLE: Preparation of .omega.-[(3-oxoestra-4,9-dien-11.beta.-yl)phenylamino]alkanoates as antiglucocorticoids
INVENTOR(S): Moguilewsky, Martine; Nedelec, Lucien; Nique, Francois; Philibert, Daniel
PATENT ASSIGNEE(S): Roussel-UCLAF, Fr.
SOURCE: Eur. Pat. Appl., 33 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: French
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 414606	A2	19910227	EP 1990-402328	19900822
EP 414606	A3	19910724		
EP 414606	B1	19941102		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE				
FR 2651233	A1	19910301	FR 1989-11173	19890823
FR 2651233	B1	19911213		
CA 2022648	AA	19910224	CA 1990-2022648	19900803
ZA 9006341	A	19911030	ZA 1990-6341	19900810
US 5166146	A	19921124	US 1990-568597	19900816
JP 03090097	A2	19910416	JP 1990-217281	19900820
IL 95451	A1	19950731	IL 1990-95451	19900821
AU 9061189	A1	19910228	AU 1990-61189	19900822
AU 634569	B2	19930225		
HU 54706	A2	19910328	HU 1990-5275	19900822
HU 208154	B	19930830		
ES 2063313	T3	19950101	ES 1990-402328	19900822
CN 1051362	A	19910515	CN 1990-107161	19900823
CN 1033808	B	19970115		
RU 2041236	C1	19950809	RU 1992-5011511	19920518

PRIORITY APPLN. INFO.: FR 1989-11173 19890823

AB The title compds. [I; R1 = aliph. hydrocarbyl; R2 = H, (un)substituted alkyl; R5, R6 = H, alkyl; X = atoms to complete an (un)substituted 5- or 6- membered ring; Z = (un)salified CO2H; n = 1-6] were prepd. Thus, aminophenylestradienone II (R = R5 = R6 = H) was condensed with BrCH2CO2Me to give, after sapon., II (R = CH2CO2Na, R5 = R6 = H) which at 10-6M in vitro gave 82% inhibition of uridine incorporation into rat thymocytes.

MSTR 1A

L9 ANSWER 7 OF 12 MARPAT COPYRIGHT 2000 ACS (Continued)



G3 = phenylene
G9 = 39-18 37-17

G10 = (1-2) 45

G13 = alkylcarbonyloxy<(1-8)> / 56

G16 = 68

MPL: claim 1

L9 ANSWER 8 OF 12 MARPAT COPYRIGHT 2000 ACS
ACCESSION NUMBER: 113:115677 MARPAT
TITLE: Preparation of androstanone derivatives as drugs
INVENTOR(S): Scholz, Stefan; Neef, Guenter; Ottow, Eckhard; Elger, Walter; Beier, Sybille; Chwalisz, Krzysztof
PATENT ASSIGNEE(S): Schering A.-G., Fed. Rep. Ger.
SOURCE: Eur. Pat. Appl., 38 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 360369	A1	19900328	EP 1989-250040	19890920
EP 360369	B1	19950503		
R: AT, BE, CH, DE, ES, FR, GB, GR, IT, LI, LU, NL, SE				
DE 3832303	A1	19900412	DE 1988-3832303	19880920
IL 91672	A1	19941229	IL 1989-91672	19890918
WO 9003385	A1	19900405	WO 1989-EP1090	19890920
W: AU, DK, FI, HU, JP, NO, US				
AU 8943049	A1	19900418	AU 1989-43049	19890920
AU 640616	B2	19930902		
ZA 8907191	A	19901031	ZA 1989-7191	19890920
DD 284682	A5	19901121	DD 1989-332836	19890920
HU 56851	A2	19911028	HU 1989-5541	19890920
HU 208151	B	19930830		
JP 04501712	T2	19920326	JP 1989-509963	19890920
JP 2760870	B2	19980604		
AT 122052	E	19950515	AT 1989-250040	19890920
ES 2074073	T3	19950901	ES 1989-250040	19890920
NO 9101102	A	19910319	NO 1991-1102	19910319
DK 9100504	A	19910320	DK 1991-504	19910320
US 5244886	A	19930914	US 1991-663819	19910320
NO 9104772	A	19910319	NO 1991-4772	19911204

PRIORITY APPLN. INFO.: DE 1988-3832303 19880920
WO 1989-EP1090 19890920
NO 1991-1102 19910319

AB The title compds. [I; Z = O, hydroxyimino; LM = bond, or L = H and M = .alpha.-OH; AB = bond and D = H and R1 = heteroaryl; or A = H and BD = CH2 and Z = H2; R3, R4 = tetrahydropyranyloxyalkyl, tetrahydropyranyloxyalkynyl, etc.], useful as antiglucocorticoids, neoplasm inhibitors (esp. for breast cancer), progestogen inhibitors, and antiproliferative agents, were prepd. 3-(Tetrahydropyran-2-yloxy)-1-propyne was lithiated with BuLi in THF-hexane and the product treated with 14.beta.-androstan-17-one II (R3R4 = O) (prepn. given) to give II (R3 = O, R4 = OH) treated with 4N HCl to give I [R1 = OMe, R2 = Me, R3 = (CH2)3OH, BD = CH2, LM = bond, Z = O, A = H] (III). III had higher affinity for the gestagen receptor than the known EP-A 0277676 [11.beta.-[4-

L9 ANSWER 8 OF 12 MARPAT COPYRIGHT 2000 ACS (Continued)

(dimethylamino)phenyl]-.alpha.-hydroxy-17-(3-hydroxypropyl)-14.beta.-estra-4,9-dien-3-one].

MSTR 1A



G20 = 45



G24 = 81



G27 = 81



G28 = 81



G29 = OCHO
G30 = CHO
MPL: claim 1

L9 ANSWER 9 OF 12 MARPAT COPYRIGHT 2000 ACS
ACCESSION NUMBER: 112:235680 MARPAT
TITLE: Preparation of 13-alkyl-11.beta.-phenylgonanes as antigestagens and antiglucocorticoids
INVENTOR(S): Scholz, Stefan; Ottow, Eckhard; Neef, Guenter; Elger,
Walter; Beier, Sybille; Chwalisz, Krzysztof
PATENT ASSIGNEE(S): Schering A.-G., Fed. Rep. Ger.
SOURCE: Ger. Offen., 22 pp.
CODEN: GWXXBX
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 3822770	A1	19900104	DE 1988-3822770	19880701
IL 90826	A1	19940624	IL 1989-90826	19890630
CA 1334668	A1	19950307	CA 1989-604596	19890630
EP 349481	A1	19900103	EP 1989-730155	19890703
EP 349481	B1	19951102		
R: AT, BE, CH, DE, ES, FR, GB, GR, IT, LI, LU, NL, SE				
WO 9000174	A1	19900111	WO 1989-DE443	19890703
W: AU, FI, HU, JP, NO				
AU 8938568	A1	19900123	AU 1989-38568	19890703
AU 644060	B2	19931202		
ZA 8905058	A	19900425	ZA 1989-5058	19890703
DD 287511	A5	19910228	DD 1989-330342	19890703
HU 56114	A2	19910729	HU 1989-4130	19890703
HU 208021	B	19930728		
DD 295638	A5	19911107	DD 1989-341722	19890703
JP 03505727	T2	19911212	JP 1989-507188	19890703
JP 2956776	B2	19991004		
US 5273971	A	19931228	US 1989-374809	19890703
AT 129717	E	19951115	AT 1989-730155	19890703
ES 2080079	T3	19960201	ES 1989-730155	19890703
NO 9005609	A	19910228	NO 1990-5609	19901227
NO 180451	B	19970113		
NO 180451	C	19970423		
US 5446036	A	19950829	US 1993-144474	19931102
FI 9504856	A	19951012	FI 1995-4856	19951012
NO 9600829	A	19910228	NO 1996-829	19960229

PRIORITY APPLN. INFO.: DE 1988-3822770 19880701
US 1989-374809 19890703
WO 1989-DE443 19890703
NO 1990-5609 19901227
FI 1990-6441 19901228

AB The title compds. [I; R1 = heterocyclyl, cycylalkyl, cycloalkenyl, alkenyl, etc.; R2 = .alpha.-, .beta.-Me, -Et; R3,R4 = alkoxy, acyl, oxofuryl, alkynyl, etc.; Z = O, NOH], antigestagens and antiglucocorticoids useful for induction of abortion, were prepd. via Grignard reaction of the corresponding 5.alpha.,10.alpha.-epoxy-9(11)-unsatd. steroids with p-R1C6H4X (X = halo). Grignard reaction of epoxy steroid II (prepn. given) with p-CH2:CHC6H4X (X = Br, iodo) gave I [R1 = CH2:CH, R2 = .beta.-Me, R3 = OH, R4 = C.tplbond.CMe, Z = OCH2CMe2CH2O], which was hydrolyzed to give I [Z = O, R1-R4 same as above]. This at 3.0 mg s.c./day induced abortion in 100% of rats tested.

L9 ANSWER 9 OF 12 MARPAT COPYRIGHT 2000 ACS (Continued)

MSTR 1A



G4 = 37



G7 = 32

G8 = CHO
G10 = alkoxy<(1-4)>
MPL: claim 1
NTE: substitution is restricted

L9 ANSWER 10 OF 12 MARPAT COPYRIGHT 2000 ACS
ACCESSION NUMBER: 111:233356 MARPAT
TITLE: New 11-aryl steroids useful as antiprogestins, their
preparation, and pharmaceuticals containing them
INVENTOR(S): De Jongh, Hendrik Paul; Van Vliet, Nicolaas Pieter
PATENT ASSIGNEE(S): AKZO N. V., Neth.
SOURCE: Eur. Pat. Appl., 10 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 321010	A1	19890621	EP 1988-202678	19881125
EP 321010	B1	19930203		
R: AT, BE, CH, DE, ES, FR, GB, GR, IT, LI, NL, SE				
AT 85342	E	19930215	AT 1988-202678	19881125
ES 2053714	T3	19940801	ES 1988-202678	19881125
ZA 8808996	A	19890830	ZA 1988-8996	19881130
AU 8826469	A1	19890615	AU 1988-26469	19881201
AU 613433	B2	19910801		
US 4921845	A	19900501	US 1988-281582	19881208
CA 1301162	A1	19920519	CA 1988-585297	19881208
DK 8806880	A	19890613	DK 1988-6880	19881209
DK 168444	B1	19940328		
FI 8805717	A	19890613	FI 1988-5717	19881209
FI 89056	B	19930430		
FI 89056	C	19930810		
CN 1034731	A	19890816	CN 1988-108484	19881212
CN 1019807	B	19921230		
JP 01211597	A2	19890824	JP 1988-313643	19881212

PRIORITY APPLN. INFO.: NL 1987-3008 19871212
EP 1988-202678 19881125

AB Aryl steroids I [R1 = aryl substituted by -NXY; X, Y = H, C1-4 hydrocarbyl; or XY = C2-6 hydrocarbyl forming 3- to 7-membered ring; R2 = H, OH, acyloxy, alkoxy, (un)satd. C1-8 hydrocarbyl with .gtoreq.1 OH, oxo, N3, cyano, and/or halo group; R3 = OH, acyloxy, alkoxy, or acyl optionally substituted by OH, alkoxy, acyloxy, or halo; or R2R3 forms ring; R2 .noteq. H or OH when R3 = OH; R4 = Me, Et], which are strong antiprogestins with little or no antiglucocorticoid activity (no data), are prepd. Thus, 7.beta.-methylestr-5-(10)-ene-3,17-dione 3,3-di-Me acetal underwent NaBH4 redn., deketalization, bromination/dehydrobromination, reketalization, and epoxidn., to give 5.alpha.,10.alpha.-epoxy-17.beta.-hydroxy-7.beta.-methylester-9(11)-en-3-one 3,3-ethylene acetal. This underwent CuCl-catalyzed coupling with p-(Me2N)C6H4MgBr, Oppenauer oxidn. of 17-OH, alkynylation with THP-OCH2C.tplbond.CMgBr (THP = tetrahydropyranyl), and deprotection, to give (dimethylaminophenyl)hydroxy(hydroxypropynyl)methylestradienone II.

L9 ANSWER 10 OF 12 MARPAT COPYRIGHT 2000 ACS (Continued)

MSTR 1



G1 = phenylene
G5 = 31



G6 = 31 / 35



G10 = 31



G12 = Ak (SO (1-) G10)
G14 = 42

MPL: claim 1

L9 ANSWER 11 OF 12 MARPAT COPYRIGHT 2000 ACS
ACCESSION NUMBER: 110:213172 MARPAT
TITLE: 13(Alpha)-alkylgonanes, their production, and pharmaceutical preparations containing same
INVENTOR(S): Neef, Guenter; Wiechert, Rudolf; Beier, Sybille; Elger, Walter; Henderson, David
PATENT ASSIGNEE(S): Schering A.-G., Fed. Rep. Ger.
SOURCE: U.S., 5 pp. Cont. of U.S. Ser. No. 621,308.
CODEN: USXXAM
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 4
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 4780461	A	19881025	US 1985-810148	19851218
DE 3321826	A1	19841220	DE 1983-3321826	19830615
DE 3413036	A1	19851017	DE 1984-3413036	19840404
DE 3446661	A1	19860619	DE 1984-3446661	19841218
PRIORITY APPLN. INFO.:			DE 1983-3321826	19830615
			DE 1984-3413036	19840404
			US 1984-621308	19840615
			DE 1984-3446661	19841218

AB 13.alpha.-Alkylgonanes [I; R = C1-4 acyl; X = O, NOH; II; R1 = amino; R2 = H, Me, Et; R3 = (substituted) alkyl; R4 = OH, alkoxy, alkanoyloxy; or R3R4 = O; R5 = H, alkyl; III; Z = CH2CH2, CH2CMe2CH2], having antigestagenic activity and useful as postcoital contraceptives, or for triggering abortion and menstruation (no data), are prepd. via photochem. epimerization of the 13.beta.-gonanes IV. 11.beta.-(4-Dimethylaminomethyl)-17.alpha.-hydroxy-13.alpha.-methyl-17.beta.-(3-hydroxypropyl)-4,9-gonadien-3-one (V) was acetylated with Ac2O in pyridine to give 11.beta.-(4-dimethylaminomethyl)-17.alpha.-hydroxy-13.alpha.-methyl-17.beta.-(3-acetoxypropyl)-4,9-gonadien-3-one. A tablet was formulated contg. V 10.0, lactose 140.0, corn starch 69.5, polyvinylpyrrolidone 25 2.5, Aerosil 2.0, and Mg stearate 0.5 mg.

MSTR 2



L9 ANSWER 11 OF 12 MARPAT COPYRIGHT 2000 ACS (Continued)

G4 = 59



G8 = alkylcarbonyloxy<(1-3)>
G11 = alkoxy<(1-4)>
G12 = 66

GGA = 33 <RC (1), RS (1) M5 (1) X6, EC (0-) O (1-) N (0-) S (0) OTHERQ, AN (1) N, BD (ALL) SE>
DER: and acid addition salts
MPL: claim 18

L9 ANSWER 12 OF 12 MARPAT COPYRIGHT 2000 ACS
ACCESSION NUMBER: 110:95624 MARPAT
TITLE: Preparation of novel 11-arylestrane and 11-arylpregnane derivatives as antiprogestins with low or no antiglucocorticoid activity
INVENTOR(S): Groen, Marinus Bernard; De Jongh, Hendrik Paul
PATENT ASSIGNEE(S): AKZO N. V., Neth.
SOURCE: Eur. Pat. Appl., 11 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 289073	A1	19881102	EP 1988-200689	19880412
EP 289073	B1	19911127		
R: AT, BE, CH, DE, ES, FR, GB, GR, IT, LI, NL, SE				
AT 69820	E	19911215	AT 1988-200689	19880412
ES 2045082	T3	19940116	ES 1988-200689	19880412
ZA 8802643	A	19881130	ZA 1988-2643	19880414
FI 8801826	A	19881025	FI 1988-1826	19880419
FI 88396	B	19930129		
FI 88396	C	19930510		
US 4871724	A	19891003	US 1988-183851	19880420
CA 1297472	A1	19920317	CA 1988-564606	19880420
DK 8802218	A	19881025	DK 1988-2218	19880422
DK 168294	B1	19940307		
AU 8815072	A1	19881027	AU 1988-15072	19880422
AU 608831	B2	19910418		
JP 63280097	A2	19881117	JP 1988-100010	19880422
CN 88102416	A	19881214	CN 1988-102416	19880423
CN 1019978	B	19930303		
PRIORITY APPLN. INFO.:			NL 1987-970	19870424
			EP 1988-200689	19880412

AB The title compds. [I; R1 = aminoaryl; R2 = C1-4 alkyl; R3 = H, OH, substituted (unsatd.) C1-8 hydrocarbyl; R4 = OH, acyloxy, substituted acyl; R3R4 = atoms to complete a ring; R5 = C1-4 hydrocarbyl) useful as antiprogestins (no data) were prepd. 5.alpha.,6.alpha.-Epoxy-11.beta.-hydroxyestrane-3,17-dione-3,17-diethylene acetal (prepn. given) was treated with MeMgCl in PhMe/THF and the product was dehydrated with POCl3/pyridine to give 6-.beta.-methylestra-5(10),9(11)-diene-3,17-dione-3,17-diethylene acetal. The latter was converted in several steps to 11.beta.-[4-(dimethylamino)phenyl]-17.beta.-hydroxy-17.alpha.-(3-hydroxy-1-propynyl)-6.beta.-methylestra-4,9-diene-3-one.

MSTR 1

L9 ANSWER 12 OF 12 MARPAT COPYRIGHT 2000 ACS (Continued)



G1 = 63 / 64 / 65

G5 = 25

G6 = alkylcarbonyloxy (SR (1-) G12)
G7 = alkylcarbonyl (SO (1-) G10)
G10 = alkylcarbonyloxy (SR (1-) G12)
GGA = 69 <(1-7)>
MPL: claim 1

```
=> d his

     (FILE 'HOME' ENTERED AT 14:34:24 ON 07 JAN 2000)

     FILE 'REGISTRY' ENTERED AT 14:34:49 ON 07 JAN 2000
                ACTIVATE
               ---------
L1              STR
L2            41 SEA FILE=REGISTRY SSS FUL L1
               ---------
L3              STRUCTURE UPLOADED
L4             0 S L3
L5             6 S L3 FULL

     FILE 'CAPLUS' ENTERED AT 14:36:30 ON 07 JAN 2000
L6             1 S L5

     FILE 'USPATFULL' ENTERED AT 14:36:48 ON 07 JAN 2000
L7             0 S L5

     FILE 'BEILSTEIN' ENTERED AT 14:37:03 ON 07 JAN 2000
L8             0 S L3 FULL

     FILE 'MARPAT' ENTERED AT 14:37:24 ON 07 JAN 2000
L9            12 S L5 FULL
L10           12 S L9 NOT PY>=1996
```

=> d ibib ab hitstr 1-7

L4 ANSWER 1 OF 7 CAPLUS COPYRIGHT 2003 ACS
ACCESSION NUMBER: 2002:211446 CAPLUS
DOCUMENT NUMBER: 137:28399
TITLE: CDB-4124 and its putative monodemethylated metabolite, CDB-4453, are potent antiprogestins with reduced antiglucocorticoid activity: in vitro comparison to mifepristone and CDB-2914
AUTHOR(S): Attardi, Barbara J.; Burgenson, Janet; Hild, Sheri A.; Reel, Jerry R.; Blye, Richard P.
CORPORATE SOURCE: Molecular Endocrinology Laboratory, BIOQUAL, Inc., Rockville, MD, 20850, USA
SOURCE: Molecular and Cellular Endocrinology (2002), 188(1-2), 111-123
CODEN: MCEND6; ISSN: 0303-7207
PUBLISHER: Elsevier Science Ireland Ltd.
DOCUMENT TYPE: Journal
LANGUAGE: English

AB To obtain selective antiprogestins, we have examd. the in vitro antiprogestational/antiglucocorticoid properties of two novel compds., CDB-4124 and the putative monodemethylated metabolite, CDB-4453, in transcription and receptor binding assays and compared them to CDB-2914 and mifepristone. All four antiprogestins bound with high affinity to rabbit uterine progestin receptors (PR) and recombinant human PR-A and PR-B (rhPR-A, rhPR-B) and were potent inhibitors of R5020-induced transactivation of the PRE2-tk-luciferase (PRE2-tk-LUC) reporter plasmid and endogenous alk. phosphatase prodn. in T47D-CO human breast cancer cells. None of these compds. exhibited agonist activity in these cells. Induction of luciferase activity was potentiated about five-fold by 8-Br-cAMP under basal conditions and to the same extent in the presence of the PR antagonists. Mifepristone bound to rabbit thymic glucocorticoid receptors (GR) with approx. twice the avidity of the CDB antiprogestins. Inhibition of GR-mediated transcription of PRE2-tk-LUC was assessed in HepG2 human hepatoblastoma cells. Mifepristone exhibited greater antiglucocorticoid activity than CDB-2914, 4124, and 4453, about 12-, 22-, and 185-fold, resp. Thus, while there was a good correlation between binding to PR and functional activity of these antiprogestins, GR binding was not predictive of their glucocorticoid antagonist activity. In agreement with our in vivo results, CDB-4124 and CDB-4453, as well as CDB-2914, are potent antiprogestins in vitro, but show considerably less antiglucocorticoid activity than mifepristone.

IT **198414-31-2**, CDB-4124 **365416-28-0**, CDB 4453
RL: PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(CDB-4124 and putative monodemethylated metabolite, CDB-4453, are potent antiprogestins with reduced antiglucocorticoid activity in transcription and receptor binding assays)

RN 198414-31-2 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-methoxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 1 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)



RN 365416-28-0 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-21-methoxy-11-[4-(methylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



REFERENCE COUNT: 36 THERE ARE 36 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2003 ACS
ACCESSION NUMBER: 2001:747811 CAPLUS
DOCUMENT NUMBER: 135:304062
TITLE: Preparation of 17.alpha.-substituted-11.beta.-substituted-4-aryl and 21-substituted 19-norpregna-4,9-diene-3,20-dione derivatives as new antiprogestational agents
INVENTOR(S): Kim, Hyun K.; Blye, Richard P.; Rao, Pemmaraju N.; Cessac, James W.; Acosta, Carmie K.; Simmons, Anne Marie
PATENT ASSIGNEE(S): Secretary of Health and Human Services, USA
SOURCE: PCT Int. Appl., 171 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001074840	A2	20011011	WO 2001-US8681	20010316
WO 2001074840	A3	20020502		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
AU 2001045849	A5	20011015	AU 2001-45849	20010316
EP 1265911	A2	20021218	EP 2001-918812	20010316
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				

PRIORITY APPLN. INFO.: US 2000-526855 A 20000317
WO 2001-US8681 W 20010316

OTHER SOURCE(S): MARPAT 135:304062

AB 19-Norpregna-4,9-diene-3,20-dione derivs. [I; R1 = OMe, SMe, NMe2, NHMe, NC4H8, NC5H10, NC4H8O, CHO, CH(OH)Me, C(O)Me, O(CH2)2NMe2, and -O(CH2)2NC5H10; R2 = H, halogen, alkyl, acyl, hydroxy, alkoxy, acyloxy, alkylcarbonate, cypionyloxy, S-alkyl, -SCN, S-acyl and -OC(O)R6; R6 = alkyl, alkoxy ester, alkoxy; R3 = alkyl, hydroxy, alkoxy and acyloxy; R4 = H, alkyl; X = O, (substituted) NOH] were prepd as antiprogestational agents. The present invention provides methods wherein I were advantageously used, inter alia, to antagonize endogenous progesterone; to induce menses; to treat endometriosis; to treat dysmenorrhea; to treat endocrine hormone-dependent tumors; to treat meningiomas; to treat uterine leiomyomas; to treat uterine fibroids; to inhibit uterine endometrial proliferation; to induce cervical ripening; to induce labor; and for contraception. Thus, norpregnadienedione deriv. II was prepd. from 3,3-ethylenedioxy-17.beta.-cyano-17.alpha.-hydroxyestra-5(10),9(11)-diene and 4-bromo-N,N-dimethylaniline in 9 steps which showed 2.79 times the antiprogestational potency in the antiClauberg test compared to CDB-2914.

IT **198414-09-4P**, CDB 4102 **198414-31-2P**, CDB 4124
198414-39-0P, CDB 4167 **365416-60-0P**
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
(prepn. of 17.alpha.-substituted-11.beta.-substituted-4-aryl and 21-substituted 19-norpregnadienedione as new antiprogestational agents)

L4 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)

RN 198414-09-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetylthio)-11-[4-(dimethylamino)phenyl]-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-31-2 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-methoxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-39-0 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-ethoxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 365416-60-0 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-17,21-

L4 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)
dimethoxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



IT **198414-03-8P**, CDB 4058 **198414-05-0P**, CDB 3876
198414-07-2P, CDB 4059 **198414-11-8P**, CDB 4101
198414-22-1P, CDB 4030 **198414-33-4P**, CDB 4125
198414-34-5P, CDB 4152 **198414-41-4P** **198414-43-6P**
, CDB 4031 **365415-80-1P** **365416-26-8P**
365416-28-0P **365416-50-8P** **365416-51-9P**
365416-52-0P **365416-53-1P** **365416-58-6P**
365416-59-7P **365416-61-1P** **365416-62-2P**
365416-63-3P **365416-64-4P** **365416-65-5P**
365416-66-6P **365416-67-7P** **365416-68-8P**
365416-69-9P **365416-70-2P** **365416-71-3P**
365416-72-4P **365416-73-5P** **365416-74-6P**
365416-75-7P
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(prepn. of 17.alpha.-substituted-11.beta.-substituted-4-aryl and 21-substituted 19-norpregnadienedione as new antiprogestational agents)

RN 198414-03-8 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-fluoro-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-05-0 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-21-chloro-11-[4-

L4 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)
(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-07-2 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17,21-bis(acetyloxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-11-8 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-21-(acetylthio)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-22-1 CAPLUS

L4 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)
CN Estra-4,9-dien-3-one, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-17-(1-oxopropyl)-, (11.beta.,17.alpha.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).



RN 198414-33-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-21-(3-cyclopentyl-1-oxopropoxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-34-5 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-41-4 CAPLUS

L4 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-methoxy-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 198414-43-6 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-21-bromo-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 365415-80-1 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17,21-bis(acetyloxy)-11-[4-(dimethylamino)phenyl]-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 365416-26-8 CAPLUS

L4 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-17,21-dimethoxy-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 365416-28-0 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-21-methoxy-11-[4-(methylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 365416-50-8 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-(4-acetylphenyl)-21-(acetylthio)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L4 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)



RN 365416-58-6 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17,21-bis(acetyloxy)-11-[4-(1-piperidinyl)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 365416-59-7 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17,21-bis(acetyloxy)-11-(4-acetylphenyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 365416-61-1 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-17-ethoxy-21-methoxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)

RN 365416-51-9 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, -11-(4-acetylphenyl)-17,21-dimethoxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 365416-52-0 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-[2-(dimethylamino)ethoxy]phenyl]-21-methoxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 365416-53-1 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-21-methoxy-11-[4-[2-(1-piperidinyl)ethoxy]phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)



RN 365416-62-2 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17,21-dimethoxy-11-[4-(1-pyrrolidinyl)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 365416-63-3 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17,21-dimethoxy-11-[4-(1-piperidinyl)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 365416-64-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-21-methoxy-11-[4-(1-piperidinyl)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)



RN 365416-65-5 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-(4-acetylphenyl)-21-methoxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 365416-66-6 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-21-methoxy-11-[4-[2-(1-pyrrolidinyl)ethoxy]phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 365416-67-7 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-(1-oxopropoxy)-, (11.beta.)- (9CI) (CA INDEX

L4 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)



RN 365416-70-2 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-(ethenyloxy)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 365416-71-3 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-21-(ethenyloxy)-17-methoxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 365416-72-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-21-(ethenyloxy)-17-ethoxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)
NAME)

Absolute stereochemistry.



RN 365416-68-8 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-[(methoxyacetyl)oxy]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 365416-69-9 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-[(methoxycarbonyl)oxy]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)



RN 365416-73-5 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-thiocyanato-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 365416-74-6 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-17,21-bis(formyloxy)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 365416-75-7 CAPLUS
CN Glycine, N,N-dimethyl-, (11.beta.)-17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-3,20-dioxo-19-norpregna-4,9-dien-21-yl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)



IT **198413-96-6P 198413-97-7P 198413-98-8P**
198413-99-9P 198414-00-5P 198414-21-0P
198414-30-1P 198414-32-3P 198414-38-9P
198414-42-5P 365416-07-5P 365416-08-6P
365416-17-7P 365416-18-8P 365416-19-9P
365416-20-2P 365416-21-3P 365416-22-4P
365416-33-7P 365416-34-8P 365416-35-9P
365416-45-1P 365416-46-2P 365416-47-3P
365416-48-4P 365416-49-5P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(prepn. of 17.alpha.-substituted-11.beta.-substituted-4-aryl and 21-substituted 19-norpregnadienedione as new antiprogestational agents)

RN 198413-96-6 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-chloro-11-[4-(dimethylamino)phenyl]-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198413-97-7 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-(dimethylamino)phenyl]-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)

Absolute stereochemistry.



RN 198414-21-0 CAPLUS
CN Estra-4,9-dien-3-one, 11-[4-(dimethylamino)phenyl]-17-hydroxy-17-(1-oxopropyl)-, (11.beta.,17.alpha.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-30-1 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-17-hydroxy-21-methoxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-32-3 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(3-cyclopentyl-1-oxopropoxy)-11-[4-(dimethylamino)phenyl]-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)



RN 198413-98-8 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-17,21-dihydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198413-99-9 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-17-hydroxy-21-[(methylsulfonyl)oxy]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-00-5 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-21-fluoro-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

L4 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)



RN 198414-38-9 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-21-ethoxy-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-42-5 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-bromo-11-[4-(dimethylamino)phenyl]-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 365416-07-5 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-chloro-17-hydroxy-11-[4-(1-piperidinyl)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)



RN 365416-08-6 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-17-hydroxy-11-[4-(1-piperidinyl)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 365416-17-7 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-hydroxy-21-methoxy-11-[4-(1-piperidinyl)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)



RN 365416-18-8 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-17-hydroxy-21-(1-oxopropoxy)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 365416-19-9 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-[(chloroacetyl)oxy]-11-[4-(dimethylamino)phenyl]-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)



RN 365416-20-2 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-21-[(chloroacetyl)oxy]-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 365416-21-3 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-[(iodoacetyl)oxy]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 365416-22-4 CAPLUS

L4 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-17-hydroxy-21-thiocyanato-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 365416-33-7 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-(4-acetylphenyl)-21-bromo-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 365416-34-8 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-(4-acetylphenyl)-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 365416-35-9 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-(4-acetylphenyl)-21-(acetylthio)-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

L4 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)
Absolute stereochemistry.



RN 365416-45-1 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-(4-acetylphenyl)-17-hydroxy-21-methoxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 365416-46-2 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-[2-(dimethylamino)ethoxy]phenyl]-17-hydroxy-21-methoxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 365416-47-3 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-hydroxy-21-methoxy-11-[4-[2-(1-piperidinyl)ethoxy]phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

L4 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)



IT **365416-23-5P 365416-27-9P**
RL: SPN (Synthetic preparation); PREP (Preparation)
(prepn. of 17.alpha.-substituted-11.beta.-substituted-4-aryl and 21-substituted 19-norpregnadienedione as new antiprogestational agents)
RN 365416-23-5 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-21-(formyloxy)-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 365416-27-9 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17,21-bis(acetyloxy)-11-[4-(methylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L4 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)
Absolute stereochemistry.



RN 365416-48-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-17-hydroxy-21-[(methoxyacetyl)oxy]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 365416-49-5 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-17-hydroxy-21-[(methoxycarbonyl)oxy]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 3 OF 7 CAPLUS COPYRIGHT 2003 ACS
ACCESSION NUMBER: 2001:489415 CAPLUS
DOCUMENT NUMBER: 135:61476
TITLE: Process for the preparation of 17.alpha.-acetoxy-11.beta.-[4-N,N-(dimethylamino)phenyl]-21-methoxy-19-norpregna-4,9-diene-3,20-dione, intermediates useful in the process, and processes for preparing such intermediates
INVENTOR(S): Kim, Hyun Koo; Rao, Pemmaraju N.; Cessac, James W.; Simmons, Anne Marie
PATENT ASSIGNEE(S): United States Dept. of Health and Human Services, USA
SOURCE: PCT Int. Appl., 50 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001047945	A1	20010705	WO 2000-US35479	20001229
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
AU 2001026048	A5	20010709	AU 2001-26048	20001229
EP 1242444	A1	20020925	EP 2000-989551	20001229
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
US 2003060646	A1	20030327	US 2002-169139	20020627
PRIORITY APPLN. INFO.:			US 1999-173470P P	19991229
			WO 2000-US35479 W	20001229

OTHER SOURCE(S): CASREACT 135:61476
AB A process for prepg. the antiprogestational agent, 17.alpha.-acetoxy-11.beta.-[4-N,N-(dimethylamino)phenyl]-21-methoxy-19-norpregna-4,9-dien-3,20-dione (I), intermediates useful in the process, and processes for prepg. such intermediates was described. I was prepd. via a multistep synthetic sequence starting from cynaohydrin II. The synthetic sequence involved replacing the cyanohydrin group of II with a chloroacetyl group and a hydroxyl group; replacing the chloro group of the resulting compd. with an acetoxy group; deacetylating the resulting compd.; selectively ketalizing the resulting compd.; selectively methylating the 21-hydroxy group of the resulting compd.; reducing the 20-keto group of the resulting compd.; epoxidizing the resulting compd.; introducing a N,N-dimethylaminophenyl group at the 11-position and opening the epoxide; deketalizing the resulting compd.; selectively oxidizing the 20-hydroxyl group to a keto group; and acetylating the resulting compd.
IT **198414-30-1P**
RL: IMF (Industrial manufacture); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(process for the prepn. of 17.alpha.-acetoxy-11.beta.-[4-N,N-(dimethylamino)phenyl]-21-methoxy-19-norpregna-4,9-diene-3,20-dione, intermediates useful in the process, and processes for prepg. such intermediates)
RN 198414-30-1 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-17-hydroxy-

L4 ANSWER 3 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)
21-methoxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



IT **198414-31-2P**
RL: IMF (Industrial manufacture); SPN (Synthetic preparation); PREP (Preparation)
(process for the prepn. of 17.alpha.-acetoxy-11.beta.-[4-N,N-(dimethylamino)phenyl]-21-methoxy-19-norpregna-4,9-diene-3,20-dione, intermediates useful in the process, and processes for prepg. such intermediates)
RN 198414-31-2 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-methoxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



REFERENCE COUNT: 7 THERE ARE 7 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS
ACCESSION NUMBER: 2001:185774 CAPLUS
DOCUMENT NUMBER: 134:208009
TITLE: Preparation of 17.beta.-acyl-17.alpha.-propynyl-11.beta.-(cyclic amino)aryl steroids and their derivatives having antagonist hormonal properties
INVENTOR(S): Cook, C. Edgar; Kepler, John A.; O'Reilly, Jill M.
PATENT ASSIGNEE(S): Research Triangle Institute, USA
SOURCE: PCT Int. Appl., 70 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001018025	A2	20010315	WO 2000-US24274	20000905
WO 2001018025	A3	20010920		
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
AU 2000071113	A5	20010410	AU 2000-71113	20000905
EP 1208113	A2	20020529	EP 2000-959867	20000905
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL				
JP 2003508540	T2	20030304	JP 2001-522248	20000905
NO 2002001037	A	20020405	NO 2002-1037	20020301

PRIORITY APPLN. INFO.: US 1999-389212 A 19990903
WO 2000-US24274 W 20000905
OTHER SOURCE(S): MARPAT 134:208009

AB The invention is directed to the prepn. of 17.beta.-acyl-17.alpha.-propynyl steroids of formula I [R1 = heterocycle; R2 = Me, CF3, CH2OH; R3 = H, Me, OMe, OAc, halo; R4 = H, Me, F, Cl; X = O, H2, NOH, NOMe] which exhibit potent antiprogestational activity. Thus, II was prepd. from 17.beta.-cyano-3,3-(ethanediyldioxy)-17.alpha.-trimethylsilyloxy-5(10),9(11)-diene in 8 steps. The anti-McGinty assay for antiprogestational activity shows II to be an exceptionally potent antiprogestational agent with a marked effect at 0.3 .mu.g dose.

IT **328535-36-0P 328535-37-1P 328535-38-2P**
328535-39-3P 328535-40-6P 328535-41-7P
328535-54-2P 328535-55-3P 328535-56-4P
328535-57-5P 328535-58-6P 328535-59-7P
328535-89-3P 328535-90-6P 328535-91-7P
328535-92-8P 328535-94-0P 328535-96-2P
328536-20-5P 328536-22-7P 328536-23-8P
328536-24-9P 328536-25-0P 328536-26-1P
328536-56-7P 328536-57-8P 328536-58-9P
328536-59-0P 328536-60-3P 328536-61-4P
328536-74-9P 328536-75-0P 328536-76-1P
328536-77-2P 328536-78-3P 328536-79-4P
328537-07-1P 328537-08-2P 328537-09-3P

L4 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)
328537-10-6P 328537-11-7P 328537-12-8P
328537-25-3P 328537-27-5P 328537-29-7P
328537-31-1P 328537-33-3P 328537-35-5P
328537-48-0P 328537-49-1P 328537-50-4P
328537-51-5P 328537-52-6P 328537-53-7P
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(prepn. of 17.beta.-acyl-17.alpha.-propynyl-11.beta.-(cyclic amino)arylsteroids with antiprogestational activity)
RN 328535-36-0 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-methoxy-11-[4-(4-morpholinyl)phenyl]-17-(1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 328535-37-1 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-methoxy-11-[4-(4-morpholinyl)phenyl]-17-(3,3,3-trifluoro-1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 328535-38-2 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(3-hydroxy-1-propynyl)-21-methoxy-11-[4-(4-morpholinyl)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)



RN 328535-39-3 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-methoxy-11-[4-(4-morpholinyl)phenyl]-17-(1-propynyl)-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 328535-40-6 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-methoxy-11-[4-(4-morpholinyl)phenyl]-17-(3,3,3-trifluoro-1-propynyl)-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



L4 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)

RN 328535-41-7 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(3-hydroxy-1-propynyl)-21-methoxy-11-[4-(4-morpholinyl)phenyl]-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 328535-54-2 CAPLUS
CN Estra-4,9-dien-3-one, 11-[4-(4-morpholinyl)phenyl]-17-(1-oxopropyl)-17-(1-propynyl)-, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 328535-55-3 CAPLUS
CN Estra-4,9-dien-3-one, 11-[4-(4-morpholinyl)phenyl]-17-(1-oxopropyl)-17-(3,3,3-trifluoro-1-propynyl)-, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)



RN 328535-56-4 CAPLUS
CN Estra-4,9-dien-3-one, 17-(3-hydroxy-1-propynyl)-11-[4-(4-morpholinyl)phenyl]-17-(1-oxopropyl)-, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 328535-57-5 CAPLUS
CN Estra-4,9-dien-3-one, 11-[4-(4-morpholinyl)phenyl]-17-(1-oxopropyl)-17-(1-propynyl)-, 3-oxime, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.

L4 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)



RN 328535-58-6 CAPLUS
CN Estra-4,9-dien-3-one, 11-[4-(4-morpholinyl)phenyl]-17-(1-oxopropyl)-17-(3,3,3-trifluoro-1-propynyl)-, 3-oxime, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 328535-59-7 CAPLUS
CN Estra-4,9-dien-3-one, 17-(3-hydroxy-1-propynyl)-11-[4-(4-morpholinyl)phenyl]-17-(1-oxopropyl)-, 3-oxime, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.

L4 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)



RN 328535-89-3 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-methoxy-11-[4-(1-piperidinyl)phenyl]-17-(1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 328535-90-6 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-methoxy-11-[4-(1-piperidinyl)phenyl]-17-(3,3,3-trifluoro-1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 328535-91-7 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(3-hydroxy-1-propynyl)-21-methoxy-11-

L4 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)
[4-(1-piperidinyl)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 328535-92-8 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-methoxy-11-[4-(1-piperidinyl)phenyl]-17-(1-propynyl)-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 328535-94-0 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-methoxy-11-[4-(1-piperidinyl)phenyl]-17-(3,3,3-trifluoro-1-propynyl)-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.

L4 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)



RN 328535-96-2 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(3-hydroxy-1-propynyl)-21-methoxy-11-[4-(1-piperidinyl)phenyl]-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 328536-20-5 CAPLUS
CN Estra-4,9-dien-3-one, 17-(1-oxopropyl)-11-[4-(1-piperidinyl)phenyl]-17-(1-propynyl)-, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)



RN 328536-22-7 CAPLUS
CN Estra-4,9-dien-3-one, 17-(1-oxopropyl)-11-[4-(1-piperidinyl)phenyl]-17-(3,3,3-trifluoro-1-propynyl)-, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 328536-23-8 CAPLUS
CN Estra-4,9-dien-3-one, 17-(3-hydroxy-1-propynyl)-17-(1-oxopropyl)-11-[4-(1-piperidinyl)phenyl]-, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 328536-24-9 CAPLUS
CN Estra-4,9-dien-3-one, 17-(1-oxopropyl)-11-[4-(1-piperidinyl)phenyl]-17-(1-

L4 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)
propynyl)-, 3-oxime, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 328536-25-0 CAPLUS
CN Estra-4,9-dien-3-one, 17-(1-oxopropyl)-11-[4-(1-piperidinyl)phenyl]-17-(3,3,3-trifluoro-1-propynyl)-, 3-oxime, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 328536-26-1 CAPLUS
CN Estra-4,9-dien-3-one, 17-(3-hydroxy-1-propynyl)-17-(1-oxopropyl)-11-[4-(1-piperidinyl)phenyl]-, 3-oxime, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.

L4 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)



RN 328536-56-7 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-methoxy-17-(1-propynyl)-11-[4-(1-pyrrolidinyl)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 328536-57-8 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-methoxy-11-[4-(1-pyrrolidinyl)phenyl]-17-(3,3,3-trifluoro-1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L4 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)



RN 328536-61-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(3-hydroxy-1-propynyl)-21-methoxy-11-[4-(1-pyrrolidinyl)phenyl]-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 328536-74-9 CAPLUS
CN Estra-4,9-dien-3-one, 17-(1-oxopropyl)-17-(1-propynyl)-11-[4-(1-pyrrolidinyl)phenyl]-, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 328536-75-0 CAPLUS
CN Estra-4,9-dien-3-one, 17-(1-oxopropyl)-11-[4-(1-pyrrolidinyl)phenyl]-17-(3,3,3-trifluoro-1-propynyl)-, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

L4 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)

RN 328536-58-9 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(3-hydroxy-1-propynyl)-21-methoxy-11-[4-(1-pyrrolidinyl)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 328536-59-0 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-methoxy-17-(1-propynyl)-11-[4-(1-pyrrolidinyl)phenyl]-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 328536-60-3 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-methoxy-11-[4-(1-pyrrolidinyl)phenyl]-17-(3,3,3-trifluoro-1-propynyl)-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.

L4 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)
Absolute stereochemistry.



RN 328536-76-1 CAPLUS
CN Estra-4,9-dien-3-one, 17-(3-hydroxy-1-propynyl)-17-(1-oxopropyl)-11-[4-(1-pyrrolidinyl)phenyl]-, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 328536-77-2 CAPLUS
CN Estra-4,9-dien-3-one, 17-(1-oxopropyl)-17-(1-propynyl)-11-[4-(1-pyrrolidinyl)phenyl]-, 3-oxime, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 328536-78-3 CAPLUS
CN Estra-4,9-dien-3-one, 17-(1-oxopropyl)-11-[4-(1-pyrrolidinyl)phenyl]-17-

L4 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)
(3,3,3-trifluoro-1-propynyl)-, 3-oxime, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 328536-79-4 CAPLUS
CN Estra-4,9-dien-3-one, 17-(3-hydroxy-1-propynyl)-17-(1-oxopropyl)-11-[4-(1-pyrrolidinyl)phenyl]-, 3-oxime, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 328537-07-1 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-(4-morpholinyl)phenyl]-17-(1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)



RN 328537-08-2 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-(4-morpholinyl)phenyl]-17-(3,3,3-trifluoro-1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 328537-09-3 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-17-(3-hydroxy-1-propynyl)-11-[4-(4-morpholinyl)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)



RN 328537-10-6 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-(4-morpholinyl)phenyl]-17-(1-propynyl)-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 328537-11-7 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-(4-morpholinyl)phenyl]-17-(3,3,3-trifluoro-1-propynyl)-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.

L4 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)



RN 328537-12-8 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-17-(3-hydroxy-1-propynyl)-11-[4-(4-morpholinyl)phenyl]-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 328537-25-3 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-(1-piperidinyl)phenyl]-17-(1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L4 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)
RN 328537-27-5 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-(1-piperidinyl)phenyl]-17-(3,3,3-trifluoro-1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 328537-29-7 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-17-(3-hydroxy-1-propynyl)-11-[4-(1-piperidinyl)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 328537-31-1 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-(1-piperidinyl)phenyl]-17-(1-propynyl)-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.

L4 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)



RN 328537-48-0 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-17-(1-propynyl)-11-[4-(1-pyrrolidinyl)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 328537-49-1 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-(1-pyrrolidinyl)phenyl]-17-(3,3,3-trifluoro-1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 328537-50-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-17-(3-hydroxy-1-propynyl)-11-[4-(1-pyrrolidinyl)phenyl]-, (11.beta.)- (9CI) (CA INDEX

L4 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)



RN 328537-33-3 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-(1-piperidinyl)phenyl]-17-(3,3,3-trifluoro-1-propynyl)-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 328537-35-5 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-17-(3-hydroxy-1-propynyl)-11-[4-(1-piperidinyl)phenyl]-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.

L4 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)
NAME)

Absolute stereochemistry.



RN 328537-51-5 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-17-(1-propynyl)-11-[4-(1-pyrrolidinyl)phenyl]-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 328537-52-6 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-(1-pyrrolidinyl)phenyl]-17-(3,3,3-trifluoro-1-propynyl)-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



L4 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)

RN 328537-53-7 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-17-(3-hydroxy-1-propynyl)-11-[4-(1-pyrrolidinyl)phenyl]-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



L4 ANSWER 5 OF 7 CAPLUS COPYRIGHT 2003 ACS

ACCESSION NUMBER: 2000:401850 CAPLUS
DOCUMENT NUMBER: 133:17687
TITLE: Preparation of 17.beta.-acyl-17.alpha.-propynyl-11.beta.-arylsteroids and their derivatives having agonist or antagonist hormonal properties
INVENTOR(S): Cook, C. Edgar; Kepler, John A.; O'Reilly, Jill M.
PATENT ASSIGNEE(S): Research Triangle Institute, USA
SOURCE: PCT Int. Appl., 70 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000034306	A1	20000615	WO 1999-US28535	19991203
W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
US 6172052	B1	20010109	US 1998-205395	19981204
CA 2358466	AA	20000615	CA 1999-2358466	19991203
EP 1135403	A1	20010926	EP 1999-964047	19991203
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
NZ 512697	A	20030131	NZ 1999-512697	19991203

PRIORITY APPLN. INFO.: US 1998-205395 A 19981204
WO 1999-US28535 W 19991203
OTHER SOURCE(S): MARPAT 133:17687

AB Novel 17.beta.-acyl-17.alpha.-propynyl steroids of formula I [R1 = NMe2, NHMe, NH2; R2 = Me, CF3, CH2OH; R3 = H, Me, OMe, OAc; R4 = H, Me, F, Cl; X = O, H2, NOH, NOMe] are prepd. which exhibit potent antiprogestational activity. Thus, II was prepd. from estrone in many steps. The relative progesterone binding activity of II was 313% of promegestone.

IT **273208-59-6P 273208-60-9P 273208-61-0P**
273208-62-1P 273208-63-2P 273208-64-3P
273208-77-8P 273208-78-9P 273208-79-0P
273208-80-3P 273208-81-4P 273208-82-5P
273209-12-4P 273209-13-5P 273209-14-6P
273209-15-7P 273209-16-8P 273209-17-9P
273209-30-6P 273209-31-7P 273209-32-8P
273209-33-9P 273209-34-0P 273209-35-1P
273209-67-9P 273209-68-0P 273209-69-1P
273209-70-4P 273209-71-5P 273209-72-6P
273209-85-1P 273209-86-2P 273209-87-3P
273209-88-4P 273209-89-5P 273209-90-8P
273210-18-7P 273210-19-8P 273210-20-1P
273210-21-2P 273210-22-3P 273210-23-4P
273210-36-9P 273210-37-0P 273210-38-1P
273210-39-2P 273210-40-5P 273210-41-6P

L4 ANSWER 5 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)

273210-54-1P 273210-55-2P 273210-56-3P
273210-57-4P 273210-58-5P 273210-59-6P
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(prepn. of 17.beta.-acyl-17.alpha.-propynyl-11.beta.-arylsteroids with antiprogestational activity)

RN 273208-59-6 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-(4-aminophenyl)-21-methoxy-17-(1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273208-60-9 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-(4-aminophenyl)-21-methoxy-17-(3,3,3-trifluoro-1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273208-61-0 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-(4-aminophenyl)-17-(3-hydroxy-1-propynyl)-21-methoxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 5 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)



RN 273208-62-1 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-(4-aminophenyl)-21-methoxy-17-(1-propynyl)-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 273208-63-2 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-(4-aminophenyl)-21-methoxy-17-(3,3,3-trifluoro-1-propynyl)-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 273208-64-3 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-(4-aminophenyl)-17-(3-hydroxy-1-propynyl)-21-methoxy-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.

L4 ANSWER 5 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)



RN 273208-77-8 CAPLUS
CN Estra-4,9-dien-3-one, 11-(4-aminophenyl)-17-(1-oxopropyl)-17-(1-propynyl)-, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273208-78-9 CAPLUS
CN Estra-4,9-dien-3-one, 11-(4-aminophenyl)-17-(1-oxopropyl)-17-(3,3,3-trifluoro-1-propynyl)-, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273208-79-0 CAPLUS
CN Estra-4,9-dien-3-one, 11-(4-aminophenyl)-17-(3-hydroxy-1-propynyl)-17-(1-oxopropyl)-, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

L4 ANSWER 5 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)
Absolute stereochemistry.



RN 273208-80-3 CAPLUS
CN Estra-4,9-dien-3-one, 11-(4-aminophenyl)-17-(1-oxopropyl)-17-(1-propynyl)-, 3-oxime, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 273208-81-4 CAPLUS
CN Estra-4,9-dien-3-one, 11-(4-aminophenyl)-17-(1-oxopropyl)-17-(3,3,3-trifluoro-1-propynyl)-, 3-oxime, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



L4 ANSWER 5 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)
RN 273208-82-5 CAPLUS
CN Estra-4,9-dien-3-one, 11-(4-aminophenyl)-17-(3-hydroxy-1-propynyl)-17-(1-oxopropyl)-, 3-oxime, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 273209-12-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-21-methoxy-17-(1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273209-13-5 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-21-methoxy-17-(3,3,3-trifluoro-1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273209-14-6 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-17-(3-

L4 ANSWER 5 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)
hydroxy-1-propynyl)-21-methoxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273209-15-7 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-21-methoxy-17-(1-propynyl)-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 273209-16-8 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-21-methoxy-17-(3,3,3-trifluoro-1-propynyl)-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 273209-17-9 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-17-(3-

L4 ANSWER 5 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)
hydroxy-1-propynyl)-21-methoxy-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 273209-30-6 CAPLUS
CN Estra-4,9-dien-3-one, 11-[4-(dimethylamino)phenyl]-17-(1-oxopropyl)-17-(1-propynyl)-, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273209-31-7 CAPLUS
CN Estra-4,9-dien-3-one, 11-[4-(dimethylamino)phenyl]-17-(1-oxopropyl)-17-(3,3,3-trifluoro-1-propynyl)-, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L4 ANSWER 5 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)



RN 273209-35-1 CAPLUS
CN Estra-4,9-dien-3-one, 11-[4-(dimethylamino)phenyl]-17-(3-hydroxy-1-propynyl)-17-(1-oxopropyl)-, 3-oxime, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 273209-67-9 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-methoxy-11-[4-(methylamino)phenyl]-17-(1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273209-68-0 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-methoxy-11-[4-(methylamino)phenyl]-17-(3,3,3-trifluoro-1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 5 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)

RN 273209-32-8 CAPLUS
CN Estra-4,9-dien-3-one, 11-[4-(dimethylamino)phenyl]-17-(3-hydroxy-1-propynyl)-17-(1-oxopropyl)-, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273209-33-9 CAPLUS
CN Estra-4,9-dien-3-one, 11-[4-(dimethylamino)phenyl]-17-(1-oxopropyl)-17-(1-propynyl)-, 3-oxime, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 273209-34-0 CAPLUS
CN Estra-4,9-dien-3-one, 11-[4-(dimethylamino)phenyl]-17-(1-oxopropyl)-17-(3,3,3-trifluoro-1-propynyl)-, 3-oxime, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.

L4 ANSWER 5 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)



RN 273209-69-1 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(3-hydroxy-1-propynyl)-21-methoxy-11-[4-(methylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273209-70-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-methoxy-11-[4-(methylamino)phenyl]-17-(1-propynyl)-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 273209-71-5 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-methoxy-11-[4-(methylamino)phenyl]-17-(3,3,3-trifluoro-1-propynyl)-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.

L4 ANSWER 5 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)



RN 273209-72-6 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(3-hydroxy-1-propynyl)-21-methoxy-11-[4-(methylamino)phenyl]-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 273209-85-1 CAPLUS
CN Estra-4,9-dien-3-one, 11-[4-(methylamino)phenyl]-17-(1-oxopropyl)-17-(1-propynyl)-, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273209-86-2 CAPLUS
CN Estra-4,9-dien-3-one, 11-[4-(methylamino)phenyl]-17-(1-oxopropyl)-17-(3,3,3-trifluoro-1-propynyl)-, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

L4 ANSWER 5 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)
(3,3,3-trifluoro-1-propynyl)-, 3-oxime, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 273209-90-8 CAPLUS
CN Estra-4,9-dien-3-one, 17-(3-hydroxy-1-propynyl)-11-[4-(methylamino)phenyl]-17-(1-oxopropyl)-, 3-oxime, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 273210-18-7 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-(4-aminophenyl)-17-(1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273210-19-8 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-(4-aminophenyl)-17-

L4 ANSWER 5 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)
Absolute stereochemistry.



RN 273209-87-3 CAPLUS
CN Estra-4,9-dien-3-one, 17-(3-hydroxy-1-propynyl)-11-[4-(methylamino)phenyl]-17-(1-oxopropyl)-, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273209-88-4 CAPLUS
CN Estra-4,9-dien-3-one, 11-[4-(methylamino)phenyl]-17-(1-oxopropyl)-17-(1-propynyl)-, 3-oxime, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 273209-89-5 CAPLUS
CN Estra-4,9-dien-3-one, 11-[4-(methylamino)phenyl]-17-(1-oxopropyl)-17-

L4 ANSWER 5 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)
(3,3,3-trifluoro-1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273210-20-1 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-(4-aminophenyl)-17-(3-hydroxy-1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273210-21-2 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-(4-aminophenyl)-17-(1-propynyl)-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 273210-22-3 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-(4-aminophenyl)-17-(3,3,3-trifluoro-1-propynyl)-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

L4 ANSWER 5 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)
Absolute stereochemistry.
Double bond geometry unknown.



RN 273210-23-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-(4-aminophenyl)-17-(3-hydroxy-1-propynyl)-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 273210-36-9 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-(dimethylamino)phenyl]-17-(1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L4 ANSWER 5 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)



RN 273210-40-5 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-(dimethylamino)phenyl]-17-(3,3,3-trifluoro-1-propynyl)-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 273210-41-6 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-(dimethylamino)phenyl]-17-(3-hydroxy-1-propynyl)-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 273210-54-1 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-(methylamino)phenyl]-17-(1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

L4 ANSWER 5 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)
RN 273210-37-0 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-(dimethylamino)phenyl]-17-(3,3,3-trifluoro-1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273210-38-1 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-(dimethylamino)phenyl]-17-(3-hydroxy-1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273210-39-2 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-(dimethylamino)phenyl]-17-(1-propynyl)-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.

L4 ANSWER 5 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)
Absolute stereochemistry.



RN 273210-55-2 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-(methylamino)phenyl]-17-(3,3,3-trifluoro-1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273210-56-3 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-17-(3-hydroxy-1-propynyl)-11-[4-(methylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273210-57-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-(methylamino)phenyl]-17-(1-propynyl)-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 5 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)
Double bond geometry unknown.



RN 273210-58-5 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-(methylamino)phenyl]-17-(3,3,3-trifluoro-1-propynyl)-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



RN 273210-59-6 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-17-(3-hydroxy-1-propynyl)-11-[4-(methylamino)phenyl]-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



L4 ANSWER 6 OF 7 CAPLUS COPYRIGHT 2003 ACS
ACCESSION NUMBER: 1999:576939 CAPLUS
DOCUMENT NUMBER: 131:199885
TITLE: Preparation of 20-keto-11.beta.-arylsteroids and their derivatives having agonist or antagonist hormonal properties
INVENTOR(S): Cook, C. Edgar; Kepler, John A.; Zhang, Ping-sheng; Lee, Yue-wei; Tallent, C. Ray
PATENT ASSIGNEE(S): Research Triangle Institute, USA
SOURCE: PCT Int. Appl., 95 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9945022	A1	19990910	WO 1999-US3732	19990305
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
US 6020328	A	20000201	US 1998-35949	19980306
CA 2322862	AA	19990910	CA 1999-2322862	19990305
AU 9928715	A1	19990920	AU 1999-28715	19990305
EP 1060186	A1	20001220	EP 1999-909531	19990305
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
BR 9908598	A	20011002	BR 1999-8598	19990305
JP 2002505334	T2	20020219	JP 2000-534564	19990305
PRIORITY APPLN. INFO.:			US 1998-35949 A	19980306
			WO 1999-US3732 W	19990305

OTHER SOURCE(S): MARPAT 131:199885
AB 20-Keto-11.beta.-arylsteroids of formula I [X = O, (substituted) NOH, H2, OH, etc.; R1 = dialkylamino, imidazolyl, pyrrolyl, piperidino, etc.; R2 = H, halo; R3 = H, Me, halo; R4 = H, acyloxy, (substituted) OH, alkyl, etc.; R5 = H, alkyl, halo, acyloxy, etc.] are prepd. which exhibit potent antiprogestational activity. Thus, II was prepd. from 17.alpha.-hydroxymethyl-3-methoxy-19-norpregna-1,3,5(10)-trien-20-one and 4-bromo-N,N-dimethylaniline in several steps. The affinity of II for the progesterone hormone receptor was IC50 of 0.7 nM.
IT 240806-28-4P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(prepn. of 20-keto-11.beta.-arylsteroids with antiprogestational activity)
RN 240806-28-4 CAPLUS
CN 19,21-Dinorchola-4,9-dien-24-oic acid, 11-[4-(dimethylamino)phenyl]-17-hydroxy-3,20-dioxo-, ethyl ester, (11.beta.)-, trifluoroacetate (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 240806-27-3
CMF C32 H41 N O5

L4 ANSWER 5 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)

REFERENCE COUNT: 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 6 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)
Absolute stereochemistry.



CM 2

CRN 76-05-1
CMF C2 H F3 O2

REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 7 OF 7 CAPLUS COPYRIGHT 2003 ACS
ACCESSION NUMBER: 1997:740250 CAPLUS
DOCUMENT NUMBER: 127:358992
TITLE: Preparation of 21-substituted progesterone derivatives as new antiprogestational agents
INVENTOR(S): Kim, Hyun K.; Blye, Richard P.; Rao, Pemmaraju N.; Cessac, James W.; Acosta, Carmie K.
PATENT ASSIGNEE(S): United States Dept. of Health and Human Services, USA; Kim, Hyun K.; Blye, Richard P.; Rao, Pemmaraju N.; Cessac, James W.; Acosta, Carmie K.
SOURCE: PCT Int. Appl., 65 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9741145	A1	19971106	WO 1997-US7373	19970430
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, KE, LS, MW, SD, SZ, UG, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
CA 2253673	AA	19971106	CA 1997-2253673	19970430
AU 9729304	A1	19971119	AU 1997-29304	19970430
AU 710139	B2	19990916		
EP 900234	A1	19990310	EP 1997-923523	19970430
EP 900234	B1	20000705		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
AT 194358	E	20000715	AT 1997-923523	19970430
JP 2000509396	T2	20000725	JP 1997-539232	19970430
ES 2152671	T3	20010201	ES 1997-923523	19970430
US 2002025951	A1	20020228	US 1999-180132	19990524

PRIORITY APPLN. INFO.: US 1996-16628P P 19960501
WO 1997-US7373 W 19970430
OTHER SOURCE(S): MARPAT 127:358992

AB Progesterone derivs. of formula I [R1 = OMe, SMe, NMe2, NHMe, CHO, Ac, CHOHCH3; R2 = halo, alkyl, acyl, OH, alkoxy, etc.; R3 = OH, alkyl, alkoxy, acyloxy; R4 = H, alkyl; X = O, (substituted) NOH] are prepd. as antiprogestational agents. The present invention provides methods wherein the compds. of formula I are advantageously used, inter alia, to antagonize endogenous progesterone; to induce menses; to treat endometriosis; to treat dysmenorrhea; to treat endocrine hormone-dependent tumors; to treat uterine fibroids; to inhibit uterine endometrial proliferation; to induce labor; and for contraception. Thus, II was prepd. from 3,3-ethylenedioxy-17.beta.-cyano-17.alpha.-hydroxyestra-5(10),9(11)-diene and 4-bromo-N,N-dimethylaniline in 9 steps. II showed 2.79 times the antiprogestational potency in the antiClauberg test compared to CDB-2914.

IT **198414-07-2P 198414-09-4P 198414-31-2P**
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
(prepn. of progesterone derivs. as antiprogestational agents)

RN 198414-07-2 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17,21-bis(acetyloxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-09-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetylthio)-11-[4-(dimethylamino)phenyl]-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-31-2 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-methoxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 7 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)



IT **198414-03-8P 198414-05-0P 198414-11-8P**
198414-22-1P 198414-32-3P 198414-33-4P
198414-34-5P 198414-39-0P 198414-43-6P
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(prepn. of progesterone derivs. as antiprogestational agents)

RN 198414-03-8 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-fluoro-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-05-0 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-21-chloro-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-11-8 CAPLUS

L4 ANSWER 7 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-21-(acetylthio)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-22-1 CAPLUS
CN Estra-4,9-dien-3-one, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-17-(1-oxopropyl)-, (11.beta.,17.alpha.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).



RN 198414-32-3 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(3-cyclopentyl-1-oxopropoxy)-11-[4-(dimethylamino)phenyl]-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-33-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-21-(3-cyclopentyl-1-

L4 ANSWER 7 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)
oxopropoxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-34-5 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-39-0 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-ethoxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 7 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)



RN 198414-43-6 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-21-bromo-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



IT **198413-96-6P 198413-97-7P 198413-98-8P**
198413-99-9P 198414-00-5P 198414-21-0P
198414-30-1P 198414-38-9P 198414-42-5P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(prepn. of progesterone derivs. as antiprogestational agents)
RN 198413-96-6 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-chloro-11-[4-(dimethylamino)phenyl]-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 7 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)



RN 198413-97-7 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-(dimethylamino)phenyl]-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198413-98-8 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-17,21-dihydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198413-99-9 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-17-hydroxy-21-[(methylsulfonyl)oxy]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 7 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)



RN 198414-00-5 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-21-fluoro-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-21-0 CAPLUS
CN Estra-4,9-dien-3-one, 11-[4-(dimethylamino)phenyl]-17-hydroxy-17-(1-oxopropyl)-, (11.beta.,17.alpha.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-30-1 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-17-hydroxy-21-methoxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 7 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)



RN 198414-38-9 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-21-ethoxy-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-42-5 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-bromo-11-[4-(dimethylamino)phenyl]-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



IT **198414-40-3P 198414-41-4P**
RL: SPN (Synthetic preparation); PREP (Preparation)
(prepn. of progesterone derivs. as antiprogestational agents)
RN 198414-40-3 CAPLUS

L4 ANSWER 7 OF 7 CAPLUS COPYRIGHT 2003 ACS (Continued)
CN 19-Norpregna-4,9-diene-3,20-dione, 17,21-bis(acetyloxy)-11-[4-(dimethylamino)phenyl]-, 3-oxime, (3E,11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry as shown.



RN 198414-41-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-methoxy-, 3-oxime, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry unknown.



=> d ibib ab fqhit 1-20

L8 ANSWER 1 OF 20 MARPAT COPYRIGHT 2003 ACS
ACCESSION NUMBER: 135:304062 MARPAT
TITLE: Preparation of 17.alpha.-substituted-11.beta.-substituted-4-aryl and 21-substituted 19-norpregna-4,9-diene-3,20-dione derivatives as new antiprogestational agents
INVENTOR(S): Kim, Hyun K.; Blye, Richard P.; Rao, Pemmaraju N.; Cessac, James W.; Acosta, Carmie K.; Simmons, Anne Marie
PATENT ASSIGNEE(S): Secretary of Health and Human Services, USA
SOURCE: PCT Int. Appl., 171 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001074840	A2	20011011	WO 2001-US8681	20010316
WO 2001074840	A3	20020502		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
AU 2001045849	A5	20011015	AU 2001-45849	20010316
EP 1265911	A2	20021218	EP 2001-918812	20010316
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				

PRIORITY APPLN. INFO.: US 2000-526855 20000317
WO 2001-US8681 20010316

AB 19-Norpregna-4,9-diene-3,20-dione derivs. [I; R1 = OMe, SMe, NMe2, NHMe, NC4H8, NC5H10, NC4H8O, CHO, CH(OH)Me, C(O)Me, O(CH2)2NMe2, and -O(CH2)2NC5H10; R2 = H, halogen, alkyl, acyl, hydroxy, alkoxy, acyloxy, alkylcarbonate, cypionyloxy, S-alkyl, -SCN, S-acyl and -OC(O)R6; R6 = alkyl, alkoxy ester, alkoxy; R3 = alkyl, hydroxy, alkoxy and acyloxy; R4 = H, alkyl; X = O, (substituted) NOH] were prepd as antiprogestational agents. The present invention provides methods wherein I were advantageously used, inter alia, to antagonize endogenous progesterone; to induce menses; to treat endometriosis; to treat dysmenorrhea; to treat endocrine hormone-dependent tumors; to treat meningiomas; to treat uterine leiomyomas; to treat uterine fibroids; to inhibit uterine endometrial proliferation; to induce cervical ripening; to induce labor; and for contraception. Thus, norpregnadienedione deriv. II was prepd. from 3,3-ethylenedioxy-17.beta.-cyano-17.alpha.-hydroxyestra-5(10),9(11)-diene and 4-bromo-N,N-dimethylaniline in 9 steps which showed 2.79 times the antiprogestational potency in the antiClauberg test compared to CDB-2914.

MSTR 1

L8 ANSWER 1 OF 20 MARPAT COPYRIGHT 2003 ACS (Continued)



G2 = Ak<(1-12)> (SO)
G8 = O
MPL: claim 1

L8 ANSWER 2 OF 20 MARPAT COPYRIGHT 2003 ACS
ACCESSION NUMBER: 134:208009 MARPAT
TITLE: Preparation of 17.beta.-acyl-17.alpha.-propynyl-11.beta.-(cyclic amino)aryl steroids and their derivatives having antagonist hormonal properties
INVENTOR(S): Cook, C. Edgar; Kepler, John A.; O'Reilly, Jill M.
PATENT ASSIGNEE(S): Research Triangle Institute, USA
SOURCE: PCT Int. Appl., 70 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001018025	A2	20010315	WO 2000-US24274	20000905
WO 2001018025	A3	20010920		
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
AU 2000071113	A5	20010410	AU 2000-71113	20000905
EP 1208113	A2	20020529	EP 2000-959867	20000905
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL				
JP 2003508540	T2	20030304	JP 2001-522248	20000905
NO 2002001037	A	20020405	NO 2002-1037	20020301

PRIORITY APPLN. INFO.: US 1999-389212 19990903
WO 2000-US24274 20000905

AB The invention is directed to the prepn. of 17.beta.-acyl-17.alpha.-propynyl steroids of formula I [R1 = heterocycle; R2 = Me, CF3, CH2OH; R3 = H, Me, OMe, OAc, halo; R4 = H, Me, F, Cl; X = O, H2, NOH, NOMe] which exhibit potent antiprogestational activity. Thus, II was prepd. from 17.beta.-cyano-3,3-(ethanediyldioxy)-17.alpha.-trimethylsilyloxy-5(10),9(11)-diene in 8 steps. The anti-McGinty assay for antiprogestational activity shows II to be an exceptionally potent antiprogestational agent with a marked effect at 0.3 .mu.g dose.

MSTR 1



L8 ANSWER 2 OF 20 MARPAT COPYRIGHT 2003 ACS (Continued)

G1 = phenylene
G3 = Me
G5 = 3d

G6 = O
MPL: claim 1
NTE: and pharmaceutically acceptable salts

L8 ANSWER 3 OF 20 MARPAT COPYRIGHT 2003 ACS
ACCESSION NUMBER: 133:17687 MARPAT
TITLE: Preparation of 17.beta.-acyl-17.alpha.-propynyl-11.beta.-arylsteroids and their derivatives having agonist or antagonist hormonal properties
INVENTOR(S): Cook, C. Edgar; Kepler, John A.; O'Reilly, Jill M.
PATENT ASSIGNEE(S): Research Triangle Institute, USA
SOURCE: PCT Int. Appl., 70 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000034306	A1	20000615	WO 1999-US28535	19991203
W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
US 6172052	B1	20010109	US 1998-205395	19981204
CA 2358466	AA	20000615	CA 1999-2358466	19991203
EP 1135403	A1	20010926	EP 1999-964047	19991203
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
NZ 512697	A	20030131	NZ 1999-512697	19991203
PRIORITY APPLN. INFO.:			US 1998-205395	19981204
			WO 1999-US28535	19991203

AB Novel 17.beta.-acyl-17.alpha.-propynyl steroids of formula I [R1 = NMe2, NHMe, NH2; R2 = Me, CF3, CH2OH; R3 = H, Me, OMe, OAc; R4 = H, Me, F, Cl; X = O, H2, NOH, NOMe] are prepd. which exhibit potent antiprogestational activity. Thus, II was prepd. from estrone in many steps. The relative progesterone binding activity of II was 313% of promegestone.

MSTR 1

L8 ANSWER 3 OF 20 MARPAT COPYRIGHT 2003 ACS (Continued)



G3 = Me
G5 = 34

G6 = O
DER: and pharmaceutically acceptable salts
MPL: claim 1

REFERENCE COUNT: 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L8 ANSWER 4 OF 20 MARPAT COPYRIGHT 2003 ACS
ACCESSION NUMBER: 131:199885 MARPAT
TITLE: Preparation of 20-keto-11.beta.-arylsteroids and their derivatives having agonist or antagonist hormonal properties
INVENTOR(S): Cook, C. Edgar; Kepler, John A.; Zhang, Ping-sheng; Lee, Yue-wei; Tallent, C. Ray
PATENT ASSIGNEE(S): Research Triangle Institute, USA
SOURCE: PCT Int. Appl., 95 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9945022	A1	19990910	WO 1999-US3732	19990305
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
US 6020328	A	20000201	US 1998-35949	19980306
CA 2322862	AA	19990910	CA 1999-2322862	19990305
AU 9928715	A1	19990920	AU 1999-28715	19990305
EP 1060186	A1	20001220	EP 1999-909531	19990305
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
BR 9908598	A	20011002	BR 1999-8598	19990305
JP 2002505334	T2	20020219	JP 2000-534564	19990305
PRIORITY APPLN. INFO.:			US 1998-35949	19980306
			WO 1999-US3732	19990305

AB 20-Keto-11.beta.-arylsteroids of formula I [X = O, (substituted) NOH, H2, OH, etc.; R1 = dialkylamino, imidazolyl, pyrrolyl, piperidino, etc.; R2 = H, halo; R3 = H, Me, halo; R4 = H, acyloxy, (substituted) OH, alkyl, etc.; R5 = H, alkyl, halo, acyloxy, etc.] are prepd. which exhibit potent antiprogestational activity. Thus, II was prepd. from 17.alpha.-hydroxymethyl-3-methoxy-19-norpregna-1,3,5(10)-trien-20-one and 4-bromo-N,N-dimethylaniline in several steps. The affinity of II for the progesterone hormone receptor was IC50 of 0.7 nM.

MSTR 1A



G2 = phenylene (SO (1) G3)

L8 ANSWER 4 OF 20 MARPAT COPYRIGHT 2003 ACS (Continued)
G14 = 128

G15 = O
G29 = alkyl<(1-4)>
DER: and pharmaceutically acceptable salts
MPL: claim 1
NTE: substitution is restricted; also incorporates claim 3

REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L8 ANSWER 5 OF 20 MARPAT COPYRIGHT 2003 ACS
ACCESSION NUMBER: 130:282222 MARPAT
TITLE: Method for the preparation and pharmaceutic formulation of 11.beta.-benzaldoxime-9.alpha.,10.alpha.-epoxy-estr-4-ene derivatives
INVENTOR(S): Schubert, Gerd; Ring, Sven; Kaufmann, Guenter; Schneider, Birgitt; Elger, Walter
PATENT ASSIGNEE(S): Jenapharm G.m.b.H. und Co. K.-G., Germany
SOURCE: Ger. Offen., 16 pp.
CODEN: GWXXBX
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 19745085	A1	19990415	DE 1997-19745085	19971011
EP 909764	A1	19990421	EP 1998-118613	19981001
EP 909764	B1	19990929		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
AT 185145	E	19991015	AT 1998-118613	19981001

PRIORITY APPLN. INFO.: DE 1997-19745085 19971011

AB 11.beta.-Benzaldoxime-9.alpha.,10.alpha.-epoxy-estr-4-ene derivs., e.g. I (R1 = H, C1-6-alkyl; R2 = H, C1-10-alkyl, aryl, aralkyl, alkylaryl, C1-10-acyl, CONHR4, CO2R4; R3 = H, C1-10-alkyl, aryl, aralkyl, alkylaryl, (CH2)nCH2Y; R4 = H, C1-10-alkyl, aryl, aralkyl, alkylaryl; Y = F, Cl, Br, I, CN, N3, SCN, OR5, SR5; n = 0 - 2; R5 = H, C1-10-alkyl, aryl, aralkyl, alkylaryl, C1-10-acyl), are described. Thus, (E)-I (R1 = R2 = Me, R3 = CH2OMe, Z = H) was prepd. via regioselective epoxidn. of estradienone II (R1 = R2 = Me, R3 = CH2OMe, Z = H) with m-chloroperbenzoic acid in CH2Cl2. (E)-I (R1 = R2 = Me, R3 = CH2OMe, Z = H) showed 88% affinity for the progesterone receptor but only 12% affinity for the glucocorticoid receptor.

MSTR 2



G8 = 51

L8 ANSWER 5 OF 20 MARPAT COPYRIGHT 2003 ACS (Continued)
G12 = alkyl<(1-10)>
DER: or pharmaceutically acceptable salts
MPL: claim 1

L8 ANSWER 6 OF 20 MARPAT COPYRIGHT 2003 ACS
ACCESSION NUMBER: 129:50105 MARPAT
TITLE: Uses of anti-glucocorticoid compounds for the treatment of psychoses or addictive behaviors
INVENTOR(S): Oberlander, Claude; Piazza, Pier Vincenzo
PATENT ASSIGNEE(S): Hoechst Marion Roussel, Fr.; Oberlander, Claude; Piazza, Pier Vincenzo
SOURCE: PCT Int. Appl., 41 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: French
FAMILY ACC. NUM. COUNT: 2
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9826783	A1	19980625	WO 1997-FR2320	19971217
W: AL, AU, BA, BB, BG, BR, CA, CN, CU, CZ, EE, GE, GW, HU, ID, IL, IS, JP, KP, KR, LC, LK, LR, LT, LV, MG, MK, MN, MX, NO, NZ, PL, RO, SG, SI, SK, SL, TR, TT, UA, US, UZ, VN, YU, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
FR 2757400	A1	19980626	FR 1996-15649	19961219
FR 2757400	B1	19991217		
AU 9855632	A1	19980715	AU 1998-55632	19971217
EP 892641	A1	19990127	EP 1997-952078	19971217
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				

PRIORITY APPLN. INFO.: FR 1996-15649 19961219
WO 1997-FR2320 19971217

AB Glucocorticoid antagonists, except mifepristone, are used as dopamine type II receptor antagonists to treat psychotic or addictive behavior. Thus, 17.beta.-hydroxy-10.beta.-[(4-methylphenyl)methyl]-17.alpha.-(1-propynyl)estra-4,9(11)-dien-3-one considerably reduced the response to morphine in vivo.

MSTR 1



G1 = Ph (SO (1-) G11)
G3 = 35-13 37-14



G4 = C(O)

L8 ANSWER 6 OF 20 MARPAT COPYRIGHT 2003 ACS (Continued)
G12 = 41



DER: and pharmaceutically acceptable acid addition salts
MPL: claim 4
NTE: substitution is restricted

REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L8 ANSWER 7 OF 20 MARPAT COPYRIGHT 2003 ACS
ACCESSION NUMBER: 128:188869 MARPAT
TITLE: Mixed agonists of the progesterone receptor and assays for them
INVENTOR(S): McDonnell, Donald P.; Wagner, Brandee L.
PATENT ASSIGNEE(S): Duke University, USA
SOURCE: PCT Int. Appl., 62 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9805679	A2	19980212	WO 1997-US13754	19970805

W: CA
RW: AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE
PRIORITY APPLN. INFO.: US 1996-23206P 19960805

AB A third class of PR-ligand (i.e. mixed agonist) is identified which induces a progesterone receptor conformation distinct from that induced by a PR agonist or antagonist; the agonists are estra-4,9-dien-3-one derivs. PR mixed agonists exhibit partial agonist activity which is influenced by cell context. These compds. provide useful pharmacol. profiles for treating progesterone related diseases and/or conditions, such as uterine proliferation from estrogen administration, endometriosis, breast cancer, fibroids, endometrial cancer, and brain meningiomas. The agonists can also be used as contraceptives. Assays are provided to screen for PR mixed agonists. Mol. designs are provided to convert a PR antagonist to a PR mixed agonist.

MSTR 1



G2 = 30

G3 = alkyl<(1-6)> (SO)
G9 = 52

L8 ANSWER 7 OF 20 MARPAT COPYRIGHT 2003 ACS (Continued)

MPL: claim 4

L8 ANSWER 8 OF 20 MARPAT COPYRIGHT 2003 ACS
ACCESSION NUMBER: 127:358992 MARPAT
TITLE: Preparation of 21-substituted progesterone derivatives as new antiprogestational agents
INVENTOR(S): Kim, Hyun K.; Blye, Richard P.; Rao, Pemmaraju N.; Cessac, James W.; Acosta, Carmie K.
PATENT ASSIGNEE(S): United States Dept. of Health and Human Services, USA; Kim, Hyun K.; Blye, Richard P.; Rao, Pemmaraju N.; Cessac, James W.; Acosta, Carmie K.
SOURCE: PCT Int. Appl., 65 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9741145	A1	19971106	WO 1997-US7373	19970430
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, KE, LS, MW, SD, SZ, UG, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
CA 2253673	AA	19971106	CA 1997-2253673	19970430
AU 9729304	A1	19971119	AU 1997-29304	19970430
AU 710139	B2	19990916		
EP 900234	A1	19990310	EP 1997-923523	19970430
EP 900234	B1	20000705		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
AT 194358	E	20000715	AT 1997-923523	19970430
JP 2000509396	T2	20000725	JP 1997-539232	19970430
ES 2152671	T3	20010201	ES 1997-923523	19970430
US 2002025951	A1	20020228	US 1999-180132	19990524

PRIORITY APPLN. INFO.: US 1996-16628P 19960501
WO 1997-US7373 19970430

AB Progesterone derivs. of formula I [R1 = OMe, SMe, NMe2, NHMe, CHO, Ac, CHOHCH3; R2 = halo, alkyl, acyl, OH, alkoxy, etc.; R3 = OH, alkyl, alkoxy, acyloxy; R4 = H, alkyl; X = O, (substituted) NOH] are prepd. as antiprogestational agents. The present invention provides methods wherein the compds. of formula I are advantageously used, inter alia, to antagonize endogenous progesterone; to induce menses; to treat endometriosis; to treat dysmenorrhea; to treat endocrine hormone-dependent tumors; to treat uterine fibroids; to inhibit uterine endometrial proliferation; to induce labor; and for contraception. Thus, II was prepd. from 3,3-ethylenedioxy-17.beta.-cyano-17.alpha.-hydroxyestra-5(10),9(11)-diene and 4-bromo-N,N-dimethylaniline in 9 steps. II showed 2.79 times the antiprogestational potency in the antiClauberg test compared to CDB-2914.

MSTR 1

L8 ANSWER 8 OF 20 MARPAT COPYRIGHT 2003 ACS (Continued)



G2 = alkyl<(1-12)>
G10 = O
MPL: claim 1

L8 ANSWER 9 OF 20 MARPAT COPYRIGHT 2003 ACS
ACCESSION NUMBER: 124:22540 MARPAT
TITLE: Pharmaceutical compositions of antiglucocorticoid compounds for treating or preventing symptoms of spontaneous or narcotic-induced withdrawal.
INVENTOR(S): Petit, Francis; Philibert, Daniel; Ulmann, Andre
PATENT ASSIGNEE(S): Roussel-UCLAF, Fr.
SOURCE: Eur. Pat. Appl., 30 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: French
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 676203	A1	19951011	EP 1995-400764	19950406
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, NL, PT, SE				
FR 2718354	A1	19951013	FR 1994-4156	19940408
FR 2718354	B1	19960503		
ZA 9502058	A	19960313	ZA 1995-2058	19950313
CA 2146600	AA	19951009	CA 1995-2146600	19950407
FI 9501683	A	19951009	FI 1995-1683	19950407
AU 9516326	A1	19951019	AU 1995-16326	19950407
JP 07278017	A2	19951024	JP 1995-107071	19950407
HU 71468	A2	19951128	HU 1995-1019	19950407
CN 1116929	A	19960221	CN 1995-104015	19950407

PRIORITY APPLN. INFO.: FR 1994-4156 19940408

AB Antiglucocorticoid steroids such as mifepristone, onapristone, lilopristone and related steroids are proposed for the prevention or treatment of withdrawal syndromes, either spontaneous or pptd. by narcotics or mixts. of narcotics. These antiglucocorticoids would be useful in the withdrawal from morphinomimetics such as heroin, morphine or methadone as well as cocaine. Pharmacol. activity was demonstrated by the effect of the antiglucocorticoids on the stereotypic behavior of mice in response to narcotics. Spontaneous withdrawal syndrome was induced by administration of the opioid antagonist, naloxone. An antiprogesterone activity of the steroids in their action mechanism was eliminated. Results confirmed the involvement of endogenous glucocorticoids in morphine withdrawal since this is inhibited by antiglucocorticoids or adrenalectomy.

MSTR 2



G1 = Ph (SO (1-) G2)
G4 = 21

L8 ANSWER 9 OF 20 MARPAT COPYRIGHT 2003 ACS (Continued)

21 C(O)-G5

G5 = alkyl (SR G13)
G9 = O
DER: and pharmaceutically acceptable addition salts
DER: and pharmaceutically acceptable addition salts
MPL: claim 7

L8 ANSWER 10 OF 20 MARPAT COPYRIGHT 2003 ACS
ACCESSION NUMBER: 123:218391 MARPAT
TITLE: Steroids for reducing multidrug resistance to cancer chemotherapeutic agents
INVENTOR(S): Cohn, Suzanne Bourgeois; Gruol, Donald J.
PATENT ASSIGNEE(S): Salk Institute for Biological Studies, USA
SOURCE: PCT Int. Appl., 54 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9517192	A1	19950629	WO 1994-US14624	19941219
W: AM, AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, JP, KE, KG, KP, KR, KZ, LK, LR, LT, LU, LV, MD, MG, MN, MW, NL, NO, NZ, PL, PT, RO, RU, SD, SE, SI, SK, TJ, TT, UA, US, UZ				
RW: KE, MW, SD, SZ, AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
AU 9514395	A1	19950710	AU 1995-14395	19941219

PRIORITY APPLN. INFO.: US 1993-173243 19931222
WO 1994-US14624 19941219

AB Certain steroid-like compds. [I; R1 = H; R2 = OR; or R1R2 = :O; R = H, lower alkyl, Me3Si; R3 = H, Me, or absent if double bond or epoxide bridge joins C9 and C10; R4 = OR', C4-18 cyclic org. group contg. O, N, P, or Si; R' = lower alkyl, Me3Si; R5 = H, OR; or R5C16C17 form a 3-, 5-, 6-, or 7-membered ring; R6 = C(O)CH3, CH(OH)CH3, C(O)CH2OH, (substituted) hydrocarbyl; R9 = H, halo, or absent if double bond or epoxide bridge joins C9 and C10] are capable of inhibiting the P-glycoprotein-assocd. efflux pump which is considered responsible for multidrug resistance. Chemotherapy can be enhanced by facilitating the accumulation of drug at the target site, with reduced or eliminated competition by the drug efflux system. Thus RU 38486, an antiprogestin, at 5 .mu.M facilitated killing of multidrug-resistant S7CD-5 murine thymoma cells by 20 .mu.M puromycin.

MSTR 18



G1 = C(O)
G10 = Ph (SO (1-2) G16)
G13 = 36

36 C(O)-CH2-OH

L8 ANSWER 10 OF 20 MARPAT COPYRIGHT 2003 ACS (Continued)

MPL: claim 1

L8 ANSWER 11 OF 20 MARPAT COPYRIGHT 2003 ACS
ACCESSION NUMBER: 122:256423 -MARPAT
TITLE: Antiglucocorticoid steroids for the treatment of anxiety disorders
INVENTOR(S): Peeters, Bernardus Wynand Machijs Maria
PATENT ASSIGNEE(S): Akzo Nobel N.V., Neth.
SOURCE: PCT Int. Appl., 25 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9504536	A1	19950216	WO 1994-EP2513	19940728
W: AM, AU, BB, BG, BR, BY, CA, CN, CZ, FI, GE, HU, JP, KG, KP, KR, KZ, LK, LT, LV, MD, MG, MN, NO, NZ, PL, RO, RU, SI, SK, TJ, TT, UA, US, UZ, VN				
RW: KE, MW, SD, AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
AU 9474968	A1	19950228	AU 1994-74968	19940728
AU 687088	B2	19980219		
EP 712311	A1	19960522	EP 1994-924819	19940728
EP 712311	B1	19981007		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, MC, NL, PT, SE				
JP 09501172	T2	19970204	JP 1995-506200	19940728
AT 171873	E	19981015	AT 1994-924819	19940728
ES 2124905	T3	19990216	ES 1994-924819	19940728
US 5741787	A	19980421	US 1996-581631	19960118

PRIORITY APPLN. INFO.: EP 1993-202304 19930804
EP 1994-924819 19940728
WO 1994-EP2513 19940728

AB Antiglucocorticoid steroids are used for the manuf. of a pharmaceutical compn. for the treatment of anxiety disorders. The anxiolytic effect of 11.beta.-(4-dimethylaminophenyl)-17.beta.-hydroxy-17.alpha.-(prop-1-ynyl)-estra-4,9-dien-3-one (RU38486) was demonstrated in animal testing (antagonism of fear-potentiated startle). Prepn. and activity (antagonism of stress-induced hyperthermia) of selected steroids of the invention is also described.

MSTR 1



G7 = 44

L8 ANSWER 11 OF 20 MARPAT COPYRIGHT 2003 ACS (Continued)



G16 = alkylcarbonyl<(1-5)> (SO (1-) G17)
G18 = 39

MPL: claim 2

L8 ANSWER 12 OF 20 MARPAT COPYRIGHT 2003 ACS
ACCESSION NUMBER: 116:35156 MARPAT
TITLE: Preparation and use of antiprogestomimetics for synchronization of parturition in livestock
INVENTOR(S): Grandadam, Jean Andre
PATENT ASSIGNEE(S): Roussel-UCLAF, Fr.
SOURCE: Eur. Pat. Appl., 13 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: French
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 446124	A2	19910911	EP 1991-400594	19910305
EP 446124	A3	19920527		
R: AT, BE, CH, DE, DK, FR, GB, GR, IT, LI, LU, NL, SE				
FR 2659233	A1	19910913	FR 1990-2783	19900306
FR 2659233	B1	19940121		
CA 2037549	AA	19910907	CA 1991-2037549	19910305
AU 9172608	A1	19910912	AU 1991-72608	19910305
AU 642975	B2	19931104		
ZA 9101603	A	19920527	ZA 1991-1603	19910305
JP 04211610	A2	19920803	JP 1991-62496	19910305
RU 2037295	C1	19950619	RU 1991-4895041	19910305
CN 1055665	A	19911030	CN 1991-102108	19910306
HU 59006	A2	19920428	HU 1991-729	19910306

PRIORITY APPLN. INFO.: FR 1990-2783 19900306

AB The title antiprogestomimetics are I (R1 = C1-18 hydrocarbyl optionally substituted with .gtoreq.1 heteroatoms and bonded to the steroid by a C; R2 = C1-8 hydrocarbyl; X = remainder of 5- and 6-membered ring optionally substituted and optionally unsatd.; C = A = CNOH, oxo (free or blocked as ketal), etc.; B and C together form a double bond or epoxide bridge) and acid addn. salts thereof. Prepn. of 2 I are described. 17.beta.-Hydroxy-11.beta.-(4-dimethylaminophenyl)-17.alpha.-(prop-1-ynyl)estra-4,9-dien-3-one (II) was more effective at synchronizing parturition than cloprostenol when tested in sows. Injectable pharmaceuticals contg. II are disclosed.

MSTR 1C



G1 = 30



G3 = 55-13 57-14

L8 ANSWER 12 OF 20 MARPAT COPYRIGHT 2003 ACS (Continued)

G15 = 61

G4 +G17= O
DER: and protected derivatives
DER: and acid addition salts
MPL: claim 1

L8 ANSWER 13 OF 20 MARPAT COPYRIGHT 2003 ACS
ACCESSION NUMBER: 115:214857 MARPAT
TITLE: Injectable microspheres containing antiestrogenic and antiprogestomimetic steroids
INVENTOR(S): Cohen, Gerard; Dubois, Jean Luc
PATENT ASSIGNEE(S): Roussel-UCLAF, Fr.
SOURCE: Ger. Offen., 15 pp.
CODEN: GWXXBX
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 4036425	A1	19910516	DE 1990-4036425	19901115
FR 2654337	A1	19910517	FR 1989-14976	19891115
FR 2654337	B1	19940805		
SE 9003570	A	19910516	SE 1990-3570	19901109
BE 1005511	A4	19930831	BE 1990-1062	19901109
DK 9002709	A	19910516	DK 1990-2709	19901113
CA 2029940	AA	19910516	CA 1990-2029940	19901114
JP 03294229	A2	19911225	JP 1990-306374	19901114
CH 681691	A	19930514	CH 1990-3611	19901114
NL 9002492	A	19910603	NL 1990-2492	19901115
GB 2239798	A1	19910717	GB 1990-24862	19901115
GB 2239798	B2	19931027		
AT 9002313	A	19950415	AT 1990-2313	19901115
AT 400298	B	19951127		

PRIORITY APPLN. INFO.: FR 1989-14976 19891115

AB Biodegradable microspheres comprise the title steroids (Markush given) and copolymers of lactic acid with glycolic acid. A mixt. of 250 mL aq. 0.3% hydrolyzed PVA soln., 1 g poly(DL-lactic acid-glycolic acid), 17 g CH2Cl2, and 0.5 g 17.beta.-hydroxy-11.beta.-[4-(dimethylamino)phenyl]-17.alpha.-(1-propynyl)estra-4,9-dien-3-one was emulsified, followed by stirring at 22.degree. and decreasing pressure (.gtoreq.400 mm Hg) to give microspheres, which were used for the prepn. of injections.

MSTR 1A

G1—G3

G1 = 3



G3 = 24

L8 ANSWER 13 OF 20 MARPAT COPYRIGHT 2003 ACS (Continued)



G5 = 68-26 70-27

G9 = 74

G10 = OH
MPL: claim 6

L8 ANSWER 14 OF 20 MARPAT COPYRIGHT 2003 ACS
ACCESSION NUMBER: 115:151901 MARPAT
TITLE: Use of antiprogestomimetics for stimulating ovulation, and new preparation for use in pharmaceutical compositions
INVENTOR(S): Grandadam, Jean Andre
PATENT ASSIGNEE(S): Roussel-UCLAF, Fr.
SOURCE: Eur. Pat. Appl., 24 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: French
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 417003	A2	19910313	EP 1990-402449	19900906
EP 417003	A3	19911204		
EP 417003	B1	19940629		
R: AT, BE, CH, DE, DK, FR, GB, IT, LI, LU, NL, SE				
FR 2651435	A1	19910308	FR 1989-11699	19890907
FR 2651435	B1	19940422		
US 5173483	A	19921222	US 1990-578894	19900905
CA 2024728	AA	19910308	CA 1990-2024728	19900906
AU 9062259	A1	19910314	AU 1990-62259	19900907
AU 623805	B2	19920521		
JP 03099015	A2	19910424	JP 1990-236004	19900907
JP 3032258	B2	20000410		

PRIORITY APPLN. INFO.: FR 1989-11699 19890907

AB Anti-progestomimetic compds., e.g. I [R1 = C1-18 hydrocarbyl with optionally .gtoreq.1 heteroatoms, bonded to the steroid by a C; R2 = C1-8 hydrocarbyl; X = rest of 5- or 6-membered (substituted) (unsatd.) ring; A:C = oxo (free or in ketal), CH(OH), CH(OR3), CH(O2CR3), etc.; R3 = C1-8 alkyl, C7-15 aralkyl; B and C together form a double bond or epoxide bridge] and their acid and base addn. salts, are used for making pharmaceuticals for stimulating ovulation, e.g. in cows. The compds. of the invention are preferably used following treatment with progesterone or a progestomimemetic, e.g. 3-oxo-17.alpha.-allyl-17.beta.-hydroxyestra-4,9,11-triene (II). Thus, heifer cows were 1st administered II for 17 days; on the day following the last administration, the animals were injected with 17.beta.-hydroxy-11.beta.-(4-dimethylaminophenyl)-17.alpha.-(prop-1-ynyl)estra-4,9-dien-3-one. All of the heifers came to heat after a very short delay period, and LH levels rose very rapidly. Prepn. of 12 anti-progestomimetics is presented.

MSTR 1E



G1 = 85

L8 ANSWER 14 OF 20 MARPAT COPYRIGHT 2003 ACS (Continued)

G12 = 96

G14 = 98

G15 = OH
G5 +G6 = O
DER: or acid or base addition salts
MPL: claim 2
NTE: oxo formed by G5 and G6 may be protected as a ketal

L8 ANSWER 15 OF 20 MARPAT COPYRIGHT 2003 ACS
ACCESSION NUMBER: 115:9125 MARPAT
TITLE: Preparation of .omega.-[(3-oxoestra-4,9-dien-11.beta.-yl)phenylamino]alkanoates as antiglucocorticoids
INVENTOR(S): Moguilewsky, Martine; Nedelec, Lucien; Nique, Francois; Philibert, Daniel
PATENT ASSIGNEE(S): Roussel-UCLAF, Fr.
SOURCE: Eur. Pat. Appl., 33 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: French
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 414606	A2	19910227	EP 1990-402328	19900822
EP 414606	A3	19910724		
EP 414606	B1	19941102		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE				
FR 2651233	A1	19910301	FR 1989-11173	19890823
FR 2651233	B1	19911213		
CA 2022648	AA	19910224	CA 1990-2022648	19900803
ZA 9006341	A	19911030	ZA 1990-6341	19900810
US 5166146	A	19921124	US 1990-568597	19900816
JP 03090097	A2	19910416	JP 1990-217281	19900820
JP 3026997	B2	20000327		
IL 95451	A1	19950731	IL 1990-95451	19900821
AU 9061189	A1	19910228	AU 1990-61189	19900822
AU 634569	B2	19930225		
HU 54706	A2	19910328	HU 1990-5275	19900822
HU 208154	B	19930830		
ES 2063313	T3	19950101	ES 1990-402328	19900822
CN 1051362	A	19910515	CN 1990-107161	19900823
CN 1033808	B	19970115		
RU 2041236	C1	19950809	RU 1992-5011511	19920518

PRIORITY APPLN. INFO.: FR 1989-11173 19890823
OTHER SOURCE(S): CASREACT 115:9125
AB The title compds. [I; R1 = aliph. hydrocarbyl; R2 = H, (un)substituted alkyl; R5, R6 = H, alkyl; X = atoms to complete an (un)substituted 5- or 6- membered ring; Z = (un)salified CO2H; n = 1-6] were prepd. Thus, aminophenylestradienone II (R = R5 = R6 = H) was condensed with BrCH2CO2Me to give, after sapon., II (R = CH2CO2Na, R5 = R6 = H) which at 10-6M in vitro gave 82% inhibition of uridine incorporation into rat thymocytes.

MSTR 1A



L8 ANSWER 15 OF 20 MARPAT COPYRIGHT 2003 ACS (Continued)
G3 = phenylene
G9 = 39-18 37-17



G10 = (1-2) 45



G13 = 53



G16 = 68



MPL: claim 1

L8 ANSWER 16 OF 20 MARPAT COPYRIGHT 2003 ACS
ACCESSION NUMBER: 114:229227 MARPAT
TITLE: Preparation of 19-nor 3-oxo steroids with an amine substituted 17-chain as antioxidants and antinflammatories: their use as medicines and pharmaceutical composition containing them
INVENTOR(S): Claussner, Andre; Leclaire, Jacques; Nedelec, Lucien; Philibert, Daniel
PATENT ASSIGNEE(S): Roussel-UCLAF, Fr.
SOURCE: Eur. Pat. Appl., 29 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: French
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 389370	A1	19900926	EP 1990-400784	19900322
EP 389370	B1	19940427		
R: CH, DE, FR, GB, IT, LI, NL				
FR 2644789	A1	19900928	FR 1989-3742	19890322
FR 2644789	B1	19950203		
JP 02273693	A2	19901108	JP 1990-68508	19900320
JP 2848907	B2	19990120		
US 5108996	A	19920428	US 1990-497562	19900321

PRIORITY APPLN. INFO.: FR 1989-3742 19890322
OTHER SOURCE(S): CASREACT 114:229227
AB The title compds. [I; R1, R2 = H, Me; R11 = (poly)(hetera)hydrocarbyl; one of R17 and R18 is OH or acyloxy and the other is Q; Z = alkylene, alkenylene, alkynylene; P = (substituted) pyrimidinyl, pyridyl] were prepd. via reacting the halo derivs. II or III (X = halo) with the appropriate pyrimidinyl or pyridine deriv. IV. Reaction of estradienone V [R3 = 3-bromo-1-propynyl, R4 = OH] (prepn. given) was reacted with 2,4-bis(1-pyrrolidinyl)-6-(1-piperazinyl)pyrimidine (prepn. given) in acetone contg. K2CO3 at ambient temp. for 2 h to give V [R3 = 3-[4-[2,6-bis(1-pyrrolidinyl)-4-pyrimidinyl]-1-piperazinyl]-1-propynyl; R4 = OH]. At 5 .times. 10-4 M this inhibited in vitro the formation of malonyldialdehyde, a measure of lipid peroxidn., in rat brain homogeneate by .apprx.47.5%.

MSTR 3



G2 = 97



MPL: claim 13

L8 ANSWER 16 OF 20 MARPAT COPYRIGHT 2003 ACS (Continued)
NTE: the alkylamino and dialkylamino groups in G11 may be interrupted by oxygen, sulfur, or nitrogen

L8 ANSWER 17 OF 20 MARPAT COPYRIGHT 2003 ACS
ACCESSION NUMBER: 113:115677 MARPAT
TITLE: Preparation of androstanone derivatives as drugs
INVENTOR(S): Scholz, Stefan; Neef, Guenter; Ottow, Eckhard; Elger, Walter; Beier, Sybille; Chwalisz, Krzysztof
PATENT ASSIGNEE(S): Schering A.-G., Germany
SOURCE: Eur. Pat. Appl., 38 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 360369	A1	19900328	EP 1989-250040	19890920
EP 360369	B1	19950503		
R: AT, BE, CH, DE, ES, FR, GB, GR, IT, LI, LU, NL, SE				
DE 3832303	A1	19900412	DE 1988-3832303	19880920
IL 91672	A1	19941229	IL 1989-91672	19890918
WO 9003385	A1	19900405	WO 1989-EP1090	19890920
W: AU, DK, FI, HU, JP, NO, US				
AU 8943049	A1	19900418	AU 1989-43049	19890920
AU 640616	B2	19930902		
ZA 8907191	A	19901031	ZA 1989-7191	19890920
DD 284682	A5	19901121	DD 1989-332836	19890920
HU 56851	A2	19911028	HU 1989-5541	19890920
HU 208151	B	19930830		
JP 04501712	T2	19920326	JP 1989-509963	19890920
JP 2760870	B2	19980604		
AT 122052	E	19950515	AT 1989-250040	19890920
ES 2074073	T3	19950901	ES 1989-250040	19890920
NO 9101102	A	19910319	NO 1991-1102	19910319
DK 9100504	A	19910320	DK 1991-504	19910320
US 5244886	A	19930914	US 1991-663819	19910320
NO 9104772	A	19910319	NO 1991-4772	19911204
PRIORITY APPLN. INFO.:			DE 1988-3832303	19880920
			WO 1989-EP1090	19890920
			NO 1991-1102	19910319

OTHER SOURCE(S): CASREACT 113:115677
AB The title compds. [I; Z = O, hydroxyimino; LM = bond, or L = H and M = .alpha.-OH; AB = bond and D = H and R1 = heteroaryl; or A = H and BD = CH2 and Z = H2; R3, R4 = tetrahydropyranyloxyalkyl, tetrahydropyranyloxyalkynyl, etc.], useful as antiglucocorticoids, neoplasm inhibitors (esp. for breast cancer), progestogen inhibitors, and antiproliferative agents, were prepd. 3-(Tetrahydropyran-2-yloxy)-1-propyne was lithiated with BuLi in THF-hexane and the product treated with 14.beta.-androstan-17-one II (R3R4 = O) (prepn. given) to give II (R3 = Q, R4 = OH) treated with 4N HCl to give I [R1 = OMe, R2 = Me, R3 = (CH2)3OH, BD = CH2, LM = bond, Z = O, A = H] (III). III had higher affinity for the gestagen receptor than the known EP-A 0277676 [11.beta.-[4-(dimethylamino)phenyl]-17.alpha.-hydroxy-17-(3-hydroxypropyl)-14.beta.-estra-4,9-dien-3-one].

MSTR 1A

L8 ANSWER 17 OF 20 MARPAT COPYRIGHT 2003 ACS (Continued)



G1 = O
G20 = 45



G28 = alkyl<(1-4)>
MPL: claim 1

L8 ANSWER 18 OF 20 MARPAT COPYRIGHT 2003 ACS
ACCESSION NUMBER: 112:235680 MARPAT
TITLE: Preparation of 13-alkyl-11.beta.-phenylgonanes as antigestagens and antiglucocorticoids
INVENTOR(S): Scholz, Stefan; Ottow, Eckhard; Neef, Guenter; Elger, Walter; Beier, Sybille; Chwalisz, Krzysztof
PATENT ASSIGNEE(S): Schering A.-G., Germany
SOURCE: Ger. Offen., 22 pp.
CODEN: GWXXBX
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 3822770	A1	19900104	DE 1988-3822770	19880701
IL 90826	A1	19940624	IL 1989-90826	19890630
CA 1334668	A1	19950307	CA 1989-604596	19890630
EP 349481	A1	19900103	EP 1989-730155	19890703
EP 349481	B1	19951102		
R: AT, BE, CH, DE, ES, FR, GB, GR, IT, LI, LU, NL, SE				
WO 9000174	A1	19900111	WO 1989-DE443	19890703
W: AU, FI, HU, JP, NO				
AU 8938568	A1	19900123	AU 1989-38568	19890703
AU 644060	B2	19931202		
ZA 8905058	A	19900425	ZA 1989-5058	19890703
DD 287511	A5	19910228	DD 1989-330342	19890703
HU 56114	A2	19910729	HU 1989-4130	19890703
HU 208021	B	19930728		
DD 295638	A5	19911107	DD 1989-341722	19890703
JP 03505727	T2	19911212	JP 1989-507188	19890703
JP 2956776	B2	19991004		
US 5273971	A	19931228	US 1989-374809	19890703
AT 129717	E	19951115	AT 1989-730155	19890703
ES 2080079	T3	19960201	ES 1989-730155	19890703
NO 9005609	A	19910228	NO 1990-5609	19901227
NO 180451	B	19970113		
NO 180451	C	19970423		
US 5446036	A	19950829	US 1993-144474	19931102
FI 9504856	A	19951012	FI 1995-4856	19951012
NO 9600829	A	19910228	NO 1996-829	19960229
PRIORITY APPLN. INFO.:			DE 1988-3822770	19880701
			US 1989-374809	19890703
			WO 1989-DE443	19890703
			NO 1990-5609	19901227
			FI 1990-6441	19901228

AB The title compds. [I; R1 = heterocyclyl, cycylalkyl, cycloalkenyl, alkenyl, etc.; R2 = .alpha.-, .beta.-Me, -Et; R3,R4 = alkoxy, acyl, oxofuryl, alkynyl, etc.; Z = O, NOH], antigestagens and antiglucocorticoids useful for induction of abortion, were prepd. via Grignard reaction of the corresponding 5.alpha.,10.alpha.-epoxy-9(11) unsatd. steroids with p-R1C6H4X (X = halo). Grignard reaction of epoxy steroid II (prepn. given) with p-CH2:CHC6H4X (X = Br, iodo) gave I [R1 = CH2:CH, R2 = .beta.-Me, R3 = OH, R4 = C.tplbond.CMe, Z = OCH2CMe2CH2O], which was hydrolyzed to give I [Z = O, R1-R4 same as above]. This at 3.0 mg s.c./day induced abortion in 100% of rats tested.

MSTR 1A

L8 ANSWER 18 OF 20 MARPAT COPYRIGHT 2003 ACS (Continued)



G1 = O
G4 = 37



G10 = alkyl<(1-4)>
MPL: claim 1
NTE: substitution is restricted

L8 ANSWER 19 OF 20 MARPAT COPYRIGHT 2003 ACS
ACCESSION NUMBER: 110:213172 MARPAT
TITLE: 13(Alpha)-alkylgonanes, their production, and pharmaceutical preparations containing same
INVENTOR(S): Neef, Guenter; Wiechert, Rudolf; Beier, Sybille; Elger, Walter; Henderson, David
PATENT ASSIGNEE(S): Schering A.-G., Fed. Rep. Ger.
SOURCE: U.S., 5 pp. Cont. of U.S. Ser. No. 621,308. CODEN: USXXAM
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 4
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 4780461	A	19881025	US 1985-810148	19851218
DE 3321826	A1	19841220	DE 1983-3321826	19830615
DE 3413036	A1	19851017	DE 1984-3413036	19840404
DE 3446661	A1	19860619	DE 1984-3446661	19841218
PRIORITY APPLN. INFO.:			DE 1983-3321826	19830615
			DE 1984-3413036	19840404
			US 1984-621308	19840615
			DE 1984-3446661	19841218

OTHER SOURCE(S): CASREACT 110:213172
AB 13.alpha.-Alkylgonanes [I; R = C1-4 acyl; X = O, NOH; II; R1 = amino; R2 = H, Me, Et; R3 = (substituted) alkyl; R4 = OH, alkoxy, alkanoyloxy; or R3R4 = O; R5 = H, alkyl; III; Z = CH2CH2, CH2CMe2CH2], having antigestagenic activity and useful as postcoital contraceptives, or for triggering abortion and menstruation (no data), are prepd. via photochem. epimerization of the 13.beta.-gonanes IV. 11.beta.-(4-Dimethylaminomethyl)-17.alpha.-hydroxy-13.alpha.-methyl-17.beta.-(3-hydroxypropyl)-4,9-gonadien-3-one (V) was acetylated with Ac2O in pyridine to give 11.beta.-(4-dimethylaminomethyl)-17.alpha.-hydroxy-13.alpha.-methyl-17.beta.-(3-acetoxypropyl)-4,9-gonadien-3-one. A tablet was formulated contg. V 10.0, lactose 140.0, corn starch 69.5, polyvinylpyrrolidone 25 2.5, Aerosil 2.0, and Mg stearate 0.5 mg.

MSTR 2



G4 = 59



L8 ANSWER 19 OF 20 MARPAT COPYRIGHT 2003 ACS (Continued)
G11 = OH
G12 = 66

GGA = 33 <RC (1), RS (1) M5 (1) X6, EC (0-) O (1-) N (0-) S (0) OTHERQ, AN (1) N, BD (ALL) SE>
DER: and acid addition salts
MPL: claim 18

L8 ANSWER 20 OF 20 MARPAT COPYRIGHT 2003 ACS
ACCESSION NUMBER: 109:170799 MARPAT
TITLE: Antiprogestinic 11.beta.-aryl-14.beta.-estra-4,9-dien-3-one derivatives, a process for their preparation, and pharmaceuticals containing them
INVENTOR(S): Loozen, Hubert Jan Jozef
PATENT ASSIGNEE(S): AKZO N. V., Neth.
SOURCE: Eur. Pat. Appl., 15 pp. CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 277676	A1	19880810	EP 1988-200071	19880118
EP 277676	B1	19920304		
R: AT, BE, CH, DE, ES, FR, GB, GR, IT, LI, NL, SE				
CA 1339570	A1	19971209	CA 1988-556625	19880115
ZA 8800317	A	19880928	ZA 1988-317	19880118
AT 73137	E	19920315	AT 1988-200071	19880118
ES 2031991	T3	19930101	ES 1988-200071	19880118
FI 8800257	A	19880724	FI 1988-257	19880121
FI 89054	B	19930430		
FI 89054	C	19930810		
AU 8810669	A1	19880728	AU 1988-10669	19880121
AU 603637	B2	19901122		
DK 8800304	A	19880724	DK 1988-304	19880122
DK 163307	B	19920217		
DK 163307	C	19920706		
CN 88100979	A	19880817	CN 1988-100979	19880122
CN 1030081	B	19951018		
JP 63216895	A2	19880909	JP 1988-12431	19880122
US 5272140	A	19931221	US 1990-488391	19900227
PRIORITY APPLN. INFO.:			NL 1987-157	19870123
			EP 1988-200071	19880118
			US 1988-146895	19880122

AB Title steroids I [R1 = monosubstituted homo- or heterocyclic aryl; R2 = C1-4 alkyl; R3, R4 = H, OH, C1-18 acyloxy, C2-8 alkoxyalkyl, C1-8 acyl, C1-12 alkoxy, (un)satd. (un)substituted C1-8 hydrocarbyl; R3R4 = C1-6 alkylidene, or atoms needed to form ring; .DELTA.16 optionally present, with R3 or R4 absent], having strong antiprogestinic activity, are prepd. Estrone 3-Me ether was brominated, dehydrobrominated, and hydrogenated to give the isomeric 14.beta.-estrone 3-Me ether. This underwent NaBH4 redn., Birch redn., hydrolysis, and bromination-dehydrobromination to give 17.alpha.-hydroxy-14.beta.-estra-4,9-dien-3-one. The latter was ketalized at the 3-position, oxidized to the 17-one, alkynylated at the 17-position by the tetrahydropyranyl ether of propargyl alc., epoxidized to the 5.alpha.,10.alpha.-epoxide, coupled with 4-(Me2N)C6H4MgBr in the presence of CuCl, hydrogenated in the side chain, hydrolyzed and dehydrated, and cyclized in the sidechain by tosylation in pyridine to give (dimethylaminophenyl)dihydrospiro(estradienefuran)one II. At 1 mg orally, twice daily in pregnant rats on days 6-10, II caused 100% pregnancy interception, but only slightly reversed dexamethasone-induced thymus wt. redn. in rats.

MSTR 15

L8 ANSWER 20 OF 20 MARPAT COPYRIGHT 2003 ACS (Continued)



G1 = biphenylyl (SR)
G6 = 37

GGA = 27 31 <(1-10)>
GGA = 37 <(1-8)>
MPL: claim 1

```
=> d his

     (FILE 'HOME' ENTERED AT 15:23:45 ON 04 JUN 2003)

     FILE 'REGISTRY' ENTERED AT 15:23:50 ON 04 JUN 2003
L1              STRUCTURE UPLOADED
L2           12 S L1
L3          176 S L1 FULL

     FILE 'CAPLUS' ENTERED AT 15:24:45 ON 04 JUN 2003
L4            7 S L3

     FILE 'BEILSTEIN' ENTERED AT 15:27:24 ON 04 JUN 2003
L5            0 S L3
L6            0 S L3 FULL

     FILE 'MARPAT' ENTERED AT 15:27:43 ON 04 JUN 2003
L7            0 S L3
L8           20 S L3 FULL

=> d his

     (FILE 'HOME' ENTERED AT 15:23:45 ON 04 JUN 2003)

     FILE 'REGISTRY' ENTERED AT 15:23:50 ON 04 JUN 2003
L1              STRUCTURE UPLOADED
L2           12 S L1
L3          176 S L1 FULL

     FILE 'CAPLUS' ENTERED AT 15:24:45 ON 04 JUN 2003
L4            7 S L3

     FILE 'BEILSTEIN' ENTERED AT 15:27:24 ON 04 JUN 2003
L5            0 S L3
L6            0 S L3 FULL

     FILE 'MARPAT' ENTERED AT 15:27:43 ON 04 JUN 2003
L7            0 S L3
L8           20 S L3 FULL

     FILE 'USPATFULL' ENTERED AT 15:30:16 ON 04 JUN 2003
L9            4 S L3
L10           0 S L4 NOT L9

     FILE 'CAOLD' ENTERED AT 15:30:35 ON 04 JUN 2003
L11           0 S L3
```

L10 ANSWER 1 OF 2 USPATFULL
ACCESSION NUMBER: 2001:4726 USPATFULL
TITLE: 17.beta.-acyl-17.alpha.-propynyl-11.beta.-arylsteroids and their derivatives having agonist or antagonist hormonal properties
INVENTOR(S): Cook, C. Edgar, Staunton, VA, United States
Kepler, John A., Raleigh, NC, United States
O'Reilly, Jill M., Durham, NC, United States
PATENT ASSIGNEE(S): Research Triangle Institute, Research Triangle Park, NC, United States (U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 6172052	B1	20010109
APPLICATION INFO.:	US 1998-205395		19981204 (9)

DOCUMENT TYPE: Patent
FILE SEGMENT: Granted
PRIMARY EXAMINER: Dees, Jose' G.
ASSISTANT EXAMINER: Qazi, Sabiha
LEGAL REPRESENTATIVE: Oblon, Spivak, McClelland, Maier & Neustadt, P.C.
NUMBER OF CLAIMS: 5
EXEMPLARY CLAIM: 1
NUMBER OF DRAWINGS: 2 Drawing Figure(s); 2 Drawing Page(s)
LINE COUNT: 2216
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The invention is directed to a novel class of 17.beta.-acyl-17.beta.-propynyl steroids which exhibit potent antiprogestational activity.

IT **273209-12-4P 273209-13-5P 273209-14-6P**
273209-30-6P 273209-31-7P 273209-32-8P
273209-67-9P 273209-68-0P 273209-69-1P
273209-85-1P 273209-86-2P 273209-87-3P
273210-36-9P 273210-37-0P 273210-38-1P
273210-54-1P 273210-55-2P 273210-56-3P
(prepn. of 17.beta.-acyl-17.alpha.-propynyl-11.beta.-arylsteroids with antiprogestational activity)

RN 273209-12-4 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-21-methoxy-17-(1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273209-13-5 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-21-methoxy-17-(3,3,3-trifluoro-1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273209-14-6 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-17-(3-hydroxy-1-propynyl)-21-methoxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273209-30-6 USPATFULL
CN Estra-4,9-dien-3-one, 11-[4-(dimethylamino)phenyl]-17-(1-oxopropyl)-17-(1-propynyl)-, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273209-31-7 USPATFULL
CN Estra-4,9-dien-3-one, 11-[4-(dimethylamino)phenyl]-17-(1-oxopropyl)-17-(3,3,3-trifluoro-1-propynyl)-, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273209-32-8 USPATFULL
CN Estra-4,9-dien-3-one, 11-[4-(dimethylamino)phenyl]-17-(3-hydroxy-1-propynyl)-17-(1-oxopropyl)-, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273209-67-9 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 21-methoxy-11-[4-(methylamino)phenyl]-17-(1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273209-68-0 USPATFULL

L10 ANSWER 1 OF 2 USPATFULL (Continued)
17-(3,3,3-trifluoro-1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

RN 273209-14-6 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-17-(3-hydroxy-1-propynyl)-21-methoxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

RN 273209-30-6 USPATFULL
CN Estra-4,9-dien-3-one, 11-[4-(dimethylamino)phenyl]-17-(1-oxopropyl)-17-(1-propynyl)-, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L10 ANSWER 1 OF 2 USPATFULL (Continued)
CN 19-Norpregna-4,9-diene-3,20-dione, 21-methoxy-11-[4-(methylamino)phenyl]-17-(3,3,3-trifluoro-1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273209-69-1 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(3-hydroxy-1-propynyl)-21-methoxy-11-[4-(methylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273209-85-1 USPATFULL
CN Estra-4,9-dien-3-one, 11-[4-(methylamino)phenyl]-17-(1-oxopropyl)-17-(1-propynyl)-, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273209-86-2 USPATFULL
CN Estra-4,9-dien-3-one, 11-[4-(methylamino)phenyl]-17-(1-oxopropyl)-17-(3,3,3-trifluoro-1-propynyl)-, (11.beta.,17.beta.)- (9CI) (CA INDEX

L10 ANSWER 1 OF 2 USPATFULL (Continued)
NAME)

Absolute stereochemistry.



RN 273209-87-3 USPATFULL
CN Estra-4,9-dien-3-one,
17-(3-hydroxy-1-propynyl)-11-[4-(methylamino)phenyl]-
17-(1-oxopropyl)-, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273210-36-9 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-
(dimethylamino)phenyl]-17-(1-propynyl)-, (11.beta.)- (9CI) (CA INDEX
NAME)

Absolute stereochemistry.



L10 ANSWER 1 OF 2 USPATFULL (Continued)



RN 273210-55-2 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-
(methylamino)phenyl]-17-(3,3,3-trifluoro-1-propynyl)-, (11.beta.)-
(9CI)
(CA INDEX NAME)

Absolute stereochemistry.



RN 273210-56-3 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-17-(3-hydroxy-1-
propynyl)-11-[4-(methylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX
NAME)

Absolute stereochemistry.



L10 ANSWER 1 OF 2 USPATFULL (Continued)

RN 273210-37-0 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-
(dimethylamino)phenyl]-17-(3,3,3-trifluoro-1-propynyl)-, (11.beta.)-
(9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273210-38-1 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-
(dimethylamino)phenyl]-17-(3-hydroxy-1-propynyl)-, (11.beta.)- (9CI)
(CA INDEX NAME)

Absolute stereochemistry.



RN 273210-54-1 USPATFULL
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-
(methylamino)phenyl]-17-(1-propynyl)-, (11.beta.)- (9CI) (CA INDEX
NAME)

Absolute stereochemistry.

L10 ANSWER 2 OF 2 USPATFULL

ACCESSION NUMBER:	2000:12791 USPATFULL
TITLE:	20-keto-11.beta.-arylsteroids and their derivatives having agonist or antagonist hormonal properties
INVENTOR(S):	Cook, C. Edgar, Staunton, VA, United States Kepler, John A., Raleigh, NC, United States Zhang, Ping-sheng, Millbrae, CA, United States Lee, Yue-wei, Chapel Hill, NC, United States Tallent, C. Ray, Raleigh, NC, United States
PATENT ASSIGNEE(S):	Research Triangle Institute, Research Triangle Park, NC, United States (U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 6020328		20000201
APPLICATION INFO.:	US 1998-35949		19980306 (9)

DOCUMENT TYPE:	Utility
FILE SEGMENT:	Granted
PRIMARY EXAMINER:	Dees, Jose' G.
ASSISTANT EXAMINER:	Badio, Barbara
LEGAL REPRESENTATIVE:	Oblon, Spivak, McClelland, Maier & Neustadt, P.C.
NUMBER OF CLAIMS:	9
EXEMPLARY CLAIM:	1
NUMBER OF DRAWINGS:	5 Drawing Figure(s); 10 Drawing Page(s)
LINE COUNT:	2399

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The invention is directed to 20-keto-11.beta.-arylsteroids of formula I:

##STR1## wherein R.sup.1, R.sup.6, R.sup.7, R.sup.9, R.sup.12 and X are as defined by the specification. The compounds exhibit progestational and antiprogestational activities.

IT **240806-28-4P**
(prepn. of 20-keto-11.beta.-arylsteroids with antiprogestational activity)

RN 240806-28-4 USPATFULL
CN 19,21-Dinorchola-4,9-dien-24-oic acid, 11-[4-(dimethylamino)phenyl]-17-hydroxy-3,20-dioxo-, ethyl ester, (11.beta.)-, trifluoroacetate (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 240806-27-3
CMF C32 H41 N O5

Absolute stereochemistry.



L10 ANSWER 2 OF 2 USPATFULL (Continued)

CM 2

CRN 76-05-1
CMF C2 H F3 O2

09/180,132

=> d ibib ab hitstr 1-5

L12 ANSWER 1 OF 5 CAPLUS COPYRIGHT 2001 ACS
ACCESSION NUMBER: 2001:747811 CAPLUS
TITLE: Preparation of 17.alpha.-substituted-11.beta.-substituted-4-aryl and 21-substituted 19-norpregna-4,9-diene-3,20-dione derivatives as new antiprogestational agents
INVENTOR(S): Kim, Hyun K.; Blye, Richard P.; Rao, Pemmaraju N.; Cessac, James W.; Acosta, Carmie K.; Simmons, Anne Marie
PATENT ASSIGNEE(S): Secretary of Health and Human Services, USA
SOURCE: PCT Int. Appl., 171 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001074840	A2	20011011	WO 2001-US8681	20010316

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG

PRIORITY APPLN. INFO.: US 2000-526855 A 20000317

AB 19-Norpregna-4,9-diene-3,20-dione derivs. [I; R1 = OMe, SMe, NMe2, NHMe, NC4H8, NC5H10, NC4H8O, CHO, CH(OH)Me, C(O)Me, O(CH2)2NMe2, and -O(CH2)2NC5H10; R2 = H, halogen, alkyl, acyl, hydroxy, alkoxy, acyloxy, alkylcarbonate, cypionyloxy, S-alkyl, -SCN, S-acyl and -OC(O)R6; R6 = alkyl, alkoxy ester, alkoxy; R3 = alkyl, hydroxy, alkoxy and acyloxy; R4 = H, alkyl; X = O, (substituted) NOH] were prepd as antiprogestational agents. The present invention provides methods wherein I were advantageously used, inter alia, to antagonize endogenous progesterone; to induce menses; to treat endometriosis; to treat dysmenorrhea; to treat endocrine hormone-dependent tumors; to treat meningiomas; to treat uterine leiomyomas; to treat uterine fibroids; to inhibit uterine endometrial proliferation; to induce cervical ripening; to induce labor; and for contraception. Thus, norpregnadienedione deriv. II was prepd. from 3,3-ethylenedioxy-17.beta.-cyano-17.alpha.-hydroxyestra-5(10),9(11)-diene and 4-bromo-N,N-dimethylaniline in 9 steps which showed 2.79 times the antiprogestational potency in the antiClauberg test compared to CDB-2914.

IT INDEXING IN PROGRESS
IT **365416-28-0P 365416-50-8P 365416-51-9P 365416-59-7P 365416-60-0P 365416-61-1P 365416-65-5P 365416-67-7P 365416-68-8P 365416-69-9P 365416-70-2P 365416-71-3P 365416-72-4P 365416-73-5P 365416-74-6P 365416-75-7P**
RL: BAC (Biological activity or effector, except adverse); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(prepn. of 17-.alpha.-substituted-11-.beta.-substituted-4-aryl and 21-substituted 19-norpregnadienedione as new antiprogestational agents)

L12 ANSWER 1 OF 5 CAPLUS COPYRIGHT 2001 ACS (Continued)

RN 365416-28-0 CAPLUS
CN INDEX NAME NOT YET ASSIGNED

Absolute stereochemistry.



RN 365416-50-8 CAPLUS
CN INDEX NAME NOT YET ASSIGNED

Absolute stereochemistry.



RN 365416-51-9 CAPLUS
CN INDEX NAME NOT YET ASSIGNED

Absolute stereochemistry.

L12 ANSWER 1 OF 5 CAPLUS COPYRIGHT 2001 ACS (Continued)



RN 365416-59-7 CAPLUS
CN INDEX NAME NOT YET ASSIGNED

Absolute stereochemistry.



RN 365416-60-0 CAPLUS
CN INDEX NAME NOT YET ASSIGNED

Absolute stereochemistry.



RN 365416-61-1 CAPLUS
CN INDEX NAME NOT YET ASSIGNED

Absolute stereochemistry.

L12 ANSWER 1 OF 5 CAPLUS COPYRIGHT 2001 ACS (Continued)



RN 365416-65-5 CAPLUS
CN INDEX NAME NOT YET ASSIGNED

Absolute stereochemistry.



RN 365416-67-7 CAPLUS
CN INDEX NAME NOT YET ASSIGNED

Absolute stereochemistry.



RN 365416-68-8 CAPLUS
CN INDEX NAME NOT YET ASSIGNED

Absolute stereochemistry.

L12 ANSWER 1 OF 5 CAPLUS COPYRIGHT 2001 ACS (Continued)



RN 365416-69-9 CAPLUS
CN INDEX NAME NOT YET ASSIGNED

Absolute stereochemistry.



RN 365416-70-2 CAPLUS
CN INDEX NAME NOT YET ASSIGNED

Absolute stereochemistry.



RN 365416-71-3 CAPLUS
CN INDEX NAME NOT YET ASSIGNED

L12 ANSWER 1 OF 5 CAPLUS COPYRIGHT 2001 ACS (Continued)



RN 365416-75-7 CAPLUS
CN INDEX NAME NOT YET ASSIGNED

Absolute stereochemistry.



IT **198413-96-6P 198413-97-7P 198413-98-8P**
198413-99-9P 198414-00-5P 198414-21-0P
198414-30-1P 198414-32-3P 198414-34-5P
198414-38-9P 198414-42-5P 365416-18-8P
365416-19-9P 365416-20-2P 365416-21-3P
365416-22-4P 365416-33-7P 365416-34-8P
365416-35-9P 365416-45-1P 365416-48-4P
365416-49-5P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation)
(prepn. of 17-.alpha.-substituted-11-.beta.-substituted-4-aryl and 21-substituted 19-norpregnadienedione as new antiprogestational agents)
RN 198413-96-6 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-chloro-11-[4-(dimethylamino)phenyl]-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L12 ANSWER 1 OF 5 CAPLUS COPYRIGHT 2001 ACS (Continued)

Absolute stereochemistry.



RN 365416-72-4 CAPLUS
CN INDEX NAME NOT YET ASSIGNED

Absolute stereochemistry.



RN 365416-73-5 CAPLUS
CN INDEX NAME NOT YET ASSIGNED

Absolute stereochemistry.



RN 365416-74-6 CAPLUS
CN INDEX NAME NOT YET ASSIGNED

Absolute stereochemistry.

L12 ANSWER 1 OF 5 CAPLUS COPYRIGHT 2001 ACS (Continued)



RN 198413-97-7 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-(dimethylamino)phenyl]-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198413-98-8 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-17,21-dihydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198413-99-9 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-17-hydroxy-21-[(methylsulfonyl)oxy]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L12 ANSWER 1 OF 5 CAPLUS COPYRIGHT 2001 ACS (Continued)



RN 198414-00-5 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-21-fluoro-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-21-0 CAPLUS
CN Estra-4,9-dien-3-one, 11-[4-(dimethylamino)phenyl]-17-hydroxy-17-(1-oxopropyl)-, (11.beta.,17.alpha.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-30-1 CAPLUS

L12 ANSWER 1 OF 5 CAPLUS COPYRIGHT 2001 ACS (Continued)



RN 198414-38-9 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-21-ethoxy-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-42-5 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-bromo-11-[4-(dimethylamino)phenyl]-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 365416-18-8 CAPLUS
CN INDEX NAME NOT YET ASSIGNED

Absolute stereochemistry.

L12 ANSWER 1 OF 5 CAPLUS COPYRIGHT 2001 ACS (Continued)
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-17-hydroxy-21-methoxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-32-3 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(3-cyclopentyl-1-oxopropoxy)-11-[4-(dimethylamino)phenyl]-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-34-5 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L12 ANSWER 1 OF 5 CAPLUS COPYRIGHT 2001 ACS (Continued)



RN 365416-19-9 CAPLUS
CN INDEX NAME NOT YET ASSIGNED

Absolute stereochemistry.



RN 365416-20-2 CAPLUS
CN INDEX NAME NOT YET ASSIGNED

Absolute stereochemistry.



RN 365416-21-3 CAPLUS
CN INDEX NAME NOT YET ASSIGNED

Absolute stereochemistry.

L12 ANSWER 1 OF 5 CAPLUS COPYRIGHT 2001 ACS (Continued)



RN 365416-22-4 CAPLUS
CN INDEX NAME NOT YET ASSIGNED

Absolute stereochemistry.



RN 365416-33-7 CAPLUS
CN INDEX NAME NOT YET ASSIGNED

Absolute stereochemistry.



RN 365416-34-8 CAPLUS
CN INDEX NAME NOT YET ASSIGNED

Absolute stereochemistry.

L12 ANSWER 1 OF 5 CAPLUS COPYRIGHT 2001 ACS (Continued)



RN 365416-49-5 CAPLUS
CN INDEX NAME NOT YET ASSIGNED

Absolute stereochemistry.



IT **365416-23-5P 365416-27-9P**
RL: SPN (Synthetic preparation); PREP (Preparation)
(prepn. of 17-.alpha.-substituted-11-.beta.-substituted-4-aryl and 21-substituted 19-norpregnadienedione as new antiprogestational agents)
RN 365416-23-5 CAPLUS
CN INDEX NAME NOT YET ASSIGNED

Absolute stereochemistry.



RN 365416-27-9 CAPLUS

L12 ANSWER 1 OF 5 CAPLUS COPYRIGHT 2001 ACS (Continued)



RN 365416-35-9 CAPLUS
CN INDEX NAME NOT YET ASSIGNED

Absolute stereochemistry.



RN 365416-45-1 CAPLUS
CN INDEX NAME NOT YET ASSIGNED

Absolute stereochemistry.



RN 365416-48-4 CAPLUS
CN INDEX NAME NOT YET ASSIGNED

Absolute stereochemistry.

L12 ANSWER 1 OF 5 CAPLUS COPYRIGHT 2001 ACS (Continued)
CN INDEX NAME NOT YET ASSIGNED

Absolute stereochemistry.



L12 ANSWER 2 OF 5 CAPLUS COPYRIGHT 2001 ACS
ACCESSION NUMBER: 2001:489415 CAPLUS
DOCUMENT NUMBER: 135:61476
TITLE: Process for the preparation of 17.alpha.-acetoxy-11.beta.-[4-N,N-(dimethylamino)phenyl]-21-methoxy-19-norpregna-4,9-diene-3,20-dione, intermediates useful in the process, and processes for preparing such intermediates
INVENTOR(S): Kim, Hyun Koo; Rao, Pemmaraju N.; Cessac, James W.; Simmons, Anne Marie
PATENT ASSIGNEE(S): United States Dept. of Health and Human Services, USA
SOURCE: PCT Int. Appl., 50 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001047945	A1	20010705	WO 2000-US35479	20001229

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG

PRIORITY APPLN. INFO.: US 1999-173470 P 19991229
OTHER SOURCE(S): CASREACT 135:61476
AB A process for prepg. the antiprogestational agent, 17.alpha.-acetoxy-11.beta.-[4-N,N-(dimethylamino)phenyl]-21-methoxy-19-norpregna-4,9-dien-3,20-dione (I), intermediates useful in the process, and processes for prepg. such intermediates was described. I was prepd. via a multistep synthetic sequence starting from cynaohydrin II. The synthetic sequence involved replacing the cyanohydrin group of II with a chloroacetyl group and a hydroxyl group; replacing the chloro group of the resulting compd. with an acetoxy group; deacetylating the resulting compd.; selectively ketalizing the resulting compd.; selectively methylating the 21-hydroxy group of the resulting compd.; reducing the 20-keto group of the resulting compd.; epoxidizing the resulting compd.; introducing a N,N-dimethylaminophenyl group at the 11-position and opening the epoxide; deketalizing the resulting compd.; selectively oxidizing the 20-hydroxyl group to a keto group; and acetylating the resulting compd.
IT **198414-30-1P**
RL: IMF (Industrial manufacture); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation)
(process for the prepn. of 17.alpha.-acetoxy-11.beta.-[4-N,N-(dimethylamino)phenyl]-21-methoxy-19-norpregna-4,9-diene-3,20-dione, intermediates useful in the process, and processes for prepg. such intermediates)
RN 198414-30-1 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-17-hydroxy-

L12 ANSWER 2 OF 5 CAPLUS COPYRIGHT 2001 ACS (Continued)
21-methoxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



IT **198414-31-2P**, 17.alpha.-Acetoxy-11.beta.-[4-N,N-(dimethylamino)phenyl]-21-methoxy-19-norpregna-4,9-dien-3,20-dione
RL: IMF (Industrial manufacture); SPN (Synthetic preparation); PREP (Preparation)
(process for the prepn. of 17.alpha.-acetoxy-11.beta.-[4-N,N-(dimethylamino)phenyl]-21-methoxy-19-norpregna-4,9-diene-3,20-dione, intermediates useful in the process, and processes for prepg. such intermediates)
RN 198414-31-2 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-methoxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



REFERENCE COUNT: 7
REFERENCE(S): (2) Lewbart, M; US 4511511 A 1985 CAPLUS
(3) Sigma Tau Ind Farmaceuti; EP 0658533 A 1995 CAPLUS
(4) Teutsch, G; STEROIDS 1982, V39(6), P607 CAPLUS
(5) Us Health; WO 9741145 A 1997 CAPLUS
(6) Uskokovic, M; US 3496199 A 1970 CAPLUS
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 3 OF 5 CAPLUS COPYRIGHT 2001 ACS
ACCESSION NUMBER: 2000:401850 CAPLUS
DOCUMENT NUMBER: 133:17687
TITLE: Preparation of 17.beta.-acyl-17.alpha.-propynyl-11.beta.-arylsteroids and their derivatives having agonist or antagonist hormonal properties
INVENTOR(S): Cook, C. Edgar; Kepler, John A.; O'Reilly, Jill M.
PATENT ASSIGNEE(S): Research Triangle Institute, USA
SOURCE: PCT Int. Appl., 70 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000034306	A1	20000615	WO 1999-US28535	19991203

W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
RW: GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG

US 6172052	B1	20010109	US 1998-205395	19981204
EP 1135403	A1	20010926	EP 1999-964047	19991203

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO

PRIORITY APPLN. INFO.: US 1998-205395 A 19981204
WO 1999-US28535 W 19991203
OTHER SOURCE(S): MARPAT 133:17687
AB Novel 17.beta.-acyl-17.alpha.-propynyl steroids of formula I [R1 = NMe2, NHMe, NH2; R2 = Me, CF3, CH2OH; R3 = H, Me, OMe, OAc; R4 = H, Me, F, Cl; X = O, H2, NOH, NOMe] are prepd. which exhibit potent antiprogestational activity. Thus, II was prepd. from estrone in many steps. The relative progesterone binding activity of II was 313% of promegestone.
IT **273209-12-4P 273209-13-5P 273209-14-6P**
273209-30-6P 273209-31-7P 273209-32-8P
273209-67-9P 273209-68-0P 273209-69-1P
273209-85-1P 273209-86-2P 273209-87-3P
273210-36-9P 273210-37-0P 273210-38-1P
273210-54-1P 273210-55-2P 273210-56-3P
RL: BAC (Biological activity or effector, except adverse); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(prepn. of 17.beta.-acyl-17.alpha.-propynyl-11.beta.-arylsteroids with antiprogestational activity)
RN 273209-12-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-21-methoxy-17-(1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L12 ANSWER 3 OF 5 CAPLUS COPYRIGHT 2001 ACS (Continued)



RN 273209-13-5 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-21-methoxy-17-(3,3,3-trifluoro-1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273209-14-6 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-17-(3-hydroxy-1-propynyl)-21-methoxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273209-30-6 CAPLUS
CN Estra-4,9-dien-3-one, 11-[4-(dimethylamino)phenyl]-17-(1-oxopropyl)-17-(1-propynyl)-, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L12 ANSWER 3 OF 5 CAPLUS COPYRIGHT 2001 ACS (Continued)



RN 273209-31-7 CAPLUS
CN Estra-4,9-dien-3-one, 11-[4-(dimethylamino)phenyl]-17-(1-oxopropyl)-17-(3,3,3-trifluoro-1-propynyl)-, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273209-32-8 CAPLUS
CN Estra-4,9-dien-3-one, 11-[4-(dimethylamino)phenyl]-17-(3-hydroxy-1-propynyl)-17-(1-oxopropyl)-, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273209-67-9 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-methoxy-11-[4-(methylamino)phenyl]-17-(1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

L12 ANSWER 3 OF 5 CAPLUS COPYRIGHT 2001 ACS (Continued)
propynyl)-, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273209-86-2 CAPLUS
CN Estra-4,9-dien-3-one, 11-[4-(methylamino)phenyl]-17-(1-oxopropyl)-17-(3,3,3-trifluoro-1-propynyl)-, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273209-87-3 CAPLUS
CN Estra-4,9-dien-3-one, 17-(3-hydroxy-1-propynyl)-11-[4-(methylamino)phenyl]-17-(1-oxopropyl)-, (11.beta.,17.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273210-36-9 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-(dimethylamino)phenyl]-17-(1-propynyl)-, (11.beta.)- (9CI) (CA INDEX

L12 ANSWER 3 OF 5 CAPLUS COPYRIGHT 2001 ACS (Continued)
Absolute stereochemistry.



RN 273209-68-0 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-methoxy-11-[4-(methylamino)phenyl]-17-(3,3,3-trifluoro-1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273209-69-1 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(3-hydroxy-1-propynyl)-21-methoxy-11-[4-(methylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273209-85-1 CAPLUS
CN Estra-4,9-dien-3-one, 11-[4-(methylamino)phenyl]-17-(1-oxopropyl)-17-(1-

L12 ANSWER 3 OF 5 CAPLUS COPYRIGHT 2001 ACS (Continued)
NAME)

Absolute stereochemistry.



RN 273210-37-0 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-(dimethylamino)phenyl]-17-(3,3,3-trifluoro-1-propynyl)-, (11.beta.)-(9CI)
(CA INDEX NAME)

Absolute stereochemistry.



RN 273210-38-1 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-(dimethylamino)phenyl]-17-(3-hydroxy-1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273210-54-1 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-

L12 ANSWER 3 OF 5 CAPLUS COPYRIGHT 2001 ACS (Continued)
(methylamino)phenyl]-17-(1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273210-55-2 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-(methylamino)phenyl]-17-(3,3,3-trifluoro-1-propynyl)-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 273210-56-3 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-17-(3-hydroxy-1-propynyl)-11-[4-(methylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L12 ANSWER 4 OF 5 CAPLUS COPYRIGHT 2001 ACS
ACCESSION NUMBER: 1999:576939 CAPLUS
DOCUMENT NUMBER: 131:199885
TITLE: Preparation of 20-keto-11.beta.-arylsteroids and their
derivatives having agonist or antagonist hormonal properties
INVENTOR(S): Cook, C. Edgar; Kepler, John A.; Zhang, Ping-sheng; Lee, Yue-wei; Tallent, C. Ray
PATENT ASSIGNEE(S): Research Triangle Institute, USA
SOURCE: PCT Int. Appl., 95 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9945022	A1	19990910	WO 1999-US3732	19990305
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
US 6020328	A	20000201	US 1998-35949	19980306
AU 9928715	A1	19990920	AU 1999-28715	19990305
EP 1060186	A1	20001220	EP 1999-909531	19990305
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
BR 9908598	A	20011002	BR 1999-8598	19990305

PRIORITY APPLN. INFO.: US 1998-35949 A 19980306
WO 1999-US3732 W 19990305

OTHER SOURCE(S): MARPAT 131:199885

AB 20-Keto-11.beta.-arylsteroids of formula I [X = O, (substituted) NOH, H2, OH, etc.; R1 = dialkylamino, imidazolyl, pyrrolyl, piperidino, etc.; R2 = H, halo; R3 = H, Me, halo; R4 = H, acyloxy, (substituted) OH, alkyl, etc.; R5 = H, alkyl, halo, acyloxy, etc.] are prepd. which exhibit potent antiprogestational activity. Thus, II was prepd. from 17.alpha.-hydroxymethyl-3-methoxy-19-norpregna-1,3,5(10)-trien-20-one and 4-bromo-N,N-dimethylaniline in several steps. The affinity of II for the progesterone hormone receptor was IC50 of 0.7 nM.

IT **240806-28-4P**
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation)
(prepn. of 20-keto-11.beta.-arylsteroids with antiprogestational activity)

RN 240806-28-4 CAPLUS
CN 19,21-Dinorchola-4,9-dien-24-oic acid, 11-[4-(dimethylamino)phenyl]-17-hydroxy-3,20-dioxo-, ethyl ester, (11.beta.)-, trifluoroacetate (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 240806-27-3
CMF C32 H41 N O5

L12 ANSWER 3 OF 5 CAPLUS COPYRIGHT 2001 ACS (Continued)
REFERENCE COUNT: 6
REFERENCE(S):
(1) Bouali; US 5981516 A 1999 CAPLUS
(2) Cook; US 5073548 A 1991 CAPLUS
(3) Cook; US 6020328 A 2000 CAPLUS
(4) Grandadam, J; EP 446124 1991 CAPLUS
(5) Kasch; US 5407928 A 1995 CAPLUS
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 4 OF 5 CAPLUS COPYRIGHT 2001 ACS (Continued)
Absolute stereochemistry.



CM 2

CRN 76-05-1
CMF C2 H F3 O2

REFERENCE COUNT: 2
REFERENCE(S):
(1) Scholz; US 5446036 A 1995 CAPLUS
(2) Teutsch; US 4386085 A 1983 CAPLUS

L12 ANSWER 5 OF 5 CAPLUS COPYRIGHT 2001 ACS
ACCESSION NUMBER: 1997:740250 CAPLUS
DOCUMENT NUMBER: 127:358992
TITLE: Preparation of 21-substituted progesterone derivatives as new antiprogestational agents
INVENTOR(S): Kim, Hyun K.; Blye, Richard P.; Rao, Pemmaraju N.; Cessac, James W.; Acosta, Carmie K.
PATENT ASSIGNEE(S): United States Dept. of Health and Human Services, USA; Kim, Hyun K.; Blye, Richard P.; Rao, Pemmaraju N.; Cessac, James W.; Acosta, Carmie K.
SOURCE: PCT Int. Appl., 65 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9741145	A1	19971106	WO 1997-US7373	19970430
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, KE, LS, MW, SD, SZ, UG, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
CA 2253673	AA	19971106	CA 1997-2253673	19970430
AU 9729304	A1	19971119	AU 1997-29304	19970430
AU 710139	B2	19990916		
EP 900234	A1	19990310	EP 1997-923523	19970430
EP 900234	B1	20000705		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
AT 194358	E	20000715	AT 1997-923523	19970430
JP 2000509396	T2	20000725	JP 1997-539232	19970430
ES 2152671	T3	20010201	ES 1997-923523	19970430

PRIORITY APPLN. INFO.: US 1996-16628 P 19960501
WO 1997-US7373 W 19970430
OTHER SOURCE(S): MARPAT 127:358992

AB Progesterone derivs. of formula I [R1 = OMe, SMe, NMe2, NHMe, CHO, Ac, CHOHCH3; R2 = halo, alkyl, acyl, OH, alkoxy, etc.; R3 = OH, alkyl, alkoxy, acyloxy; R4 = H, alkyl; X = O, (substituted) NOH] are prepd. as antiprogestational agents. The present invention provides methods wherein the compds. of formula I are advantageously used, inter alia, to antagonize endogenous progesterone; to induce menses; to treat endometriosis; to treat dysmenorrhea; to treat endocrine hormone-dependent tumors; to treat uterine fibroids; to inhibit uterine endometrial proliferation; to induce labor; and for contraception. Thus, II was prepd. from 3,3-ethylenedioxy-17.beta.-cyano-17.alpha.-hydroxyestra-5(10),9(11)-diene and 4-bromo-N,N-dimethylaniline in 9 steps. II showed 2.79 times the antiprogestational potency in the antiClauberg test compared to CDB-2914.

IT **198414-07-2P 198414-09-4P 198414-31-2P**
RL: BAC (Biological activity or effector, except adverse); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(prepn. of progesterone derivs. as antiprogestational agents)

RN 198414-07-2 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17,21-bis(acetyloxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-09-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetylthio)-11-[4-(dimethylamino)phenyl]-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-31-2 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-methoxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L12 ANSWER 5 OF 5 CAPLUS COPYRIGHT 2001 ACS (Continued)



IT **198414-03-8P 198414-05-0P 198414-11-8P**
198414-22-1P 198414-32-3P 198414-33-4P
198414-34-5P 198414-39-0P 198414-43-6P
RL: BAC (Biological activity or effector, except adverse); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(prepn. of progesterone derivs. as antiprogestational agents)

RN 198414-03-8 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-fluoro-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-05-0 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-21-chloro-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-11-8 CAPLUS

L12 ANSWER 5 OF 5 CAPLUS COPYRIGHT 2001 ACS (Continued)
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-21-(acetylthio)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-22-1 CAPLUS
CN Estra-4,9-dien-3-one, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-17-(1-oxopropyl)-, (11.beta.,17.alpha.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).



RN 198414-32-3 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(3-cyclopentyl-1-oxopropoxy)-11-[4-(dimethylamino)phenyl]-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-33-4 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-21-(3-cyclopentyl-1-

L12 ANSWER 5 OF 5 CAPLUS COPYRIGHT 2001 ACS (Continued)
oxopropoxy)-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-34-5 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-39-0 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-11-[4-(dimethylamino)phenyl]-21-ethoxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L12 ANSWER 5 OF 5 CAPLUS COPYRIGHT 2001 ACS (Continued)



RN 198414-43-6 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 17-(acetyloxy)-21-bromo-11-[4-(dimethylamino)phenyl]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



IT **198413-96-6P 198413-97-7P 198413-98-8P**
198413-99-9P 198414-00-5P 198414-21-0P
198414-30-1P 198414-38-9P 198414-42-5P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation)
(prepn. of progesterone derivs. as antiprogestational agents)
RN 198413-96-6 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-chloro-11-[4-(dimethylamino)phenyl]-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L12 ANSWER 5 OF 5 CAPLUS COPYRIGHT 2001 ACS (Continued)



RN 198413-97-7 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-(acetyloxy)-11-[4-(dimethylamino)phenyl]-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198413-98-8 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-17,21-dihydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198413-99-9 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-17-hydroxy-21-[(methylsulfonyl)oxy]-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L12 ANSWER 5 OF 5 CAPLUS COPYRIGHT 2001 ACS (Continued)



RN 198414-00-5 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-21-fluoro-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-21-0 CAPLUS
CN Estra-4,9-dien-3-one, 11-[4-(dimethylamino)phenyl]-17-hydroxy-17-(1-oxopropyl)-, (11.beta.,17.alpha.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-30-1 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-17-hydroxy-21-methoxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-38-9 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 11-[4-(dimethylamino)phenyl]-21-ethoxy-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 198414-42-5 CAPLUS
CN 19-Norpregna-4,9-diene-3,20-dione, 21-bromo-11-[4-(dimethylamino)phenyl]-17-hydroxy-, (11.beta.)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L12 ANSWER 5 OF 5 CAPLUS COPYRIGHT 2001 ACS (Continued)

L15 ANSWER 1 OF 12 MARPAT COPYRIGHT 2001 ACS
ACCESSION NUMBER: 129:50105 MARPAT
TITLE: Uses of anti-glucocorticoid compounds for the treatment of psychoses or addictive behaviors
INVENTOR(S): Oberlander, Claude; Piazza, Pier Vincenzo
PATENT ASSIGNEE(S): Hoechst Marion Roussel, Fr.; Oberlander, Claude; Piazza, Pier Vincenzo
SOURCE: PCT Int. Appl., 41 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: French
FAMILY ACC. NUM. COUNT: 2
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9826783	A1	19980625	WO 1997-FR2320	19971217
W: AL, AU, BA, BB, BG, BR, CA, CN, CU, CZ, EE, GE, GW, HU, ID, IL, IS, JP, KP, KR, LC, LK, LR, LT, LV, MG, MK, MN, MX, NO, NZ, PL, RO, SG, SI, SK, SL, TR, TT, UA, US, UZ, VN, YU, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
FR 2757400	A1	19980626	FR 1996-15649	19961219
FR 2757400	B1	19991217		
AU 9855632	A1	19980715	AU 1998-55632	19971217
EP 892641	A1	19990127	EP 1997-952078	19971217
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
PRIORITY APPLN. INFO.:			FR 1996-15649	19961219
			WO 1997-FR2320	19971217

AB Glucocorticoid antagonists,except mifepristone, are used as dopamine type II receptor antagonists to treat psychotic or addictive behavior. Thus, 17.beta.-hydroxy-10.beta.-[(4-methylphenyl)methyl]-17.alpha.-(1-propynyl)estra-4,9(11)-dien-3-one considerably reduced the response to morphine in vivo.

MSTR 1



G1 = Ph (SO (1-) G11)
G2 = hydrocarbyl<(1-8)>
G3 = 35-13 37-14

L15 ANSWER 1 OF 12 MARPAT COPYRIGHT 2001 ACS (Continued)



G4 = C(O)
G11 = alkenyloxy<(2-6)>
G12 = 41



G16 = OH
DER: and pharmaceutically acceptable acid addition salts
MPL: claim 4
NTE: substitution is restricted

L15 ANSWER 2 OF 12 MARPAT COPYRIGHT 2001 ACS
ACCESSION NUMBER: 128:188869 MARPAT
TITLE: Mixed agonists of the progesterone receptor and assays for them
INVENTOR(S): McDonnell, Donald P.; Wagner, Brandee L.
PATENT ASSIGNEE(S): Duke University, USA
SOURCE: PCT Int. Appl., 62 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9805679	A2	19980212	WO 1997-US13754	19970805
W: CA				
RW: AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
PRIORITY APPLN. INFO.:			US 1996-23206	19960805

AB A third class of PR-ligand (i.e. mixed agonist) is identified which induces a progesterone receptor conformation distinct from that induced by a PR agonist or antagonist; the agonists are estra-4,9-dien-3-one derivs. PR mixed agonists exhibit partial agonist activity which is influenced by cell context. These compds. provide useful pharmacol. profiles for treating progesterone related diseases and/or conditions, such as uterine proliferation from estrogen administration, endometriosis, breast cancer, fibroids, endometrial cancer, and brain meningiomas. The agonists can also be used as contraceptives. Assays are provided to screen for PR mixed agonists. Mol. designs are provided to convert a PR antagonist to a PR mixed agonist.

MSTR 1



G2 = 30

G3 = alkyl<(1-6)> (SO)
G6 = alkyl<(1-6)> (SO)
G9 = 52

L15 ANSWER 2 OF 12 MARPAT COPYRIGHT 2001 ACS (Continued)



G10 = COMe
MPL: claim 4

L15 ANSWER 3 OF 12 MARPAT COPYRIGHT 2001 ACS
ACCESSION NUMBER: 124:22540 MARPAT
TITLE: Pharmaceutical compositions of antiglucocorticoid compounds for treating or preventing symptoms of spontaneous or narcotic-induced withdrawal.
INVENTOR(S): Petit, Francis; Philibert, Daniel; Ulmann, Andre
PATENT ASSIGNEE(S): Roussel-UCLAF, Fr.
SOURCE: Eur. Pat. Appl., 30 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: French
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 676203	A1	19951011	EP 1995-400764	19950406
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, NL, PT, SE				
FR 2718354	A1	19951013	FR 1994-4156	19940408
FR 2718354	B1	19960503		
ZA 9502058	A	19960313	ZA 1995-2058	19950313
CA 2146600	AA	19951009	CA 1995-2146600	19950407
FI 9501683	A	19951009	FI 1995-1683	19950407
AU 9516326	A1	19951019	AU 1995-16326	19950407
JP 07278017	A2	19951024	JP 1995-107071	19950407
HU 71468	A2	19951128	HU 1995-1019	19950407
CN 1116929	A	19960221	CN 1995-104015	19950407

PRIORITY APPLN. INFO.: FR 1994-4156 19940408

AB Antiglucocorticoid steroids such as mifepristone, onapristone, lilopristone and related steroids are proposed for the prevention or treatment of withdrawal syndromes, either spontaneous or pptd. by narcotics or mixts. of narcotics. These antiglucocorticoids would be useful in the withdrawal from morphinomimetics such as heroin, morphine or methadone as well as cocaine. Pharmacol. activity was demonstrated by the effect of the antiglucocorticoids on the stereotypic behavior of mice in response to narcotics. Spontaneous withdrawal syndrome was induced by administration of the opioid antagonist, naloxone. An antiprogesterone activity of the steroids in their action mechanism was eliminated. Results confirmed the involvement of endogenous glucocorticoids in morphine withdrawal since this is inhibited by antiglucocorticoids or adrenalectomy.

MSTR 2



G1 = Ph (SO (1-) G2)

L15 ANSWER 3 OF 12 MARPAT COPYRIGHT 2001 ACS (Continued)
G2 = alkoxy<(6-)>
G3 = Me
G4 = 21



G5 = alkyl (SR G13)
G6 = OH
G9 = O
DER: and pharmaceutically acceptable addition salts
DER: and pharmaceutically acceptable addition salts
MPL: claim 7

L15 ANSWER 4 OF 12 MARPAT COPYRIGHT 2001 ACS
ACCESSION NUMBER: 123:218391 MARPAT
TITLE: Steroids for reducing multidrug resistance to cancer chemotherapeutic agents
INVENTOR(S): Cohn, Suzanne Bourgeois; Gruol, Donald J.
PATENT ASSIGNEE(S): Salk Institute for Biological Studies, USA
SOURCE: PCT Int. Appl., 54 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9517192	A1	19950629	WO 1994-US14624	19941219
W: AM, AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, JP, KE, KG, KP, KR, KZ, LK, LR, LT, LU, LV, MD, MG, MN, MW, NL, NO, NZ, PL, PT, RO, RU, SD, SE, SI, SK, TJ, TT, UA, US, UZ				
RW: KE, MW, SD, SZ, AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
AU 9514395	A1	19950710	AU 1995-14395	19941219
			US 1993-173243	19931222
			WO 1994-US14624	19941219

PRIORITY APPLN. INFO.:

AB Certain steroid-like compds. [I; R1 = H; R2 = OR; or R1R2 = :O; R = H, lower alkyl, Me3Si; R3 = H, Me, or absent if double bond or epoxide bridge joins C9 and C10; R4 = OR', C4-18 cyclic org. group contg. O, N, P, or Si; R' = lower alkyl, Me3Si; R5 = H, OR; or R5C16C17 form a 3-, 5-, 6-, or 7-membered ring; R6 = C(O)CH3, CH(OH)CH3, C(O)CH2OH, (substituted) hydrocarbyl; R9 = H, halo, or absent if double bond or epoxide bridge joins C9 and C10] are capable of inhibiting the P-glycoprotein-assocd. efflux pump which is considered responsible for multidrug resistance. Chemotherapy can be enhanced by facilitating the accumulation of drug at the target site, with reduced or eliminated competition by the drug efflux system. Thus RU 38486, an antiprogestin, at 5 .mu.M facilitated killing of multidrug-resistant S7CD-5 murine thymoma cells by 20 .mu.M puromycin.

MSTR 1B



G1 = C(O)
G3 = loweralkyl
G10 = Ph (SO (1-2) G16)
G11 = OH

L15 ANSWER 4 OF 12 MARPAT COPYRIGHT 2001 ACS (Continued)
G13 = 36



G16 = 41



MPL: claim 1

L15 ANSWER 5 OF 12 MARPAT COPYRIGHT 2001 ACS
ACCESSION NUMBER: 122:256423 MARPAT
TITLE: Antiglucocorticoid steroids for the treatment of anxiety disorders
INVENTOR(S): Peeters, Bernardus Wynand Machijs Maria
PATENT ASSIGNEE(S): Akzo Nobel N.V., Neth.
SOURCE: PCT Int. Appl., 25 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9504536	A1	19950216	WO 1994-EP2513	19940728
W: AM, AU, BB, BG, BR, BY, CA, CN, CZ, FI, GE, HU, JP, KG, KP, KR, KZ, LK, LT, LV, MD, MG, MN, NO, NZ, PL, RO, RU, SI, SK, TJ, TT, UA, US, UZ, VN				
RW: KE, MW, SD, AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
AU 9474968	A1	19950228	AU 1994-74968	19940728
AU 687088	B2	19980219		
EP 712311	A1	19960522	EP 1994-924819	19940728
EP 712311	B1	19981007		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, MC, NL, PT, SE				
JP 09501172	T2	19970204	JP 1994-506200	19940728
AT 171873	E	19981015	AT 1994-924819	19940728
ES 2124905	T3	19990216	ES 1994-924819	19940728
US 5741787	A	19980421	US 1996-581631	19960118

PRIORITY APPLN. INFO.: EP 1993-202304 19930804
EP 1994-924819 19940728
WO 1994-EP2513 19940728

AB Antiglucocorticoid steroids are used for the manuf. of a pharmaceutical compn. for the treatment of anxiety disorders. The anxiolytic effect of 11.beta.-(4-dimethylaminophenyl)-17.beta.-hydroxy-17.alpha.-(prop-1-ynyl)-estra-4,9-dien-3-one (RU38486) was demonstrated in animal testing (antagonism of fear-potentiated startle). Prepn. and activity (antagonism of stress-induced hyperthermia) of selected steroids of the invention is also described.

MSTR 1



L15 ANSWER 5 OF 12 MARPAT COPYRIGHT 2001 ACS (Continued)
G7 = 44



G10 = alkyl<(1-6)>
G11 = OH
G16 = alkylcarbonyl<(1-5)> (SO (1-) G17)
G18 = 39

MPL: claim 2

L15 ANSWER 6 OF 12 MARPAT COPYRIGHT 2001 ACS
ACCESSION NUMBER: 116:35156 MARPAT
TITLE: Preparation and use of antiprogestomimetics for synchronization of parturition in livestock
INVENTOR(S): Grandadam, Jean Andre
PATENT ASSIGNEE(S): Roussel-UCLAF, Fr.
SOURCE: Eur. Pat. Appl., 13 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: French
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 446124	A2	19910911	EP 1991-400594	19910305
EP 446124	A3	19920527		
R: AT, BE, CH, DE, DK, FR, GB, GR, IT, LI, LU, NL, SE				
FR 2659233	A1	19910913	FR 1990-2783	19900306
FR 2659233	B1	19940121		
CA 2037549	AA	19910907	CA 1991-2037549	19910305
AU 9172608	A1	19910912	AU 1991-72608	19910305
AU 642975	B2	19931104		
ZA 9101603	A	19920527	ZA 1991-1603	19910305
JP 04211610	A2	19920803	JP 1991-62496	19910305
RU 2037295	C1	19950619	RU 1991-4895041	19910305
CN 1055665	A	19911030	CN 1991-102108	19910306
HU 59006	A2	19920428	HU 1991-729	19910306

PRIORITY APPLN. INFO.: FR 1990-2783 19900306

AB The title antiprogestomimetics are I (R1 = C1-18 hydrocarbyl optionally substituted with .gtoreq.1 heteroatoms and bonded to the steroid by a C; R2 = C1-8 hydrocarbyl; X = remainder of 5- and 6-membered ring optionally substituted and optionally unsatd.; C = A = CNOH, oxo (free or blocked as ketal), etc.; B and C together form a double bond or epoxide bridge) and acid addn. salts thereof. Prepn. of 2 I are described. 17.beta.-Hydroxy-11.beta.-(4-dimethylaminophenyl)-17.alpha.-(prop-1-ynyl)estra-4,9-dien-3-one (II) was more effective at synchronizing parturition than cloprostenol when tested in sows. Injectable pharmaceuticals contg. II are disclosed.

MSTR 1C



G1 = 30



G2 = hydrocarbyl<(1-8)>
G3 = 55-13 57-14

L15 ANSWER 6 OF 12 MARPAT COPYRIGHT 2001 ACS (Continued)



G9 = OH
G15 = 61



G4 +G17= O
DER: and protected derivatives
DER: and acid addition salts
MPL: claim 1

L15 ANSWER 7 OF 12 MARPAT COPYRIGHT 2001 ACS
ACCESSION NUMBER: 115:214857 MARPAT
TITLE: Injectable microspheres containing antiestrogenic and antiprogestomimetic steroids
INVENTOR(S): Cohen, Gerard; Dubois, Jean Luc
PATENT ASSIGNEE(S): Roussel-UCLAF, Fr.
SOURCE: Ger. Offen., 15 pp.
CODEN: GWXXBX
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 4036425	A1	19910516	DE 1990-4036425	19901115
FR 2654337	A1	19910517	FR 1989-14976	19891115
FR 2654337	B1	19940805		
SE 9003570	A	19910516	SE 1990-3570	19901109
BE 1005511	A4	19930831	BE 1990-1062	19901109
DK 9002709	A	19910516	DK 1990-2709	19901113
CA 2029940	AA	19910516	CA 1990-2029940	19901114
JP 03294229	A2	19911225	JP 1990-306374	19901114
CH 681691	A	19930514	CH 1990-3611	19901114
NL 9002492	A	19910603	NL 1990-2492	19901115
GB 2239798	A1	19910717	GB 1990-24862	19901115
GB 2239798	B2	19931027		
AT 9002313	A	19950415	AT 1990-2313	19901115
AT 400298	B	19951127		

PRIORITY APPLN. INFO.: FR 1989-14976 19891115

AB Biodegradable microspheres comprise the title steroids (Markush given) and copolymers of lactic acid with glycolic acid. A mixt. of 250 mL aq. 0.3% hydrolyzed PVA soln., 1 g poly(DL-lactic acid-glycolic acid), 17 g CH2Cl2, and 0.5 g 17.beta.-hydroxy-11.beta.-[4-(dimethylamino)phenyl]-17.alpha.-(1-propynyl)estra-4,9-dien-3-one was emulsified, followed by stirring at 22.degree. and decreasing pressure (.gtoreq.400 mm Hg) to give microspheres, which were used for the prepn. of injections.

MSTR 1A

G1—G3

G1 = 3



G2 = Me
G3 = 24

L15 ANSWER 7 OF 12 MARPAT COPYRIGHT 2001 ACS (Continued)



G5 = 68-26 70-27



G9 = 74

G10 = OH
G13 = OH
MPL: claim 6

L15 ANSWER 8 OF 12 MARPAT COPYRIGHT 2001 ACS
ACCESSION NUMBER: 115:151901 MARPAT
TITLE: Use of antiprogestomimetics for stimulating ovulation, and new preparation for use in pharmaceutical compositions
INVENTOR(S): Grandadam, Jean Andre
PATENT ASSIGNEE(S): Roussel-UCLAF, Fr.
SOURCE: Eur. Pat. Appl., 24 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: French
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 417003	A2	19910313	EP 1990-402449	19900906
EP 417003	A3	19911204		
EP 417003	B1	19940629		
R: AT, BE, CH, DE, DK, FR, GB, IT, LI, LU, NL, SE				
FR 2651435	A1	19910308	FR 1989-11699	19890907
FR 2651435	B1	19940422		
US 5173483	A	19921222	US 1990-578894	19900905
CA 2024728	AA	19910308	CA 1990-2024728	19900906
AU 9062259	A1	19910314	AU 1990-62259	19900907
AU 623805	B2	19920521		
JP 03099015	A2	19910424	JP 1990-236004	19900907
JP 3032258	B2	20000410		

PRIORITY APPLN. INFO.: FR 1989-11699 19890907

AB Anti-progestomimetic compds., e.g. I [R1 = C1-18 hydrocarbyl with optionally .gtoreq.1 heteroatoms, bonded to the steroid by a C; R2 = C1-8 hydrocarbyl; X = rest of 5- or 6-membered (substituted) (unsatd.) ring; A:C = oxo (free or in ketal), CH(OH), CH(OR3), CH(O2CR3), etc.; R3 = C1-8 alkyl, C7-15 aralkyl; B and C together form a double bond or epoxide bridge] and their acid and base addn. salts, are used for making pharmaceuticals for stimulating ovulation, e.g. in cows. The compds. of the invention are preferably used following treatment with progesterone or a progestomimemetic, e.g. 3-oxo-17.alpha.-allyl-17.beta.-hydroxyestra-4,9,11-triene (II). Thus, heifer cows were 1st administered II for 17 days; on the day following the last administration, the animals were injected with 17.beta.-hydroxy-11.beta.-(4-dimethylaminophenyl)-17.alpha.-(prop-1-ynyl)estra-4,9-dien-3-one. All of the heifers came to heat after a very short delay period, and LH levels rose very rapidly. Prepn. of 12 anti-progestomimetics is presented.

MSTR 1E



L15 ANSWER 8 OF 12 MARPAT COPYRIGHT 2001 ACS (Continued)
G1 = 85



G3 = hydrocarbyl<(1-8)>
G10 = COMe
G12 = OH / 96



G14 = 98

G15 = OH
G5 +G6 = O
DER: or acid or base addition salts
MPL: claim 2
NTE: oxo formed by G5 and G6 may be protected as a ketal

L15 ANSWER 9 OF 12 MARPAT COPYRIGHT 2001 ACS
ACCESSION NUMBER: 115:9125 MARPAT
TITLE: Preparation of .omega.-[(3-oxoestra-4,9-dien-11.beta.-yl)phenylamino]alkanoates as antiglucocorticoids
INVENTOR(S): Moguilewsky, Martine; Nedelec, Lucien; Nique, Francois; Philibert, Daniel
PATENT ASSIGNEE(S): Roussel-UCLAF, Fr.
SOURCE: Eur. Pat. Appl., 33 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: French
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 414606	A2	19910227	EP 1990-402328	19900822
EP 414606	A3	19910724		
EP 414606	B1	19941102		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE				
FR 2651233	A1	19910301	FR 1989-11173	19890823
FR 2651233	B1	19911213		
CA 2022648	AA	19910224	CA 1990-2022648	19900803
ZA 9006341	A	19911030	ZA 1990-6341	19900810
US 5166146	A	19921124	US 1990-568597	19900816
JP 03090097	A2	19910416	JP 1990-217281	19900820
JP 3026997	B2	20000327		
IL 95451	A1	19950731	IL 1990-95451	19900821
AU 9061189	A1	19910228	AU 1990-61189	19900822
AU 634569	B2	19930225		
HU 54706	A2	19910328	HU 1990-5275	19900822
HU 208154	B	19930830		
ES 2063313	T3	19950101	ES 1990-402328	19900822
CN 1051362	A	19910515	CN 1990-107161	19900823
CN 1033808	B	19970115		
RU 2041236	C1	19950809	RU 1992-5011511	19920518

PRIORITY APPLN. INFO.: FR 1989-11173 19890823
AB The title compds. [I; R1 = aliph. hydrocarbyl; R2 = H, (un)substituted alkyl; R5, R6 = H, alkyl; X = atoms to complete an (un)substituted 5- or 6- membered ring; Z = (un)salified CO2H; n = 1-6] were prepd. Thus, aminophenylestradienone II (R = R5 = R6 = H) was condensed with BrCH2CO2Me to give, after sapon., II (R = CH2CO2Na, R5 = R6 = H) which at 10-6M in vitro gave 82% inhibition of uridine incorporation into rat thymocytes.

MSTR 2A



L15 ANSWER 9 OF 12 MARPAT COPYRIGHT 2001 ACS (Continued)

G1 = Ak<(1-8)>
G3 = phenylene
G4 = alkylamino<(1-12)>
G9 = 39-18 37-17



G10 = (1-2) 45



G13 = OH / 53



G16 = 68

DER: and protected derivatives
MPL: claim 7

L15 ANSWER 10 OF 12 MARPAT COPYRIGHT 2001 ACS
ACCESSION NUMBER: 114:229227 MARPAT
TITLE: Preparation of 19-nor 3-oxo steroids with an amine substituted 17-chain as antioxidants and antinflammatories: their use as medicines and pharmaceutical composition containing them
INVENTOR(S): Claussner, Andre; Leclaire, Jacques; Nedelec, Lucien; Philibert, Daniel
PATENT ASSIGNEE(S): Roussel-UCLAF, Fr.
SOURCE: Eur. Pat. Appl., 29 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: French
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 389370	A1	19900926	EP 1990-400784	19900322
EP 389370	B1	19940427		
R: CH, DE, FR, GB, IT, LI, NL				
FR 2644789	A1	19900928	FR 1989-3742	19890322
FR 2644789	B1	19950203		
JP 02273693	A2	19901108	JP 1990-68508	19900320
JP 2848907	B2	19990120		
US 5108996	A	19920428	US 1990-497562	19900321

PRIORITY APPLN. INFO.: FR 1989-3742 19890322
AB The title compds. [I; R1, R2 = H, Me; R11 = (poly)(hetera)hydrocarbyl; one of R17 and R18 is OH or acyloxy and the other is Q; Z = alkylene, alkenylene, alkynylene; P = (substituted) pyrimidinyl, pyridyl] were prepd. via reacting the halo derivs. II or III (X = halo) with the appropriate pyrimidinyl or pyridine deriv. IV. Reaction of estradienone V [R3 = 3-bromo-1-propynyl, R4 = OH] (prepn. given) was reacted with 2,4-bis(1-pyrrolidinyl)-6-(1-piperazinyl)pyrimidine (prepn. given) in acetone contg. K2CO3 at ambient temp. for 2 h to give V [R3 = 3-[4-[2,6-bis(1-pyrrolidinyl)-4-pyrimidinyl]-1-piperazinyl]-1-propynyl; R4 = OH]. At 5 .times. 10-4 M this inhibited in vitro the formation of malonyldialdehyde, a measure of lipid peroxidn., in rat brain homogeneate by .apprx.47.5%.

MSTR 3



G2 = 107



L15 ANSWER 10 OF 12 MARPAT COPYRIGHT 2001 ACS (Continued)

G4 = OH
G14 = NMe2
MPL: claim 13
NTE: the alkylamino and dialkylamino groups in G11 may be interrupted by oxygen, sulfur, or nitrogen

L15 ANSWER 11 OF 12 MARPAT COPYRIGHT 2001 ACS
ACCESSION NUMBER: 111:233356 MARPAT
TITLE: New 11-aryl steroids useful as antiprogestins, their preparation, and pharmaceuticals containing them
INVENTOR(S): De Jongh, Hendrik Paul; Van Vliet, Nicolaas Pieter
PATENT ASSIGNEE(S): AKZO N. V., Neth.
SOURCE: Eur. Pat. Appl., 10 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 321010	A1	19890621	EP 1988-202678	19881125
EP 321010	B1	19930203		
R: AT, BE, CH, DE, ES, FR, GB, GR, IT, LI, NL, SE				
AT 85342	E	19930215	AT 1988-202678	19881125
ES 2053714	T3	19940801	ES 1988-202678	19881125
ZA 8808996	A	19890830	ZA 1988-8996	19881130
AU 8826469	A1	19890615	AU 1988-26469	19881201
AU 613433	B2	19910801		
US 4921845	A	19900501	US 1988-281582	19881208
CA 1301162	A1	19920519	CA 1988-585297	19881208
DK 8806880	A	19890613	DK 1988-6880	19881209
DK 168444	B1	19940328		
FI 8805717	A	19890613	FI 1988-5717	19881209
FI 89056	B	19930430		
FI 89056	C	19930810		
KR 9709592	B1	19970614	KR 1988-16480	19881210
CN 1034731	A	19890816	CN 1988-108484	19881212
CN 1019807	B	19921230		
JP 01211597	A2	19890824	JP 1988-313643	19881212

PRIORITY APPLN. INFO.: NL 1987-3008 19871212
EP 1988-202678 19881125

AB Aryl steroids I [R1 = aryl substituted by -NXY; X, Y = H, C1-4 hydrocarbyl; or XY = C2-6 hydrocarbyl forming 3- to 7-membered ring; R2 = H, OH, acyloxy, alkoxy, (un)satd. C1-8 hydrocarbyl with .gtoreq.1 OH, oxo, N3, cyano, and/or halo group; R3 = OH, acyloxy, alkoxy, or acyl optionally substituted by OH, alkoxy, acyloxy, or halo; or R2R3 forms ring; R2 .noteq. H or OH when R3 = OH; R4 = Me, Et), which are strong antiprogestins with little or no antiglucocorticoid activity (no data), are prepd. Thus, 7.beta.-methylestr-5-(10)-ene-3,17-dione 3,3-di-Me acetal underwent NaBH4 redn., deketalization, bromination/dehydrobromination, reketalization, and epoxidn., to give 5.alpha., 10.alpha.-epoxy-17.beta.-hydroxy-7.beta.-methylester-9(11)-en-3-one 3,3-ethylene acetal. This underwent CuCl-catalyzed coupling with p-(Me2N)C6H4MgBr, Oppenauer oxidn. of 17-OH, alkynylation with THP-OCH2C.tplbond.CMgBr (THP = tetrahydropyranyl), and deprotection, to give (dimethylaminophenyl)hydroxy(hydroxypropynyl)methylestradienone II.

MSTR 1

L15 ANSWER 11 OF 12 MARPAT COPYRIGHT 2001 ACS (Continued)



G1 = phenylene
G3 = NH
G4 = Ak<(1-4)>
G5 = OH
G6 = 35

G12 = Ak (SO (1-) G10)
G14 = 42

MPL: claim 1

L15 ANSWER 12 OF 12 MARPAT COPYRIGHT 2001 ACS
ACCESSION NUMBER: 110:213172 MARPAT
TITLE: 13(Alpha)-alkylgonanes, their production, and pharmaceutical preparations containing same
INVENTOR(S): Neef, Guenter; Wiechert, Rudolf; Beier, Sybille; Elger, Walter; Henderson, David
PATENT ASSIGNEE(S): Schering A.-G., Fed. Rep. Ger.
SOURCE: U.S., 5 pp. Cont. of U.S. Ser. No. 621,308.
CODEN: USXXAM
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 4
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 4780461	A	19881025	US 1985-810148	19851218
DE 3321826	A1	19841220	DE 1983-3321826	19830615
DE 3413036	A1	19851017	DE 1984-3413036	19840404
DE 3446661	A1	19860619	DE 1984-3446661	19841218

PRIORITY APPLN. INFO.: DE 1983-3321826 19830615
DE 1984-3413036 19840404
US 1984-621308 19840615
DE 1984-3446661 19841218

AB 13.alpha.-Alkylgonanes [I; R = C1-4 acyl; X = O, NOH; II; R1 = amino; R2 = H, Me, Et; R3 = (substituted) alkyl; R4 = OH, alkoxy, alkanoyloxy; or R3R4 = O; R5 = H, alkyl; III; Z = CH2CH2, CH2CMe2CH2], having antigestagenic activity and useful as postcoital contraceptives, or for triggering abortion and menstruation (no data), are prepd. via photochem. epimerization of the 13.beta.-gonanes IV. 11.beta.-(4-Dimethylaminomethyl)-17.alpha.-hydroxy-13.alpha.-methyl-17.beta.-(3-hydroxypropyl)-4,9-gonadien-3-one (V) was acetylated with Ac2O in pyridine to give 11.beta.-(4-dimethylaminomethyl)-17.alpha.-hydroxy-13.alpha.-methyl-17.beta.-(3-acetoxypropyl)-4,9-gonadien-3-one. A tablet was formulated contg. V 10.0, lactose 140.0, corn starch 69.5, polyvinylpyrrolidone 25 2.5, Aerosil 2.0, and Mg stearate 0.5 mg.

MSTR 2



G1 = OMe
G4 = 59

L15 ANSWER 12 OF 12 MARPAT COPYRIGHT 2001 ACS (Continued)
G8 = OH
G11 = OH
G12 = 66

GGA = 33 <RC (1), RS (1) M5 (1) X6, EC (0-) O (1-) N (0-) S (0) OTHERQ, AN (1) N, BD (ALL) SE>
DER: and acid addition salts
MPL: claim 18